
**Hydrometry — Liquid flow
measurement using end depth method
in channels with a free overfall**

*Hydrométrie — Mesure du débit liquide dans les chenaux à déversoir
sans pelle*

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 18481:2017](https://standards.iteh.ai/catalog/standards/iso/a8a8c067-4e1d-4bd2-9282-0d2ed2de8961/iso-18481-2017)

<https://standards.iteh.ai/catalog/standards/iso/a8a8c067-4e1d-4bd2-9282-0d2ed2de8961/iso-18481-2017>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 18481:2017](https://standards.iteh.ai/catalog/standards/iso/a8a8c067-4e1d-4bd2-9282-0d2ed2de8961/iso-18481-2017)

<https://standards.iteh.ai/catalog/standards/iso/a8a8c067-4e1d-4bd2-9282-0d2ed2de8961/iso-18481-2017>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	2
5 Principle	2
6 Installation	2
6.1 General.....	2
6.2 Selection of site.....	2
7 Measurement of end depth	3
7.1 General.....	3
7.2 Head measuring devices.....	3
7.3 Gauge datum.....	3
8 Maintenance	3
8.1 General.....	3
8.2 Types.....	4
8.3 Specifications for the drop structure.....	5
8.4 Specifications for installation.....	6
8.5 Determination of gauge zero.....	6
8.6 Discharge relationship.....	6
8.7 Coefficient of discharge.....	6
8.7.1 Confined nappe.....	6
8.7.2 Unconfined nappe.....	6
8.8 Practical limitations.....	6
8.9 Uncertainty of measurement.....	7
9 Triangular channel drop structure	7
9.1 Specifications for the drop structure.....	7
9.2 Specifications for installation.....	7
9.3 Specifications for head measurement.....	7
9.3.1 General.....	7
9.3.2 Determination of channel angle.....	7
9.3.3 Determination of gauge zero.....	8
9.4 Discharge formula — Unconfined.....	8
9.5 Practical limitations.....	8
9.6 Uncertainty of measurement.....	8
10 Trapezoidal channel drop structure	9
10.1 Specifications for the drop structure.....	9
10.2 Specifications for head measurement.....	9
10.2.1 General.....	9
10.2.2 Determination of gauge zero.....	9
10.3 Discharge formula — Unconfined.....	9
10.4 Practical limitations.....	10
10.5 Uncertainty of measurement.....	10
11 Circular channel drop structure	11
11.1 Specifications for the drop structure.....	11
11.2 Specifications for head measurement.....	11
11.2.1 General.....	11
11.2.2 Determination of gauge zero.....	11
11.3 Discharge formula — Unconfined.....	11
11.4 Practical limitations.....	13

11.5	Uncertainty of measurement.....	13
12	Parabolic channel drop structure.....	14
12.1	Specifications for the drop structure.....	14
12.2	Specifications for head measurement.....	14
12.2.1	General.....	14
12.2.2	Geometry.....	14
12.2.3	Determination of gauge zero.....	14
12.3	Discharge formula — Unconfined.....	15
12.4	Practical limitations.....	15
13	Uncertainties of flow measurement.....	15
13.1	General.....	15
13.2	Sources of error.....	15
13.3	Kinds of error.....	16
13.4	Uncertainties in coefficient values.....	16
13.5	Uncertainties in measurements made by the user.....	17
13.6	Combination of uncertainties to give total uncertainty on discharge.....	17
13.7	Example.....	17
	Bibliography.....	20

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO 18481:2017](https://standards.itih.ai/catalog/standards/iso/a8a8c067-4e1d-4bd2-9282-0d2ed2de8961/iso-18481-2017)

<https://standards.itih.ai/catalog/standards/iso/a8a8c067-4e1d-4bd2-9282-0d2ed2de8961/iso-18481-2017>