
**Resistance welding — Destructive
testing of welds — Method for the
fatigue testing of multi-spot-welded
specimens**

*Soudage par résistance — Essais destructifs des soudures — Méthode
d'essai de fatigue des échantillons soudés par points multiples*

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 18592:2019

<https://standards.iteh.ai/catalog/standards/iso/edd45648-8caa-43aa-9ba9-12abed689fc5/iso-18592-2019>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 18592:2019

<https://standards.iteh.ai/catalog/standards/iso/edd45648-8caa-43aa-9ba9-12abed689fc5/iso-18592-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols and abbreviated terms	3
5 Specimens	5
5.1 General	5
5.2 Selection of suitable specimens	6
5.3 Specimen fabrication	7
5.3.1 Sheet material	7
5.3.2 Bending and forming	7
5.3.3 Tolerances	8
5.3.4 Welding	8
5.3.5 Storage	9
5.3.6 Inspection	9
5.4 Specimen geometry	9
5.4.1 General	9
5.4.2 Specimen geometry of tensile shear and peel specimens	9
5.4.3 Geometry of the hat and closed section specimens	15
5.4.4 Double disc and KS-2 specimen	17
6 Requirements for testing machine	19
7 Specimen grips and alignment	20
7.1 General	20
7.1.1 Alignment verification	20
7.1.2 Clamping device calibration	20
7.2 Shear and peel loading	21
7.2.1 General	21
7.2.2 Shear loading	21
7.2.3 Peel loading	21
7.2.4 Shear loading parallel to the joint line	21
7.2.5 Torsion loading	22
8 Test procedure	22
8.1 General	22
8.2 Mounting the H-specimens	22
8.3 Clamping procedure for the H-specimens	22
8.4 Fatigue test	22
8.4.1 General	22
8.4.2 Test frequency	22
8.5 Test termination	23
8.5.1 General	23
8.5.2 Stiffness calculation	23
8.5.3 Data acquisition	23
8.5.4 Failure criterion and number of cycles to failure	24
9 Test report	25
9.1 Basic information	25
9.1.1 General	25
9.1.2 Material prior to fatigue test specimen preparation	25
9.1.3 Mechanical properties	25
9.1.4 Specimen design and preparation	26
9.1.5 Test procedure	26

9.1.6	Fatigue testing machine.....	26
9.1.7	Ambient conditions during the fatigue test.....	26
9.1.8	Results of post-test examination.....	26
9.2	Presentation of fatigue test results.....	26
9.2.1	Tabular presentation.....	26
9.2.2	Graphical presentation.....	27
9.2.3	Numerical evaluation, statistics.....	27
Annex A (informative) Calibration specimen for verifying the load distribution in H-specimens.....		28
Annex B (informative) Hydraulic grips for the fatigue testing of H-specimens.....		29
Annex C (informative) Grip for the fatigue testing of H-specimens.....		30
Annex D (informative) Flow chart — Data acquisition.....		31
Bibliography.....		34

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 18592:2019

<https://standards.iteh.ai/catalog/standards/iso/edd45648-8caa-43aa-9ba9-12abed689fc5/iso-18592-2019>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 44, *Welding and allied processes*, Subcommittee SC 6, *Resistance welding and allied mechanical joining*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html. Official interpretations of TC 44 documents, where they exist, are available from this page: <https://committee.iso.org/sites/tc44/home/interpretation.html>.

This second edition cancels and replaces the first edition (ISO 18592:2009), which has been technically revised. The main changes compared to the previous edition are as follows:

- Clause 3 has been updated;
- Figures and tables have been updated.

Introduction

This document has been prepared because welding engineers (and most design engineers) are not familiar with fatigue testing and the influence of factors such as load type (e.g. shear load, peel load), and failure criteria.

Tests are used to investigate the existence of specific properties and their qualitative and quantitative evaluation. Fatigue tests, in general, are used to investigate the behaviour of structures and components subjected to cyclic loads. For welded components, fatigue tests are used to determine the influence of different parameters such as joining methods, pitch, material thickness and material combinations, type of load (e.g. shear load, peel load), overlap, location of weld on flange, edge distance, loading condition (e.g. quasi-static, cyclic, load ratio R), and the combination of environment and corrosion on the fatigue behaviour (life) of spot welds and/or specimens subjected to various types of loads. Fatigue tests will, if their results are to be used for design purposes, as far as possible, take into consideration such boundary conditions as encountered in a real-life environment. This applies to load types, load amplitudes, and load ratios as well as load distributions and failure criteria^[2].

The test specimen selected for the fatigue test will simulate, as closely as possible, the loads and the boundary conditions as they are encountered in service. Furthermore, the failure criterion used must conform to the application in hand. Although the type of primary load is identical in some specimens, e.g. shear load in flat multi-spot specimens, H-shear specimens, KS-2 specimens, and double disc specimens, the results of fatigue tests differ significantly because of the secondary load types resulting from varying degrees of local deformation due to the differences in the local stiffness in the area of the joints. The local deformation, responsible for the magnitude of the peel component, for example, is a function of the local stiffness, increasing with a decrease in stiffness.

This document offers a framework within which the different specimens, described herein, can be modified such that design specifics and production constraints, e.g. flange width and overlap, weld nugget size, pitch, bending radius, and sub-standard welds, can be given due consideration. This helps towards enhancing the significance of the results very appreciably. Note that if welds could be subjected to identical amplitudes of shear and peel loads, their lives would differ by a factor of approximately 10^4 (References [8] to [11]). This explains the necessity to use different specimens for the simulation of different load types.

Conformance tests on real components serve the verification of design calculations and are necessary for the qualification of structures. It is therefore necessary to maintain their number at an absolute minimum.