



**International
Standard**

ISO 19177-1

**Geographic information —
Geospatial application
programming interface (API) for
tiles —**

**Part 1:
Core**

*Information géographique — Interface de programmation
d'application (API) géospatiale pour les tuiles —*

Partie 1: Profil-minimal

**First edition
2026-03**

Sample Document

get full document from standards.iteh.ai

Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2026

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Abbreviated terms	4
4 Conformance	4
4.1 General.....	4
4.2 Requirements classes defining resources.....	4
4.2.1 Requirements class “Core”	4
4.2.2 Requirements class “Tileset”	5
4.2.3 Requirements class “Tilesets List”	5
4.3 Requirements classes defining data origins.....	5
4.3.1 Requirement class “Dataset Tilesets”	5
4.3.2 Requirements class “GeoData Tilesets”	6
4.4 Requirements classes defining query parameters.....	6
4.4.1 Requirements class “Collections Selection”	6
4.4.2 Requirements class “DateTime”	6
4.5 Requirements classes for specific resource representations.....	6
4.5.1 Requirements class “OpenAPI Specification 3.0 API definition”	6
4.5.2 Requirements class “XML Tileset Metadata”	6
4.6 Requirements classes for tile encodings.....	7
4.7 Declaration of conformance.....	7
5 Conventions	8
5.1 General.....	8
5.2 Identifiers.....	8
5.3 Link relations.....	8
5.4 Use of HTTPS.....	9
6 Overview	9
6.1 General.....	9
6.2 Evolution from OGC Web Services.....	10
6.3 Relationship to other OGC API standards	11
6.4 Using this document independently.....	12
6.4.1 Overview	12
6.4.2 Description of the domain.....	12
6.4.3 Description of the observed or measured properties.....	13
6.4.4 Available formats and tile response expectations.....	13
6.4.5 Limitations	13
6.5 How to approach an implementation of an OGC API standard.....	13
6.6 Use of the term “tiles”	15
7 Requirements class “Core”	16
7.1 General.....	16
7.2 A tile.....	16
7.2.1 General.....	16
7.2.2 Operation	16
7.2.3 Parameter tileMatrix.....	17
7.2.4 Parameter tileRow.....	17
7.2.5 Parameter tileCol.....	18
7.2.6 Parameter tileMatrixSetId (optional).....	18
7.2.7 Response.....	18
7.2.8 Error conditions.....	20

7.3	Declaration of conformance classes.....	20
7.3.1	General.....	20
7.3.2	Response.....	20
8	Requirements class “Tileset”	21
8.1	Overview.....	21
8.2	Tileset resource.....	22
8.2.1	General.....	22
8.2.2	Tileset path.....	22
8.2.3	Response.....	22
8.3	Web-API-defined TileMatrixSets.....	25
8.3.1	General.....	25
8.3.2	Web API landing page.....	25
8.3.3	TileMatrixSets.....	26
8.3.4	TileMatrixSet.....	27
9	Requirements class “Tilesets List”	27
9.1	Overview.....	27
9.2	Tilesets list.....	28
9.2.1	General.....	28
9.2.2	Tilesets path.....	28
9.2.3	Response.....	28
10	Requirements class “Dataset Tilesets”	29
10.1	Overview.....	29
10.2	General.....	30
10.3	Web API landing page.....	30
10.3.1	General.....	30
10.3.2	Response.....	30
10.4	Dataset tilesets.....	31
10.4.1	General.....	31
10.4.2	Operation.....	31
10.4.3	Response.....	31
10.5	Tiles.....	31
10.5.1	General.....	31
10.5.2	Response.....	31
11	Requirements class “GeoData Tilesets”	32
11.1	Overview.....	32
11.2	General.....	32
11.3	Geospatial data resources.....	32
11.4	Geospatial data resources tilesets list.....	33
11.4.1	General.....	33
11.4.2	Operation.....	33
11.4.3	Response.....	34
11.5	Tiles.....	34
12	Requirements class “Collections Selection”	34
12.1	Overview.....	34
12.2	Operation.....	34
12.2.1	General.....	34
12.2.2	Parameter collections.....	34
12.2.3	Response.....	35
12.2.4	Error conditions.....	35
13	Requirements class “DateTime”	35
13.1	Overview.....	35
13.2	Describing the temporal extent.....	36
13.3	<code>datetime</code> query parameter request and response.....	36
13.4	<code>subset=datetime</code> query parameter request and response.....	37
13.5	Actual date and time response header.....	39
13.6	Closest date and time permission.....	39

14	Requirements class “OpenAPI Specification 3.0”	39
14.1	Overview	39
14.2	Web API OpenAPI description	40
14.2.1	General	40
14.2.2	Response	40
15	Requirements class “XML Tileset Metadata”	43
15.1	Overview	43
15.2	Tileset and Tilesets List XML representation	43
15.2.1	General	43
15.2.2	Operation	43
15.2.3	Response	43
16	Requirements classes for tile encodings	44
16.1	General	44
16.2	Overview	44
16.3	Requirements class “PNG”	44
16.4	Requirements class “JPEG”	45
16.5	Requirements class “TIFF”	46
16.6	Requirements class “NetCDF”	47
16.7	Requirements class “GeoJSON”	47
16.8	Requirements class “Mapbox Vector Tiles”	48
Annex A (normative) Abstract test suite		49
Bibliography		62

Sample Document

get full document from standards.iteh.ai

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 287, *Geographic Information*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement), and in collaboration with the Open Geospatial Consortium (OGC).

A list of all parts in the ISO 19177 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is an ISO adaptation of *OGC API – Tiles – Part 1: Core* (OGC 20-057). The normative content is identical to that in the OGC standard, but some minor editorial changes have been made to bring this document in line with the ISO/IEC Directives, Part 2.

This document defines building blocks for implementing web application programming interfaces (APIs) that support the retrieval of tiled geospatial information. A web API is an application programming interface for either a web server or a web browser. This document is sometimes referred to as the “Tiles API”.

The OGC suite of web API standards is an extensible framework for building HTTP-based services that can be accessed in different applications on different platforms such as the web, desktop, mobile, etc. This document specifies how different forms/types of geospatial resources are supported, such as tiles of vector features (“vector tiles”), coverages and maps (or imagery). Although this document can be used independently, the building blocks (e.g. subsets of the API definition that provide for specific functions) can be combined with other OGC API standards (or the ISO equivalents, such as ISO 19168-1) for additional capabilities or increased interoperability for specific types of data. This document references *OGC Two Dimensional Tile Matrix Set and Tile Set Metadata, Version 2.0* (OGC 17-083r4). That standard defines logical models and encodings for specifying tile matrix sets and describing tile sets. A tile matrix set is a tiling scheme that enables an application to partition and index space based on a set of regular grids defined for multiple scales in a coordinate reference system (CRS).

This document is an alternative to *OpenGIS® Web Map Tile Service Implementation Standard* (OGC 07-057r7). Instead of a fixed web interface, this document focuses on simple reusable Representational State Transfer (REST) API building blocks which can be described using the OpenAPI specification. Whereas *WTMS OpenGIS® Web Map Tile Service Implementation Standard* (OGC 07-057r7) focuses on map tiles, this document is designed to support any form of tiled data.

Sample Document

get full document from standards.iteh.ai

Sample Document

get full document from standards.iteh.ai

Geographic information — Geospatial application programming interface (API) for tiles —

Part 1: Core

1 Scope

This document specifies the behaviour of web application programming interfaces (APIs) that provide access to tiles of one or more geospatial data resources (collections) that the web API offers.

This document describes how to:

- discover which resources offered by the web API can be retrieved as tiles;
- get metadata about the available tile sets (including according to which tile matrix set each tile set is partitioned and the limits of that tile set within a common potentially global tile matrix set);
- request a tile.

The core conformance class is defined in a way that can be easily included in a web API, even if that API does not conform to the *OGC API – Common* Standard. A web API can combine some requirements classes of this document with those of other OGC API standards (including *OGC API – Common*) to extend the scope of the web API by adding functionality.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

MASÓ, J., JACOVELLA-ST-LOUIS, J. (eds.) *OGC Two Dimensional Tile Matrix Set and Tile Set Metadata*. Version 2.0. OGC 17-083r4. Open Geospatial Consortium, 2022. Available at: <https://docs.ogc.org/is/17-083r4/17-083r4.html>

HEAZEL, C. (ed.) *OGC API – Common – Part 1: Core*. Version 1.0.0. OGC 19-072. Open Geospatial Consortium, 2023. Available at: <https://docs.ogc.org/is/19-072/19-072.pdf>

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1

coverage tile

tile (3.1.7) that contains information, often in a gridded form, where the values represent observations or measurements as a count, or quantity using some unit of measure

Note 1 to entry: Coverage tiles can be generated in combination with the proposed *OGC API – Coverages*, and can also be generated by combining a subset (trim) and resampling operation. Usually, visualizing a coverage tile on a rendering device implies mapping those values to colours.

Note 2 to entry: Coverages are described in ISO 19123-1.

3.1.2

dataset

collection of data

Note 1 to entry: Published or curated by a single agent, and available for access or download in one or more serializations or formats.

Note 2 to entry: A *web API* (3.1.14) implementing *OGC API – Common – Part 1: Core* (OGC 19-072) often gives access to a single dataset which may be comprised of one or more *geospatial data resources* (3.1.3).

[SOURCE: ISO 19168-1:2025, 3.1.1, modified — Note 2 to entry replaced.]

3.1.3

geospatial data resource

web-accessible resource that consists of a set of geospatial data

Note 1 to entry: In this document, geospatial data are sometimes referred to using the abbreviated form "geodata".

Note 2 to entry: In *web APIs* (3.1.14) implementing *OGC API – Common – Part 2: Geospatial Data* (OGC 20-024), geospatial data resources are referred to as collections and are defined in the collections conformance class.

3.1.4

geospatial resource aspect

web-accessible resource that represents a component of geospatial information (e.g. metadata, schemas) or geospatial data accessed using a particular mechanism and data model (e.g. feature items, *tiles* (3.1.7), maps, coverages) of a more generic *geospatial data resource* (3.1.3) (e.g. a collection)

Note 1 to entry: A geospatial resource aspect is not to be confused with a web accessible resource representation. While resource representations share the same path and are selected by format negotiation, geospatial aspects use different paths. Commonly a geospatial aspect is a subpath of a geospatial data resource.

3.1.5

landing page

page whose primary purpose is to contain a description of something else

Note 1 to entry: Landing pages often provide summaries or additional information about the thing that they describe (e.g. W3C, URLs in Data Primer).

Note 2 to entry: In the context of the OGC API standards, a landing page serves as the root node of the API Resource tree and provides the information needed to navigate all the resources exposed through the API. The landing page provides access to the root of a *dataset* (3.1.2).

3.1.6

map tile

tile (3.1.7) that contains information in a raster form where the values of cells are colours which can be readily displayed on rendering devices

3.1.7

tile

geometric shape with known properties that can be (but are not necessarily) the result of a tiling (tessellation) process

Note 1 to entry: A tile consists of a single connected "piece" without "holes" or "lines" (topological disc).

Note 2 to entry: In the context of a 2D *tile matrix* (3.1.8), a tile is one of the rectangular regions of space, which can be uniquely identified by row and column integer indices, making up the tile matrix.

Note 3 to entry: In the context of a geospatial data *tile set* (3.1.10), a tile contains data for such a partition of space as part of an overall set of tiles for that tiled geospatial data.

Note 4 to entry: Tiles are useful to efficiently request, transfer, cache, display, store and process geospatial data for a specific resolution and area of interest, providing deterministic performance and scalability for arbitrarily large *datasets* (3.1.2).

Note 5 to entry: Tiles can contain a variety of data types, such as grid-based pictorial representations (*map tiles* (3.1.6)), coverage subsets (*coverage tiles* (3.1.1)) or feature-based representations (*vector tiles* (3.1.13)).

[SOURCE: *GC Core Tiling Conceptual and Logical Models for 2D Euclidean Space* (OGC 19-014r3)]

3.1.8

tile matrix

tiling grid in a given 2D coordinate reference system, associated to a specific scale and partitioning space into regular conterminous *tiles* (3.1.7), each of which being assigned a unique identifier

Note 1 to entry: Each tile of a tile matrix is uniquely identifiable by integer indices for the row and the column. The number of rows is referred to as the matrix height, while the maximum number of columns is referred to as the matrix width (the number of columns can vary for different rows in variable width tile matrices).

[SOURCE: *OGC Two Dimensional Tile Matrix Set and Tile Set Metadata*, Version 2.0 (OGC 17-083r4)]

3.1.9

tile matrix set

tiling scheme (3.1.11) consisting of a set of tile matrices defined at different scales covering approximately the same area and having a common coordinate reference system

[SOURCE: *OGC Two Dimensional Tile Matrix Set and Tile Set Metadata*, Version 2.0 (OGC 17-083r4)]

3.1.10

tile set

set of *tiles* (3.1.7) resulting from tiling data according to a particular *tiling scheme* (3.1.11)

[SOURCE: *GC Core Tiling Conceptual and Logical Models for 2D Euclidean Space* (OGC 19-014r3), modified — to clarify that in the context of this document, a tile set refers specifically to a set of tiles containing data and following a common tiling scheme.]

3.1.11

tiling scheme

scheme that defines how space is partitioned into individual *tiles* (3.1.7), potentially featuring multiple levels of detail (each tiling at a different granularity to reflect a different resolution or scale)

Note 1 to entry: A tiling scheme defines the spatial reference system and the geometric properties of each tile defined by the scheme. Those properties include which space each tile occupies (the tile's spatial extent), as well as a tile coordinate origin if a particular corner of origin convention is established.

Note 2 to entry: A tiling scheme can be defined on top of a coordinate reference system (CRS) as well as other spatial reference systems such as a discrete global grid system (DGGs) and other organizations including irregular ones. In this document, only tiling schemes based on CRSs are supported.

[SOURCE: *OGC Two Dimensional Tile Matrix Set and Tile Set Metadata*, Version 2.0 (OGC 17-083r4)]

3.1.12

tile set metadata

additional metadata beyond the common properties defining the *tile set* (3.1.10)

Note 1 to entry: Metadata describing common properties defining a tile set, layers and styles used to produce the tile set, the limits of the *tile matrix* (3.1.8) with actual data and common metadata such as abstract, owner, author, etc.

[SOURCE: *OGC Two Dimensional Tile Matrix Set and Tile Set Metadata*, Version 2.0 (OGC 17-083r4)]

3.1.13

vector tile

tiled vector feature data

tile (3.1.7) that contains vector data that have been generalized (simplified) at the tile scale resolution and clipped by the tile boundaries

[SOURCE: *OGC Two Dimensional Tile Matrix Set and Tile Set Metadata*, Version 2.0 (OGC 17-083r4)]

3.1.14

web API

web application programming interface

API using an architectural style that is founded on the technologies of the web

[SOURCE: *OGC API – Features – Part 1: Core* (OGC 17-069r4)]

3.2 Abbreviated terms

ABNF	Augmented Backus Naur Form
API	application programming interface
CRS	coordinate reference system
DGGS	discrete global grid system
HTTP	Hypertext Transfer Protocol
HTTPS	Hypertext Transfer Protocol Secure
JSON	JavaScript Object Notation
MVT	Mapbox Vector Tiles
NetCDF	Network Common Data Form
REST	Representational State Transfer
URI	Uniform Resource Identifier
WMS	Web Map Service
WMTS	Web Map Tile Service
XML	Extensible Markup Language

4 Conformance

4.1 General

This document defines multiple requirements classes and their associated conformance classes.

The standardization targets of all conformance classes are “web APIs”.

The Tiles API requirements classes are summarized in 4.2 to 4.6 and in more detail in [Clauses 7](#) to [16](#).

4.2 Requirements classes defining resources

4.2.1 Requirements class “Core”

Requirements class “Core” (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/core>).

The Core requirements class specifies requirements that all implementation instances of the Tiles API shall support in order to claim conformance with this document. The Core requirements class defines how to retrieve individual tiles by building a Uniform Resource Identifier (URI) from three variables corresponding to the tile matrix, tile row and tile column for that tile (see [Table 1](#)).

Table 1 — Overview of resources and common direct links that correspond to tiles defined in the Core requirements class

Resource name	Common path
Tile	.../{tileMatrix}/{tileRow}/{tileCol}
The path template is recommended, but not prescribed. Ordering the parameters differently within the URI is allowed.	

4.2.2 Requirements class “Tileset”

Requirements class “Tileset” (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/tileset>).

The Tileset requirements class defines a mechanism for describing a tileset using a specific tile matrix set and a way of obtaining a templated link to the individual tiles (see [Table 2](#)).

Table 2 — Overview of resources and common direct links that correspond to the tileset

Resource name	Common path
Tileset	.../tiles/{tileMatrixSetId}
Tile	.../tiles/{tileMatrixSetId}/{tileMatrix}/{tileRow}/{tileCol}

4.2.3 Requirements class “Tilesets List”

Requirements class “Tilesets List” (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/tilesets-list>).

The Tilesets List requirements class defines a generic operation for retrieving a list of tilesets, without association to any particular type of resources (see [Table 3](#)).

Table 3 — Overview of resources and common direct links that corresponds to the tilesets list

Resource name	Common path
Tilesets list	.../tiles

4.3 Requirements classes defining data origins

4.3.1 Requirement class “Dataset Tilesets”

Requirements class “Dataset Tilesets” (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/dataset-tilesets>).

The Dataset Tilesets requirements class defines how to retrieve all tiles for a dataset that can potentially consist of multiple geospatial data resources. All implementation instances of the Tiles API shall implement this requirements class in order to claim to support dataset tiles following this document (see [Table 4](#)). Dataset tiles may combine content from multiple geospatial resources, regardless of whether those are available separately (as tiles or otherwise).

Table 4 — Overview of resources and common direct links that correspond to the dataset tilesets

Resource name	Common path
Vector tileset list	/tiles
Map tileset list	/map/tiles
Styled Map tileset list	/styles/{styleId}/map/tiles

4.3.2 Requirements class “GeoData Tilesets”

Requirements class “GeoData Tilesets” (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/geodata-tilesets>).

The GeoData Tilesets requirements class supports the retrieval of tiles from a specific geospatial data resource (see [Table 5](#)).

Table 5 — Overview of resources and common direct links that correspond to the geospatial data resources tilesets

Resource name	Example of possible paths
Vector tileset list	/collections/{collectionId}/tiles
Map tileset list	/collections/{collectionId}/map/tiles
Styled Map tileset list	/collections/{collectionId}/styles/{styleId}/map/tiles

4.4 Requirements classes defining query parameters

4.4.1 Requirements class “Collections Selection”

Requirements class “Collections Selection” (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/collections-selection>).

The Collections Selection requirements class supports the listing of specific geospatial data resources from which to retrieve tiles such as for use with data set tiles (see [Table 6](#)).

Table 6 — Overview of resources and common direct links that correspond to geodata selection

Resource name	Example of possible paths
Vector tileset	/tiles/{tileMatrixSetId}?collections={collectionId},{collectionId},...
Vector tile	/tiles/{tileMatrixSetId}/{tileMatrix}/{tileRow}/{tileCol} ?collections={collectionId},{collectionId},...
Map tileset	/map/tiles/{tileMatrixSetId}?collections={collectionId},{collectionId},...
Map tile	/map/tiles/{tileMatrixSetId}/{tileMatrix}/{tileRow}/{tileCol} ?collections={collectionId},{collectionId},...

4.4.2 Requirements class “DateTime”

Requirements class “DateTime” (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/datetime>).

The DateTime requirements class specifies how to provide tiles in a domain that has a generic time dimension.

4.5 Requirements classes for specific resource representations

4.5.1 Requirements class “OpenAPI Specification 3.0 API definition”

Requirements class “OpenAPI Specification 3.0 API definition” (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/oas30>).

The OpenAPI Specification 3.0 requirements class specifies requirements for an OpenAPI 3.0 definition in addition to those defined in *OGC API – Common – Part 1: Core* (OGC 19-072).

4.5.2 Requirements class “XML Tileset Metadata”

Requirements class “XML Tileset Metadata” (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/xml>).

The XML Tileset Metadata requirements class specifies how to use XML as an alternative encoding for describing tilesets.

4.6 Requirements classes for tile encodings

This document does not mandate a specific encoding or format for representing tiles and remains flexible and extensible to other formats that users and providers can potentially need. However, requirements classes are provided for the following common tile encodings:

- PNG (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/png>)
- JPEG (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/jpeg>)
- TIFF (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/tiff>)
- NetCDF (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/netcdf>)
- GeoJSON (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/geojson>)
- Mapbox Vector Tiles (<http://www.opengis.net/spec/ogcapi-tiles-1/1.0/req/mvt>)

All Tiles API requirements classes can be viewed as building blocks that can be implemented in combination with other more fundamental requirements classes that provide support for web API discovery, conformity and web API formal definition (e.g. OpenAPI). Possible alternatives for these fundamental requirements classes are *OGC API – Common – Part 1: Core* (OGC 19-072) or *OGC API – Features – Part 1: Core* (OGC 17-069r4).

All requirements-classes and conformance-classes described in this document are owned by the standard(s) identified.

NOTE Despite the fact that full paths and full path templates in the above resource tables are used in many implementations of this document, these exact paths are only examples and are not required by this document. Other paths are possible if correctly described by the web API definition document and the links between resources.

4.7 Declaration of conformance

Conformance with this document shall be checked using all the relevant tests specified in [Annex A](#) if the respective conformance class URIs listed in [Table 7](#) are present in the conformance declaration response. The framework, concepts and methodology for testing, and the criteria to be achieved to claim conformance are specified in *OGC Compliance Testing Program Policies & Procedures* (OGC 08-134r11) and the OGC Compliance Testing website.

Table 7 — Conformance class URIs

Conformance class	URI
Core	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/core
Tileset	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/tileset
Tilesets list	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/tilesets-list
Dataset tilesets	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/dataset-tilesets
Geodata tilesets	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/geodata-tilesets
Collections selection	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/collections-selection
DateTime	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/datetime
OpenAPI Specification 3.0	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/oas30
XML	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/xml
PNG	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/png
JPEG	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/jpeg
TIFF	http://www.opengis.net/spec/ogcapi-tiles-1/1.0/conf/tiff