

---

---

**Gaseous hydrogen — Fuelling  
stations —**

**Part 3:  
Valves**

*Carburant d'hydrogène gazeux — Stations-service —*

*Partie 3: Vannes*

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

ISO 19880-3:2018

<https://standards.iteh.ai/catalog/standards/iso/41288305-928e-4733-8785-59a5af86650f/iso-19880-3-2018>



**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

ISO 19880-3:2018

<https://standards.iteh.ai/catalog/standards/iso/41288305-928e-4733-8785-59a5af86650f/iso-19880-3-2018>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

|                                                | Page      |
|------------------------------------------------|-----------|
| Foreword .....                                 | vii       |
| Introduction .....                             | viii      |
| <b>1 Scope .....</b>                           | <b>1</b>  |
| <b>2 Normative references .....</b>            | <b>1</b>  |
| <b>3 Terms and definitions .....</b>           | <b>1</b>  |
| <b>4 General requirements .....</b>            | <b>3</b>  |
| 4.1 General .....                              | 3         |
| 4.2 Intended use .....                         | 3         |
| 4.3 Material requirements .....                | 3         |
| 4.4 Product quality .....                      | 4         |
| <b>5 General test methods .....</b>            | <b>4</b>  |
| 5.1 General .....                              | 4         |
| 5.2 Test conditions .....                      | 4         |
| 5.2.1 Test sample .....                        | 4         |
| 5.2.2 Pressure .....                           | 5         |
| 5.2.3 Normal test temperature .....            | 5         |
| 5.2.4 Specified test temperature .....         | 5         |
| 5.2.5 Test media .....                         | 5         |
| 5.2.6 Test sequence .....                      | 5         |
| 5.3 Hydrogen gas pressure cycle test .....     | 5         |
| 5.3.1 General .....                            | 5         |
| 5.3.2 Test method .....                        | 5         |
| 5.4 Leakage .....                              | 6         |
| 5.4.1 General .....                            | 6         |
| 5.4.2 External leakage test .....              | 6         |
| 5.4.3 Internal leakage test .....              | 6         |
| 5.5 Worst case fault pressure cycle test ..... | 6         |
| 5.6 Proof pressure test .....                  | 6         |
| 5.7 Hydrostatic strength test .....            | 7         |
| 5.7.1 Test pressure .....                      | 7         |
| 5.7.2 Test method .....                        | 7         |
| 5.8 Excess torque resistance test .....        | 7         |
| 5.9 Bending moment test .....                  | 7         |
| 5.10 Non-metallic materials test .....         | 9         |
| 5.10.1 General .....                           | 9         |
| 5.10.2 Test method .....                       | 9         |
| 5.11 Cold gas in warm valve test .....         | 9         |
| <b>6 Check valves .....</b>                    | <b>10</b> |
| 6.1 Applicability .....                        | 10        |
| 6.2 Hydrogen gas pressure cycle test .....     | 10        |
| 6.3 External leakage test .....                | 10        |
| 6.4 Internal leakage test .....                | 10        |
| 6.5 Worst case fault pressure cycle test ..... | 11        |
| 6.6 Proof pressure test .....                  | 11        |
| 6.7 Hydrostatic strength test .....            | 11        |
| 6.8 Excess torque resistance test .....        | 11        |
| 6.9 Bending moment test .....                  | 11        |
| 6.10 Non-metallic material test .....          | 11        |
| <b>7 Excess flow valves .....</b>              | <b>11</b> |
| 7.1 General .....                              | 11        |
| 7.2 Tests .....                                | 11        |
| 7.2.1 Classification .....                     | 11        |

|           |                                                                      |           |
|-----------|----------------------------------------------------------------------|-----------|
| 7.2.2     | Applicability .....                                                  | 11        |
| 7.2.3     | Hydrogen gas pressure cycle test .....                               | 12        |
| 7.2.4     | External leakage test .....                                          | 12        |
| 7.2.5     | Internal leakage test .....                                          | 12        |
| 7.2.6     | Worst case fault pressure test .....                                 | 12        |
| 7.2.7     | Proof pressure test .....                                            | 12        |
| 7.2.8     | Hydrostatic strength test .....                                      | 12        |
| 7.2.9     | Excess torque resistance test .....                                  | 12        |
| 7.2.10    | Bending moment test .....                                            | 12        |
| 7.2.11    | Non-metallic material test .....                                     | 13        |
| 7.2.12    | Operation cycle test .....                                           | 13        |
| 7.2.13    | Operation test .....                                                 | 13        |
| 7.2.14    | Pressure impulse test .....                                          | 13        |
| <b>8</b>  | <b>Flow control valves .....</b>                                     | <b>13</b> |
| 8.1       | General .....                                                        | 13        |
| 8.2       | Tests .....                                                          | 13        |
| 8.2.1     | Applicability .....                                                  | 13        |
| 8.2.2     | Hydrogen gas pressure cycle test .....                               | 14        |
| 8.2.3     | External leakage test .....                                          | 14        |
| 8.2.4     | Worst case fault pressure test .....                                 | 14        |
| 8.2.5     | Proof pressure test .....                                            | 14        |
| 8.2.6     | Hydrostatic strength test .....                                      | 14        |
| 8.2.7     | Excess torque resistance test .....                                  | 14        |
| 8.2.8     | Bending moment test .....                                            | 14        |
| 8.2.9     | Non-metallic material test .....                                     | 14        |
| 8.2.10    | Operation test under full pressure load .....                        | 14        |
| <b>9</b>  | <b>Hose breakaway devices .....</b>                                  | <b>15</b> |
| 9.1       | Specific design requirements .....                                   | 15        |
| 9.1.1     | General .....                                                        | 15        |
| 9.1.2     | Electrical conductivity .....                                        | 15        |
| 9.1.3     | Containment of/controlled relieving of hydrogen when uncoupled ..... | 15        |
| 9.1.4     | Separation .....                                                     | 15        |
| 9.2       | Tests .....                                                          | 15        |
| 9.2.1     | Applicability .....                                                  | 15        |
| 9.2.2     | Hydrogen gas pressure cycle test .....                               | 16        |
| 9.2.3     | External leakage test .....                                          | 16        |
| 9.2.4     | Worst case fault pressure test .....                                 | 16        |
| 9.2.5     | Proof pressure test .....                                            | 16        |
| 9.2.6     | Hydrostatic strength test .....                                      | 17        |
| 9.2.7     | Excess torque resistance test .....                                  | 17        |
| 9.2.8     | Bending moment test .....                                            | 17        |
| 9.2.9     | Non-metallic material test .....                                     | 17        |
| 9.2.10    | Separation test .....                                                | 17        |
| 9.2.11    | Impact test (Applicable to rigid-mount devices) .....                | 18        |
| 9.2.12    | Drop test .....                                                      | 19        |
| 9.2.13    | Twisting test .....                                                  | 20        |
| 9.2.14    | Cold gas in warm valve test .....                                    | 20        |
| <b>10</b> | <b>Manual valves .....</b>                                           | <b>21</b> |
| 10.1      | Construction and assembly .....                                      | 21        |
| 10.2      | Tests .....                                                          | 21        |
| 10.2.1    | Applicability .....                                                  | 21        |
| 10.2.2    | Hydrogen gas pressure cycle test .....                               | 21        |
| 10.2.3    | External leakage test .....                                          | 21        |
| 10.2.4    | Internal leakage test .....                                          | 21        |
| 10.2.5    | Worst case fault pressure test .....                                 | 21        |
| 10.2.6    | Proof pressure test .....                                            | 21        |
| 10.2.7    | Hydrostatic strength test .....                                      | 22        |

|           |                                              |           |
|-----------|----------------------------------------------|-----------|
| 10.2.8    | Excess torque resistance test.....           | 22        |
| 10.2.9    | Bending moment test.....                     | 22        |
| 10.2.10   | Non-metallic material test.....              | 22        |
| 10.2.11   | Maximum flow shut-off test.....              | 22        |
| 10.2.12   | Operation test.....                          | 22        |
| 10.2.13   | Excess torque operation test.....            | 22        |
| <b>11</b> | <b>Pressure safety valves (PSV).....</b>     | <b>23</b> |
| 11.1      | Applicability.....                           | 23        |
| 11.2      | Hydrogen gas pressure cycle test.....        | 23        |
| 11.3      | PSV leakage tests.....                       | 23        |
| 11.3.1    | External leakage test.....                   | 23        |
| 11.3.2    | Seat leakage test.....                       | 23        |
| 11.4      | Worst case fault pressure test.....          | 24        |
| 11.5      | Proof pressure test.....                     | 24        |
| 11.6      | Hydrostatic strength test.....               | 24        |
| 11.7      | Excess torque resistance test.....           | 24        |
| 11.8      | Bending moment test.....                     | 24        |
| 11.9      | Non-metallic material test.....              | 24        |
| 11.10     | Operation test.....                          | 24        |
| <b>12</b> | <b>Shut-off valves.....</b>                  | <b>25</b> |
| 12.1      | Classification.....                          | 25        |
| 12.2      | Construction and assembly.....               | 25        |
| 12.3      | Tests.....                                   | 25        |
| 12.3.1    | Applicability.....                           | 25        |
| 12.3.2    | Hydrogen gas pressure cycle test.....        | 26        |
| 12.3.3    | External leakage test.....                   | 26        |
| 12.3.4    | Internal leakage test.....                   | 26        |
| 12.3.5    | Worst case fault pressure test.....          | 26        |
| 12.3.6    | Proof pressure test.....                     | 26        |
| 12.3.7    | Hydrostatic strength test.....               | 27        |
| 12.3.8    | Excess torque resistance test.....           | 27        |
| 12.3.9    | Bending moment test.....                     | 27        |
| 12.3.10   | Non-metallic material test.....              | 27        |
| 12.3.11   | Operation test under full pressure load..... | 27        |
| 12.3.12   | Maximum flow shut-off test.....              | 27        |
| 12.3.13   | Cold gas in warm valve test.....             | 27        |
| <b>13</b> | <b>Marking.....</b>                          | <b>28</b> |
| 13.1      | Marking information.....                     | 28        |
| 13.2      | Marking method.....                          | 28        |
| <b>14</b> | <b>Component literature.....</b>             | <b>28</b> |
|           | <b>Bibliography.....</b>                     | <b>30</b> |

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by ISO/TC 197, *Hydrogen technologies*.

A list of all parts in the ISO 19880 series can be found on the ISO website.

ISO 19880-3:2018

<https://standards.iteh.ai/catalog/standards/iso/41288305-928e-4733-8785-59a5af86650f/iso-19880-3-2018>