
**Pneumatic fluid power — Assessment
of component reliability by testing —**

**Part 3:
Cylinders with piston rod**

*Transmissions pneumatiques — Évaluation par essais de la fiabilité
des composants —*

Partie 3: Vérins avec tiges de piston

Sample Document

get full document from standards.iteh.ai



Reference number
ISO 19973-3:2015(E)

© ISO 2015

Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and units	2
5 Test equipment	2
6 Test conditions	2
6.1 General test conditions	2
6.2 Initial condition	3
6.3 Endurance test conditions	3
6.3.1 Orientation	3
6.3.2 Side loads	3
6.3.3 Stroke lengths	4
6.3.4 Test operating time	6
6.4 Operating adjustments	7
7 Test procedures	7
7.1 Timing of checks and measurements	7
7.2 Type and scope of checks and measurements	7
7.2.1 Functional check	7
7.2.2 Measurement of leakage	7
7.2.3 Minimum working pressure test (for double-acting cylinders only)	7
7.2.4 Stroke time test	8
8 Failure criteria and threshold levels	8
8.1 General	8
8.2 Functional failure	8
8.3 Failure due to leakage	8
8.4 Failure related to minimum working pressure	9
8.5 Failure due to exceeding the maximum test stroke time	9
8.6 Customised agreements	9
9 Data analysis	9
10 Test report	9
11 Identification statement (reference to this part of ISO 19973)	10
Annex A (informative) Methods for calculating side load masses and related dimensions	11
Annex B (informative) Test data sheet	18
Bibliography	21

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 131, *Fluid power systems*.

This second edition cancels and replaces the first edition (ISO 19973-3:2007), which has been technically revised.

ISO 19973 consists of the following parts, under the general title *Pneumatic fluid power — Assessment of component reliability by testing*:

- *Part 1: General procedures*
- *Part 2: Directional control valves*
- *Part 3: Cylinders with piston rod*
- *Part 4: Pressure regulators*
- *Part 5: Non-return valves, shuttle valves, dual pressure valves (AND function), one-way adjustable flow control valves, quick-exhaust valves.*

Introduction

In pneumatic fluid power systems, power is transmitted and controlled through a gas under pressure within a circuit. Pneumatic fluid power systems are composed of components and are an integral part of various types of machines and equipment. Efficient and economical production requires highly reliable machines and equipment. This part of ISO 19973 is intended to provide requirements and test conditions that permit the assessment of the inherent reliability of pneumatic cylinders with piston rod.

It is necessary that machine producers know the reliability of the components that make up their machine's pneumatic fluid power system. Knowing the reliability characteristic of the component, the producers can model the system and make decisions on service intervals, spare parts' inventory and areas for future improvements.

There are three primary levels in the determination of component reliability:

- a) preliminary design analysis: finite element analysis (FEA), failure mode and effect analysis (FMEA);
- b) laboratory testing and reliability modelling: physics of failure, reliability prediction, pre-production evaluation;
- c) collection of field data: maintenance reports, warranty analysis.

Each level has its application during the life of a component. A preliminary design analysis is useful to identify possible failure modes and eliminate them or reduce their effect on reliability. When prototypes are available, in-house laboratory reliability tests are run and initial reliability can be determined. Reliability testing is often continued into the initial production run and throughout the production lifetime as a continuing evaluation of the component. Collection of field data are possible when products are operating and data on their failures are available.

get full document from standards.iteh.ai

Sample Document

get full document from standards.iteh.ai

Pneumatic fluid power — Assessment of component reliability by testing —

Part 3: Cylinders with piston rod

1 Scope

This part of ISO 19973 provides test procedures for assessing the reliability of pneumatic cylinders with piston rod, both single-acting and double-acting, by testing and the methods of reporting the results of testing. General test conditions and the calculation method are provided in ISO 19973-1. The methods specified in ISO 19973-1 apply to the first failure, as obtained with the three-point moving average (3PMA) method, without repairs, but excluding outliers.

The lifetime of pneumatic cylinders is usually given in number of cycles or in kilometres. Therefore, whenever the term “time” is used in this part of ISO 19973, this variable is to be understood as cycles or kilometres.

This part of ISO 19973 also specifies test equipment and threshold levels for tests to assess the reliability of pneumatic cylinders with piston rods.

This part of ISO 19973 is intended to be applied to pneumatic piston rod cylinders that conform to ISO 6430, ISO 6432, ISO 15552, and ISO 21287; however, pneumatic piston rod cylinders that do not conform to these International Standards but are used in the same range of operating conditions can be tested in accordance with one of the classes defined in [Tables 1](#) and [2](#).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1219-1, *Fluid power systems and components — Graphical symbols and circuit diagrams — Part 1: Graphical symbols for conventional use and data-processing applications*

ISO 5598, *Fluid power systems and components — Vocabulary*

ISO 10099:2001, *Pneumatic fluid power — Cylinders — Final examination and acceptance criteria*

ISO 19973-1, *Pneumatic fluid power — Assessment of component reliability by testing — Part 1: General procedures*

ISO 80000-1, *Quantities and units — Part 1: General*

IEC 60050-191, *International Electrotechnical Vocabulary, chapter 191: Dependability and quality of service*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5598, ISO 19973-1 and IEC 60050-191 apply.

NOTE Where a conflict of definitions exists for a term in any of these three documents, the following priority order applies: first, ISO 19973-1; second, ISO 5598; and third, IEC 60050-191.