
**Vacuum technology — Vacuum
gauges — Specifications, calibration
and measurement uncertainties for
capacitance diaphragm gauges**

*Technique du vide — Manomètres à vide — Spécifications, étalonnage
et incertitudes de mesure des manomètres capacitifs à membrane*

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 20146:2019

<https://standards.iteh.ai/catalog/standards/iso/e86b7b16-b926-49ab-b490-48e0b93fd81f/iso-20146-2019>



iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO 20146:2019

<https://standards.itih.ai/catalog/standards/iso/e86b7b16-b926-49ab-b490-48e0b93fd81f/iso-20146-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Components	1
3.2 Physical parameters	2
3.3 Other parameters	4
4 Symbols and abbreviated terms	6
5 Capacitance diaphragm gauge	6
5.1 Principle	6
6 Specifications for capacitance diaphragm gauge	7
6.1 Type of capacitance diaphragm gauge	7
6.2 Temperature control of gauge head	7
6.3 Display and measurement signal output unit	7
6.4 Measurement range of capacitance diaphragm gauge	7
6.5 Expected measurement uncertainty	7
6.6 Temperature coefficients of zero readings and span	7
6.7 Resolution	7
6.8 Response time of the gauge head	7
6.9 Warm-up period	8
6.10 Admissible pressure (maximum load pressure)	8
6.11 Disruption pressure (burst pressure)	8
6.12 Materials exposed to gas	8
6.13 Mounting orientation of the gauge head	8
6.14 Fitting to chamber	8
6.15 Internal volume	8
6.16 Interface and pin connections	8
6.17 Compatibility between a gauge head and a control unit	8
6.18 Dimension and weight of the gauge head and control unit	8
6.19 Nominal operating (environmental) conditions	8
6.20 Storage and transportation condition	9
6.21 Input power and its requirements	9
7 Additional (optional) specifications for capacitance diaphragm gauge	9
7.1 Reproducibility (long-term instability)	9
7.2 Tilting effect on zero readings	9
7.3 Repeatability of zero	9
7.4 Durability of zero after the pressure of full scale	9
7.5 Durability of span after the pressure of full scale	9
7.6 Durability of zero after the admissible pressure	9
7.7 Durability of span after the admissible pressure	10
7.8 Update interval	10
7.9 Inner diameter of connecting tube	10
7.10 Cable length	10
7.11 Set point of pressure	10
7.12 Photographs	10
7.13 Inspection record and calibration certificate	10
8 Calibration	10
8.1 Calibration procedure	10
8.2 Calibration uncertainty	11
8.3 Calibration certificate	11

9	Measurement uncertainty at use	11
Annex A (informative)	Compensation of thermal transpiration effect	13
Bibliography		16

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 20146:2019

<https://standards.iteh.ai/catalog/standards/iso/e86b7b16-b926-49ab-b490-48e0b93fd81f/iso-20146-2019>