
**Road vehicles — In-vehicle Ethernet —
Part 4:
General requirements and test
methods of optical gigabit Ethernet
components**

Véhicules routiers — Ethernet embarqué —

*Partie 4: Exigences générales et méthodes de test des composants
optiques pour l'Ethernet gigabit*

Document Preview

ISO 21111-4:2020

<https://standards.itech.ai/catalog/standards/iso/94d0907b-2181-4fc0-89e3-2c02bb236cd0/iso-21111-4-2020>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 21111-4:2020

<https://standards.iteh.ai/catalog/standards/iso/94d0907b-2181-4fc0-89e3-2c02bb236cd0/iso-21111-4-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	v
Introduction.....	vii
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Abbreviated terms.....	3
5 1000BASE-RHC components.....	4
6 Header connector.....	5
6.1 Dimension criteria.....	5
6.2 Mechanical coding.....	8
6.3 Requirements of header connector.....	9
6.4 Evaluation.....	10
6.4.1 High storage temperature exposure.....	10
6.4.2 Low storage temperature exposure.....	10
6.4.3 Operating temperature range.....	11
7 Cable connector.....	11
7.1 Cable plug.....	11
7.1.1 Dimension criteria.....	11
7.1.2 Mechanical coding.....	13
7.2 Cable socket.....	13
7.2.1 Dimension criteria.....	13
7.2.2 Mechanical coding.....	16
7.3 Requirements of cable connector.....	16
7.4 Evaluation.....	16
7.4.1 High storage temperature exposure.....	16
7.4.2 Low storage temperature exposure.....	17
7.4.3 Operation temperature range (informative).....	17
8 POF and POF cable.....	17
8.1 POF.....	17
8.2 Requirements of POF.....	17
8.3 Outline of POF.....	18
8.3.1 Cladding diameter.....	18
8.3.2 Numerical aperture.....	18
8.3.3 Attenuation.....	19
8.4 POF cable.....	20
8.5 Requirements of POF cable.....	21
8.6 Evaluation.....	22
8.6.1 High storage temperature exposure.....	22
8.6.2 Low storage temperature exposure.....	22
8.6.3 Operation temperature range.....	23
8.6.4 Minimum bending radius.....	23
8.6.5 Maximum bending attenuation.....	24
8.6.6 Tensile strength.....	25
8.6.7 Crush.....	26
8.6.8 Edge impact.....	27
8.6.9 Static torsion.....	28
8.6.10 Resistance to flame propagation.....	29
9 Optical channel.....	30
9.1 General.....	30
9.2 Optical harness (informative).....	30
9.3 Positions of test points.....	31

9.4	Requirements	31
9.4.1	Electrical characteristics	31
9.4.2	Optical characteristics	32
9.4.3	Physical characteristics	32
9.4.4	Temperature environmental characteristics	33
9.4.5	Combined environment examination	33
9.4.6	Specific environmental examination	33
9.5	Methodology (informative)	34
9.5.1	Light source setup	34
9.5.2	Excitation, test setup and measurement equipment	34
9.5.3	Harness setup	35
9.6	Evaluation (characteristics of photoelectric conversion)	36
9.6.1	Optical PMD transmitter input electrical interface	36
9.6.2	Optical PMD receiver output electrical interface	38
9.7	Evaluation (optical characteristics)	40
9.7.1	Minimum average output power at TP2	40
9.7.2	Extinction ratio at TP2	40
9.7.3	EAF profile at TP2	41
9.7.4	Minimum average output power at TP2'	41
9.7.5	Minimum average output power at TP3	43
9.7.6	Range of optical input power at TP3'	43
9.7.7	Maximum coupling attenuation at optical in-line	45
9.8	Evaluation (physical characteristics)	46
9.8.1	Minimum retention force	46
9.8.2	Maximum insertion force	47
9.8.3	Maximum unlock and release force	48
9.8.4	Durability of repeated mating and unmating	48
9.8.5	Maximum cable holding force	49
9.9	Evaluation (temperature environmental characteristics)	49
9.9.1	High storage temperature exposure	49
9.9.2	Low storage temperature exposure	50
9.9.3	High operation temperature exposure	50
9.9.4	Low operation temperature exposure	51
9.10	Evaluation (combined environmental examination)	51
9.10.1	General	51
9.10.2	Flow chart of environmental load tests for optical PMD transmitter	51
9.10.3	Operation test after durability of mate and un-mate	52
9.10.4	Operation test after high temperature exposure	52
9.10.5	Operation test after temperature and vibration	53
9.10.6	Operation test after heat shock	53
9.10.7	Operation test after humidity/temperature cycle procedure	54
9.10.8	Operation test after specific vibration profile	54
9.10.9	Requirement of combined environmental examination	54
9.11	Evaluation (specific environmental examination)	55
9.11.1	General	55
9.11.2	Individual environmental load tests for optical harness	55
9.11.3	Operation test after specific physical impact	55
9.11.4	Operation test after chemical durability procedure	55
9.11.5	Operation test after Noxious gas exposure	56
9.11.6	Operation test after specific dust condition exposure	56
9.11.7	Operation test after specific drop procedure	56
9.11.8	Requirements of specific environmental examination	57
	Annex A (informative) System power budget	58
	Annex B (informative) Mode filter	60
	Bibliography	62

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 32, *Electrical and electronic components and general system aspects*.

A list of all parts in the ISO 21111 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO 21111-4:2020

<https://standards.itih.ai/catalog/standards/iso/94d0907b-2181-4fc0-89e3-2c02bb236cd0/iso-21111-4-2020>

Introduction

The ISO 21111 series includes in-vehicle Ethernet requirements and test plans that are disseminated in other International Standards and complements them with additional test methods and requirements. The resulting requirement and test plans are structured in different documents following the Open Systems Interconnection (OSI) reference model and grouping the documents that depend on the physical media and bit rate used.

In general, the Ethernet requirements are specified in ISO/IEC/IEEE 8802-3. The ISO 21111 series provides supplemental specifications (e.g. wake-up, I/O functionality), which are required for in-vehicle Ethernet applications. In road vehicles, Ethernet networks are used for different purposes requiring different bit-rates. Currently, the ISO 21111 series specifies the 1-Gbit/s optical and 100-Mbit/s electrical physical layer.

The ISO 21111 series contains requirement specifications and test methods related to the in-vehicle Ethernet. This includes requirement specifications for physical layer entity (e.g. connectors, physical layer implementations) providers, device (e.g. electronic control units, gateway units) suppliers, and system (e.g. network systems) designers. Additionally, there are test methods specified for conformance testing and for interoperability testing.

Safety (electrical safety, protection, fire, etc.) and electromagnetic compatibility (EMC) requirements are out of the scope of the ISO 21111 series.

The structure of the specifications given in the ISO 21111 series complies with the Open Systems Interconnection (OSI) reference model specified in ISO/IEC 7498-1^[13] and ISO/IEC 10731^[14].

ISO 21111-1 defines the terms which are used in this series of standards and provides an overview of the standards for in-vehicle Ethernet including the complementary relations to ISO/IEC/IEEE 8802-3, the document structure, type of physical entities, in-vehicle Ethernet specific functionalities and so on.

ISO 21111-2 specifies the interface between reconciliation sublayer and physical entity including reduced gigabit media independent interface (RGMI), and the common physical entity wake-up and synchronized link sleep functionalities, independent from physical media and bit rate.

ISO 21111-3 specifies supplemental requirements to a physical layer capable of transmitting 1-Gbit/s over plastic optical fibre compliant with ISO/IEC/IEEE 8802-3, with specific application to communications inside road vehicles, and a test plan for physical entity conformance testing.

This document specifies the optical components requirements and test methods for 1-Gbit/s optical in-vehicle Ethernet.

ISO 21111-5 specifies, for 1-Gbit/s optical in-vehicle Ethernet, requirements on the physical layer at system level, requirements on the interoperability test set-ups, the interoperability test plan that checks the requirements for the physical layer at system level, requirements on the device-level physical layer conformance test set-ups, and device-level physical layer conformance test plan that checks a set of requirements for the OSI physical layer that are relevant for device vendors.

ISO 21111-6 specifies advanced features of an ISO/IEC/IEEE 8802-3 in-vehicle Ethernet physical layer (often also called transceiver), e.g. for diagnostic purposes for in-vehicle Ethernet physical layers. It specifies advanced physical layer features, wake-up and sleep features, physical layer test suite, physical layer control requirements and conformance test plan, physical sublayers test suite and physical sublayers requirements and conformance test plan.

ISO 21111-7 specifies the implementation for ISO/IEC/IEEE 8802-3:2017/Amd 1:2017, which defines the interface implementation for automotive applications together with requirements on components used to realize this Bus Interface Network (BIN). ISO 21111-7 also defines further testing and system requirements for systems implemented according to the system specification. In addition, ISO 21111-7 defines the channels for tests of transceivers with a test wiring harness that simulates various electrical communication channels.