
**Simplified design of prestressed
concrete bridges —**

**Part 1:
I-girder bridges**

Conception simplifiée des ponts en béton précontraint —

Partie 1: Ponts à poutres en I

(<https://standards.iteh.ai>)
Document Preview

[ISO 21725-1:2021](https://standards.iteh.ai/catalog/standards/iso/c8ed2099-eb6b-46c9-8cf7-18b5570f3041/iso-21725-1-2021)

<https://standards.iteh.ai/catalog/standards/iso/c8ed2099-eb6b-46c9-8cf7-18b5570f3041/iso-21725-1-2021>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 21725-1:2021](https://standards.iteh.ai/catalog/standards/iso/c8ed2099-eb6b-46c9-8cf7-18b5570f3041/iso-21725-1-2021)

<https://standards.iteh.ai/catalog/standards/iso/c8ed2099-eb6b-46c9-8cf7-18b5570f3041/iso-21725-1-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	vii
Introduction.....	viii
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Symbols and abbreviated terms.....	6
5 Design and construction procedure.....	10
5.1 Procedure.....	10
5.2 Design documentation.....	12
5.2.1 General.....	12
5.2.2 Calculation report.....	12
5.2.3 Geotechnical report.....	12
5.2.4 Structural drawings.....	13
5.2.5 Specifications.....	13
6 General provisions.....	13
6.1 Limitations.....	13
6.1.1 General.....	13
6.1.2 Permitted use.....	13
6.1.3 Maximum number of spans.....	13
6.1.4 Maximum span length.....	13
6.1.5 Maximum difference in span length.....	13
6.1.6 Maximum cantilever length.....	14
6.1.7 Maximum height of bridge.....	14
6.1.8 Maximum number of lanes.....	14
6.1.9 Width limitations.....	14
6.1.10 Clearances.....	14
6.1.11 Maximum skew angle.....	15
6.1.12 Maximum bridge horizontal curvature.....	15
6.1.13 Cross-section variation.....	15
6.1.14 Interaction between superstructure and substructure.....	15
6.2 Limit states.....	15
6.2.1 General.....	15
6.2.2 Deflection serviceability verification.....	16
6.3 Ultimate limit state design format.....	17
6.3.1 General.....	17
6.3.2 Required factored loads.....	18
6.3.3 Design strength.....	18
6.4 Serviceability limit state design format.....	18
7 Structural systems and layout.....	19
7.1 Description of the components of the structure.....	19
7.1.1 General.....	19
7.1.2 Superstructure system.....	19
7.1.3 Substructure system.....	19
7.1.4 Foundation.....	19
7.2 General guide.....	19
7.2.1 Architectural guide.....	19
7.2.2 General structural guides for the project.....	20
7.3 Structural layout.....	20
7.3.1 General structural layout.....	20
7.3.2 Vertical layout.....	21
7.3.3 Cross beams.....	22
7.4 Feasibility under the document.....	22

8	Actions (Loads)	22
8.1	General.....	22
8.2	Dead loads.....	23
	8.2.1 General.....	23
	8.2.2 Structural elements.....	23
	8.2.3 Non-structural elements.....	23
8.3	Live loads.....	24
	8.3.1 General.....	24
	8.3.2 Design truck.....	24
	8.3.3 Design lane load.....	24
	8.3.4 Pedestrian bridges.....	24
	8.3.5 Dynamic effect of live loads.....	25
8.4	Longitudinal forces.....	26
8.5	Earth pressure.....	26
8.6	Wind loads.....	26
8.7	Earthquake inertial forces.....	27
	8.7.1 General.....	27
	8.7.2 Seismic hazard.....	27
	8.7.3 No seismic hazard zones:.....	27
	8.7.4 Low seismic hazard zones:.....	27
	8.7.5 Intermediate seismic hazard zones:.....	27
	8.7.6 High seismic hazard zones:.....	28
	8.7.7 Soil profile types.....	32
	8.7.8 Site effects.....	33
	8.7.9 Design response spectral ordinates.....	33
	8.7.10 Seismic equivalent uniformly distributed load.....	34
	8.7.11 Fundamental mode shape.....	34
	8.7.12 Lateral equivalent design forces.....	35
8.8	Jacking and post-tensioning forces.....	35
	8.8.1 Jacking forces.....	35
	8.8.2 Forces for post-tensioning anchorage.....	36
8.9	Thermal forces.....	36
8.10	Load combinations.....	38
	8.10.1 Ultimate loads.....	38
	8.10.2 Service loads.....	38
9	Design requirements	38
9.1	Scope.....	38
9.2	Additional requirements.....	38
9.3	Materials for structural concrete.....	38
	9.3.1 General.....	38
	9.3.2 Cement.....	38
	9.3.3 Aggregates.....	39
	9.3.4 Water.....	39
	9.3.5 Steel reinforcement.....	39
	9.3.6 Prestressing steel.....	39
	9.3.7 Post-tensioning anchorages and couplers.....	40
	9.3.8 Ducts.....	41
	9.3.9 Admixtures.....	41
	9.3.10 Storage of materials.....	41
	9.3.11 Minimum and maximum reinforcement bar diameter.....	41
9.4	Concrete mixture proportioning.....	42
	9.4.1 General.....	42
	9.4.2 Durability requirements.....	42
	9.4.3 Required average compressive strength.....	43
	9.4.4 Proportioning of the concrete mixture.....	43
9.5	Concrete cover of reinforcement.....	44
	9.5.1 Minimum concrete cover.....	44
	9.5.2 Special corrosion protection.....	45

9.6	Minimum reinforcement bend diameter.....	45
9.7	Standard hook dimensions.....	46
9.8	Bar spacing and maximum aggregate size.....	47
9.8.1	General.....	47
9.8.2	Maximum nominal coarse aggregate size.....	47
9.8.3	Minimum clear spacing between parallel bars in a layer.....	48
9.8.4	Minimum clear spacing between parallel layers of reinforcement.....	48
9.8.5	Minimum clear spacing between longitudinal bars in columns.....	48
9.8.6	Clear spacing between parallel lap splices.....	49
9.8.7	Maximum flexural reinforcement spacing in solid slabs.....	49
9.8.8	Maximum shrinkage and temperature reinforcement spacing in solid slabs.....	49
9.8.9	Maximum reinforcement spacing in structural concrete walls.....	50
9.8.10	Minimum spacing of prestressing tendons and ducts.....	51
9.8.11	Maximum spacing of prestressing tendons in slabs.....	52
9.8.12	Couplers in post-tensioning tendons.....	52
9.9	Development length, lap splicing and anchorage of reinforcement.....	52
9.9.1	Development length.....	52
9.9.2	Lap splice dimensions.....	54
9.9.3	Minimum standard hook anchorage distance.....	54
9.10	Limits for longitudinal reinforcement.....	55
9.10.1	General.....	55
9.10.2	Solid slabs and footings.....	55
9.10.3	Girders, beams and joists.....	56
9.10.4	Columns.....	58
9.10.5	Structural concrete walls.....	59
9.11	Minimum amounts of transverse reinforcement.....	59
9.11.1	General.....	59
9.11.2	Slabs.....	59
9.11.3	Girders, beams and joists.....	59
9.11.4	Columns.....	60
9.11.5	Structural concrete walls.....	62
10	Stress limitations	63
10.1	Stress limitations for prestressing tendons.....	63
10.2	Stress limitations for concrete.....	64
10.2.1	For temporary stresses before losses-fully prestressed components.....	66
10.2.2	For stresses at serviceability limit state after losses-fully prestressed components.....	67
11	Loss of prestress	68
11.1	Total loss of prestress.....	68
11.2	Instantaneous losses.....	69
11.2.1	Anchorage set.....	69
11.2.2	Friction.....	69
11.2.3	Elastic shortening.....	70
11.3	Approximate estimate of time-dependent losses.....	70
12	Details of tendon	73
12.1	Tendon confinement.....	73
12.1.1	General.....	73
12.1.2	Effects of curved tendons.....	74
12.2	External tendon supports.....	75
12.3	Post-tensioned anchorage zones.....	75
12.3.1	General.....	75
12.3.2	General zone and local zone.....	75
12.3.3	Design of general zone.....	76
12.3.4	Design of local zone.....	78
12.4	Pretensioned anchorage zones.....	79
12.4.1	Bursting resistance.....	79
12.4.2	Confinement reinforcement.....	79

13	Superstructure	79
13.1	Strength of members subjected to flexural moments	79
13.1.1	General	79
13.1.2	Factored flexural moment at section and distribution factor method for moment	80
13.1.3	Minimum design flexural moment strength	80
13.1.4	Nominal moment strength of PSC I-girder with deck	80
13.1.5	T-beam effect	83
13.2	Strength of members subjected to shear stresses	85
13.2.1	General	85
13.2.2	Factored shear and distribution factor method for shear	85
13.2.3	Design shear strength	85
13.2.4	Cohesion and friction factors	86
13.2.5	Interface shear strength and minimum area of interface shear reinforcement	87
13.3	Decks	87
13.4	Solid slabs supported on girders, beams, or joists	87
13.5	Girders, beams, joists	87
13.6	Railings	87
14	Substructure	87
14.1	Girders that are part of a frame	87
14.2	Strength of members subjected to axial loads with or without flexure	87
14.3	Torsion	88
14.4	Bearing strength	88
14.5	Columns and piers	88
14.6	Concrete walls	88
15	Foundations	88
15.1	Foundation type and capacity	88
15.2	Subsurface exploration and testing programs	88
15.3	Dimensioning of the foundation elements	88
15.4	Footings	88
15.5	Foundation mats	88
15.6	Footings on piles	88
15.7	Foundation beams	88
15.8	Retaining walls	88
16	Lateral load resisting system	88
16.1	General	88
16.2	Specified lateral forces	89
16.3	Lateral force resisting structural system	89
16.4	Minimum amount of structural concrete walls	89
16.5	Special reinforcement details for seismic zones	89
17	Bearings	89
17.1	General	89
17.2	Multiple roller bearings	89
17.3	Elastomeric bearings	89
17.4	Anchorage	89
17.5	Design forces for supporting structure	89
Annex A (informative) Equivalent formulae for material factors		90
Annex B (informative) Beam deflection		92
Bibliography		93

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 71, *Concrete, reinforced concrete and pre-stressed concrete*, Subcommittee SC 5, *Simplified design standard for concrete structures*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

<https://standards.iteh.ai/catalog/standards/iso/c8ed2099-eb6b-46c9-8cf7-18b5570f3041/iso-21725-1-2021>