
**Simplified design of prestressed
concrete bridges —**

**Part 2:
Box-girder bridges**

Conception simplifiée des ponts en béton précontraint —

Partie 2: Ponts à poutres caissons

<https://standards.iteh.ai>
Document Preview

[ISO 21725-2:2021](https://standards.iteh.ai/catalog/standards/iso/eab29746-71f1-46a0-9d59-57523caaef69/iso-21725-2-2021)

<https://standards.iteh.ai/catalog/standards/iso/eab29746-71f1-46a0-9d59-57523caaef69/iso-21725-2-2021>



iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO 21725-2:2021](https://standards.itih.ai/catalog/standards/iso/eab29746-71f1-46a0-9d59-57523caaef69/iso-21725-2-2021)

<https://standards.itih.ai/catalog/standards/iso/eab29746-71f1-46a0-9d59-57523caaef69/iso-21725-2-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	viii
Introduction	ix
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	6
5 Design and construction procedure	9
5.1 Procedure.....	9
5.1.1 General.....	9
5.2 Design documentation.....	12
5.2.1 General.....	12
5.2.2 Calculation report.....	12
5.2.3 Geotechnical report.....	12
5.2.4 Structural drawings.....	12
5.2.5 Specifications.....	12
6 General provisions	13
6.1 Limitations.....	13
6.1.1 General.....	13
6.1.2 Permitted use.....	13
6.1.3 Maximum number of spans.....	13
6.1.4 Recommended span length.....	13
6.1.5 Maximum difference in span length.....	13
6.1.6 Maximum cantilever length.....	13
6.1.7 Maximum height of bridge.....	13
6.1.8 Maximum number of lanes.....	14
6.1.9 Width limitations.....	14
6.1.10 Clearances.....	14
6.1.11 Maximum skew angle.....	15
6.1.12 Maximum bridge horizontal curvature.....	15
6.1.13 Cross-section variation.....	15
6.1.14 Interaction between superstructure and substructure.....	15
6.2 Limit states.....	15
6.3 Ultimate limit state design format.....	16
6.3.1 General.....	16
6.3.2 Required factored loads.....	16
6.3.3 Design strength.....	17
6.4 Serviceability limit state design format.....	17
7 Structural systems and layout	17
7.1 Description of the components of the structure.....	17
7.1.1 General.....	17
7.1.2 Superstructure system.....	17
7.1.3 Substructure system.....	17
7.1.4 Foundation.....	18
7.2 General guide.....	18
7.2.1 Architectural guide.....	18
7.2.2 General structural guides for the project.....	18
7.3 Structural layout.....	19
7.3.1 General structural layout.....	19
7.3.2 Vertical layout.....	19
7.4 Feasibility under the guidelines.....	20
8 Actions (Loads)	21

8.1	General.....	21
8.2	Dead loads.....	21
	8.2.1 General.....	21
	8.2.2 Structural elements.....	21
	8.2.3 Non-structural elements.....	21
8.3	Live loads.....	22
	8.3.1 General.....	22
	8.3.2 Design truck.....	22
	8.3.3 Design lane load.....	22
	8.3.4 Dynamic effect of live loads.....	23
8.4	Longitudinal forces.....	23
8.5	Earth pressure.....	23
8.6	Wind loads.....	24
8.7	Earthquake inertial forces.....	24
	8.7.1 General.....	24
	8.7.2 Seismic hazard.....	24
	8.7.3 No seismic hazard zones:.....	24
	8.7.4 Low seismic hazard zones:.....	25
	8.7.5 Intermediate seismic hazard zones:.....	25
	8.7.6 High seismic hazard zones:.....	25
	8.7.7 Soil profile types.....	29
	8.7.8 Site effects.....	30
	8.7.9 Design response spectral ordinates.....	30
	8.7.10 Seismic equivalent uniformly distributed load.....	31
	8.7.11 Fundamental mode shape.....	31
	8.7.12 Lateral equivalent design forces.....	32
8.8	Jacking and post-tensioning forces.....	32
	8.8.1 Jacking forces.....	32
	8.8.2 Forces for post-tensioning anchorage.....	33
8.9	Thermal effects.....	33
	8.9.1 Seasonal variation.....	33
	8.9.2 Thermal coefficient.....	33
	8.9.3 Differential temperature.....	33
8.10	Load combinations.....	33
	8.10.1 Ultimate loads.....	33
	8.10.2 Service loads.....	33
9	Structural analysis.....	34
	9.1 General.....	34
	9.1.1 B-region and D-region.....	34
	9.1.2 Elastic behaviour.....	34
	9.1.3 Small deflection theory.....	34
	9.1.4 Secondary moments.....	34
	9.1.5 Time-dependent properties of concrete.....	34
	9.1.6 Geometric imperfections.....	34
	9.1.7 Frame analysis.....	34
	9.2 Longitudinal analysis.....	34
	9.3 Transverse analysis.....	35
	9.3.1 Empirical method.....	35
	9.3.2 Approximate method.....	35
	9.3.3 Refined method.....	36
10	Design requirements.....	37
	10.1 General.....	37
	10.2 Box girder cross-section dimensions and details.....	37
	10.2.1 Minimum flange thickness.....	37
	10.2.2 Minimum web thickness.....	37
	10.2.3 Length of top flange cantilever.....	37
	10.2.4 Overall cross-section dimensions.....	38

10.2.5	Longitudinal slope	38
10.3	Materials for structural concrete	39
10.3.1	General	39
10.3.2	Cement	39
10.3.3	Aggregates	39
10.3.4	Water	39
10.3.5	Steel reinforcement	39
10.3.6	Prestressing steel	40
10.3.7	Post-tensioning anchorages and couplers	40
10.3.8	Ducts	41
10.3.9	Admixtures	41
10.3.10	
	Storage of materials	41
10.3.11	
	Minimum and maximum reinforcement bar diameter	42
10.4	Concrete mixture proportioning	42
10.4.1	General	42
10.4.2	Durability requirements	42
10.4.3	Required average compressive strength	43
10.4.4	Proportioning of the concrete mixture	43
10.5	Concrete cover of reinforcement	44
10.5.1	Minimum concrete cover	44
10.5.2	Special corrosion protection	45
10.6	Minimum reinforcement bend diameter	45
10.7	Standard hook dimensions	45
10.8	Bar spacing and maximum aggregate size	45
10.8.1	General	45
10.8.2	Maximum nominal coarse aggregate size	45
10.8.3	Minimum clear spacing between parallel bars in a layer	46
10.8.4	Minimum clear spacing between parallel layers of reinforcement	46
10.8.5	Clear spacing between parallel lap splices	46
10.8.6	Maximum flexural reinforcement spacing in solid slabs	47
10.8.7	Maximum shrinkage and temperature reinforcement spacing in solid slabs	47
10.8.8	Maximum reinforcement spacing in structural concrete walls	47
10.8.9	Minimum spacing of prestressing tendons and ducts	48
10.8.10	
	Maximum spacing of prestressing tendons in slabs	49
10.8.11	
	Couplers in post-tensioning tendons	49
10.9	Development length, lap splicing and anchorage of reinforcement	49
10.9.1	Development length	49
10.9.2	Lap splice dimensions	50
10.10	Limits for longitudinal reinforcement	51
10.10.1	General	51
10.10.2	
	Shrinkage and temperature reinforcement	51
10.10.3	
	Minimum area of tension flexural reinforcement	52
11	Stress limitations	52
11.1	Stress limitations for prestressing tendons	52
11.2	Stress limitations for concrete	53
11.2.1	For temporary stresses before losses-fully prestressed components	53
11.2.2	For stresses at serviceability limit state after losses-fully prestressed components	54
12	Loss of prestress	55
12.1	Total loss of prestress	55
12.2	Instantaneous losses	56

	12.2.1 Anchorage set.....	56
	12.2.2 Friction.....	56
	12.2.3 Elastic shortening.....	57
	12.3 Approximate estimate of time-dependent losses.....	57
13	Details of tendon.....	60
	13.1 Tendon confinement.....	60
	13.1.1 General.....	60
	13.1.2 Effects of curved tendons.....	60
	13.2 External tendon supports.....	61
	13.3 Post-tensioned anchorage zones.....	61
	13.3.1 General.....	61
	13.3.2 General zone and local zone.....	61
	13.3.3 Design of general zone.....	62
	13.3.4 Design of local zone.....	64
14	Superstructure.....	65
	14.1 Strength of members subjected to flexural moments.....	65
	14.1.1 General.....	65
	14.1.2 Factored flexural moment at section.....	65
	14.1.3 Minimum design flexural moment strength.....	65
	14.1.4 Nominal moment strength of PSC box girder.....	65
	14.2 Strength of members subjected to shear stresses.....	69
	14.2.1 General.....	69
	14.2.2 Factored shear.....	69
	14.2.3 Design shear strength.....	69
	14.2.4 Design of shear reinforcement.....	69
	14.3 Girders, beams, joists.....	70
	14.4 Details of box girder.....	70
	14.4.1 Flange and web thickness.....	70
	14.4.2 Reinforcement.....	70
	14.5 Diaphragms.....	71
	14.6 Opening.....	71
	14.7 Railings.....	73
	14.8 Splices of strand.....	73
	14.9 Continuous structure.....	73
	14.9.1 Scope of application.....	73
	14.9.2 General design.....	73
	14.9.3 Structural analysis.....	73
	14.9.4 Fixed support.....	75
	14.9.5 Intermediate support.....	76
15	Substructure.....	77
	15.1 Girders that are part of a frame.....	77
	15.2 Strength of members subjected to axial loads with or without flexure.....	77
	15.3 Torsion.....	77
	15.4 Bearing strength.....	77
	15.5 Columns and piers.....	77
	15.6 Concrete walls.....	77
16	Foundations.....	77
	16.1 Foundation type and capacity.....	77
	16.2 Subsurface exploration and testing programs.....	77
	16.3 Dimensioning of the foundation elements.....	77
	16.4 Footings.....	78
	16.5 Foundation mats.....	78
	16.6 Footings on piles.....	78
	16.7 Foundation beams.....	78
	16.8 Retaining walls.....	78
17	Lateral load resisting system.....	78

17.1	General.....	78
17.2	Specified lateral forces.....	78
17.3	Lateral force resisting structural system.....	78
17.4	Minimum amount of structural concrete walls.....	78
17.5	Special reinforcement details for seismic zones.....	78
18	Bearings.....	78
18.1	General.....	78
18.2	Multiple roller bearings.....	78
18.3	Elastomeric bearings.....	78
18.4	Anchorage.....	79
18.5	Design forces for supporting structure.....	79
Annex A (informative) Equivalent formulae for material factors.....		80
Bibliography.....		82

iTeh Standards
 (<https://standards.iteh.ai>)
 Document Preview

[ISO 21725-2:2021](https://standards.iteh.ai/catalog/standards/iso/eab29746-71f1-46a0-9d59-57523caaf69/iso-21725-2-2021)

<https://standards.iteh.ai/catalog/standards/iso/eab29746-71f1-46a0-9d59-57523caaf69/iso-21725-2-2021>