



International
Standard

ISO 2507

**Thermoplastics pipes and fittings —
Vicat softening temperature —
General test method and test
conditions for vinyl chloride-
based (PVC-U, PVC-C, PVC-HI) and
acrylonitrile-based (ABS, ASA) pipes
and fittings**

**Third edition
2026-01**

*Tubes et raccords en matières thermoplastiques — Température
de ramollissement Vicat — Méthode d'essai générale et
conditions d'essai pour les tubes et raccords à base de chlorure de
vinyle (PVC-U, PVC-C, PVC-HI) et à base d'acrylonitrile (ABS, ASA)*

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO 2507:2026

<https://standards.itih.ai/catalog/standards/iso/71cef6d2-0576-4417-9c74-8b059a07c03b/iso-2507-2026>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2026

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Principle.....	2
5 Apparatus.....	2
6 Test specimens.....	5
6.1 Specimen preparation from pipes.....	5
6.2 Specimen preparation from fittings.....	6
6.3 Number of test specimen.....	7
7 Conditioning.....	7
8 Procedure.....	7
9 Test report.....	8
Bibliography.....	9

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO 2507:2026](https://standards.iteh.ai/catalog/standards/iso/71cef6d2-0576-4417-9c74-8b059a07c03b/iso-2507-2026)

<https://standards.iteh.ai/catalog/standards/iso/71cef6d2-0576-4417-9c74-8b059a07c03b/iso-2507-2026>