
**Assembly tools for screws and nuts —
Hand torque tools —**

**Part 1:
Requirements and methods for design
conformance testing and quality
conformance testing: minimum
requirements for declaration of
conformance**

*Outils de manoeuvre pour vis et écrous — Outils dynamométriques à
commande manuelle —*

*Partie 1: Exigences et méthodes d'essai pour vérifier la conformité
de conception et la conformité de qualité: exigences minimales pour
déclaration de conformité*



Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions and symbols	1
3.1 Terms and definitions	1
3.2 Symbols, designations and units	3
4 Classification	3
5 Requirements	3
5.1 Design conformance testing	3
5.1.1 General	3
5.1.2 Maximum torque values	4
5.1.3 Specified torque range	4
5.1.4 Scales, dials and displays	4
5.1.5 Maximum permissible deviation	5
5.1.6 Overloading test	5
5.1.7 Endurance test	5
5.1.8 Effect of geometric changes	6
5.2 Quality conformance testing	7
5.3 Conformance test during use	7
6 Torque measurement	7
6.1 Torque measurement system	7
6.2 Application of torque	8
6.3 Ambient conditions	8
6.4 Measurement requirements	9
6.5 Measurement sequence	11
6.5.1 General	11
6.5.2 Indicating torque tools, Type I	11
6.5.3 Setting torque tools, Type II	11
7 Calculation of deviation	12
7.1 General	12
7.2 Calculation example 1	12
7.3 Calculation example 2	13
8 Declaration of conformance	14
9 Marking	15
Annex A (normative) Examples of indicating torque tools (Type I)	16
Annex B (normative) Examples of setting torque tools (Type II)	17
Annex C (informative) Measurement sequence flowchart for torque tools	19
Bibliography	22

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 10, *Assembly tools for screws and nuts, pliers and nippers*.

This first edition of ISO 6789-1, together with ISO 6789-2, cancels and replaces ISO 6789:2003 which has been technically revised with changes as follows.

- a) ISO 6789:2003 has been divided into two parts. This document specifies the requirements for design and manufacture including the content of a declaration of conformance. ISO 6789-2 specifies the requirements for traceable certificates of calibration. It includes a method for calculation of uncertainties and provides a method for calibration of the torque measurement device used for calibrating hand torque tools.
- b) The output drive designation of torque tools is expanded to include hexagonal and other output drives.
- c) The definition of the torque range of the tools has been changed.
- d) The rate of loading (shown by the time to achieve the last 20 %) has been changed.
- e) The importance of avoiding parasitic forces has been emphasized.
- f) Explanatory flowcharts for the measurement sequence of different torque tools have been added in [Annex C](#).
- g) The requirement for a “declaration of conformance” that the torque tool conforms with this document has been added.
- h) The requirement for a “certificate of calibration” has been removed, recognizing that manufacturers’ calibration certificates have not previously contained enough information to be traceable calibration certificates.
- i) ISO 6789 has been editorially updated and restructured.

j) [Figures B.2, B.3, B.5 and B.6](#) have been changed.

A list of all parts in the ISO 6789 series can be found on the ISO website.

Sample Document

get full document from standards.iteh.ai

Introduction

The revision of ISO 6789:2003 has been designed to achieve the following improvements.

ISO 6789 has been split to provide two levels of documentation. It recognizes the different needs of different users of the standard.

This document continues to provide designers and manufacturers with relevant minimum requirements for the development, production and documentation of hand torque tools.

ISO 6789-2 provides detailed methods for calculation of uncertainties and requirements for calibrations. This will allow users of calibration services to more easily compare the calibrations from different laboratories. Additionally, minimum requirements for the calibration of torque measurement devices are described in ISO 6789-2:2017, Annex C.

Sample Document

get full document from standards.iteh.ai

Assembly tools for screws and nuts — Hand torque tools —

Part 1:

Requirements and methods for design conformance testing and quality conformance testing: minimum requirements for declaration of conformance

1 Scope

This document specifies the conformance testing and marking requirements for hand torque tools used for controlled tightening of screws and nuts. It also specifies the minimum requirements for declaration of conformance for hand torque tools.

This document applies to hand torque tools which are classified as indicating torque tools (Type I) and setting torque tools (Type II).

NOTE Hand torque tools covered by this document are those identified in ISO 1703:2005 by reference numbers 6 1 00 11 0, 6 1 00 11 1 and 6 1 00 12 0, 6 1 00 12 1 and 6 1 00 14 0, 6 1 00 15 0. ISO 1703 is currently under revision. In the next edition, torque tools will be moved to an own clause, and with this change the reference numbers will also change and additional reference numbers will be added.

This document does not specify requirements of calibration certificates for hand torque tools. These are described in ISO 6789-2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1173, *Assembly tools for screws and nuts — Drive ends for hand- and machine-operated screwdriver bits and connecting parts — Dimensions, torque testing*

ISO 1174-1, *Assembly tools for screws and nuts — Driving squares — Part 1: Driving squares for hand socket tools*

ISO 6789-2:2017, *Assembly tools for screws and nuts — Hand torque tools — Part 2: Requirements for calibration and determination of measurement uncertainty*

ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

design conformance test

technical examination of conformance with those requirements to be met during design or modification of hand torque tools

3.1.2

quality conformance test

technical examination of conformance with those requirements to be met during manufacture of hand torque tools

3.1.3

declaration of conformance

documented information provided by the manufacturer that the torque tool complies with the requirements of this document

3.1.4

maximum permissible deviation

maximum value of relative measurement deviation of the observed torque value on the torque measurement device measured as a percentage of the target torque value on the torque tool

Note 1 to entry: Sometimes the term “accuracy” is still used in place of the term “maximum permissible deviation” which is, however, not technically correct. The concept “measurement accuracy” is not a quantity and is not given a numerical quantity value. A measurement is said to be more accurate when it offers a smaller measurement deviation.

Note 2 to entry: Maximum permissible deviation is different from measurement error which is used in ISO 6789-2 and defined in ISO/IEC Guide 99.

3.1.5

torque measurement system

combination of a torque measurement device and the loading system for application of torque that acts as the measurement standard for the hand torque tool

Note 1 to entry: A calibration system as defined in ISO 6789-2 can also be used as a torque measurement system in this document.

3.1.6

torque measurement device

working measurement standard provided either mechanically or by an electronic torque transducer and display

3.1.7

indicating torque tool (Type I)

tool that indicates by means of a mechanical scale, dial or electronic display, the value of torque exerted by the tool at the output drive

3.1.8

setting torque tool (Type II)

tool sensing torque transmitted by comparing the torque applied with a self-contained standard and signalling the transmission of the pre-selected value by a physical impulse, with or without audible signal, causing a temporary reduction in the torque applied

3.1.9

adjustable graduated torque tool (Type II, Class A, Class D and Class G)

tool designed to be adjusted by the user, which has a scale or a display to assist adjustment

3.1.10

adjustable non-graduated torque tool (Type II, Class C and Class F)

tool designed to be adjusted by the user with the aid of a torque measurement system

3.1.11**torque tool with fixed adjustment (Type II, Class B and Class E)**

tool not designed to be adjusted by the user, i.e. having a single setting

3.2 Symbols, designations and units

The designations used in this document are indicated in [Table 1](#).

Table 1 — Symbols, designations and units

Symbol	Designation	Unit
a_d	Relative deviation of the torque tool from the target torque	%
X_t	Value of torque desired, which may be the indicated, set, nominal value, depending on the type and class of the torque tool	N · m
X_o	Observed value shown by the torque measurement device	N · m

4 Classification

The hand torque tools to which this document applies are classified as follows.

a) Indicating torque tools (Type I; see [Annex A](#)):

- 1) Class A: Wrench, torsion or flexion bar;
- 2) Class B: Wrench, rigid housing, with scale or dial or display;
- 3) Class C: Wrench, rigid housing and electronic measurement;
- 4) Class D: Screwdriver, with scale or dial or display;
- 5) Class E: Screwdriver, with electronic measurement;

b) Setting torque tools (Type II; see [Annex B](#)):

- 1) Class A: Wrench, adjustable, graduated or with display;
- 2) Class B: Wrench, fixed adjustment;
- 3) Class C: Wrench, adjustable, non-graduated;
- 4) Class D: Screwdriver, adjustable, graduated or with display;
- 5) Class E: Screwdriver, fixed adjustment;
- 6) Class F: Screwdriver, adjustable, non-graduated;
- 7) Class G: Wrench, flexion bar, adjustable, graduated

5 Requirements**5.1 Design conformance testing****5.1.1 General**

The manufacturer shall verify that the torque tool is in conformity with [5.1.2](#) to [5.1.8](#).