
Tyre valves — Dimensions and designation

Valves pour pneumatiques — Dimensions et désignation

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO 9413:2019

<https://standards.iteh.ai/catalog/standards/iso/3d2ee8e9-14a1-49b6-9117-fa3dca1789bc/iso-9413-2019>



iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO 9413:2019

<https://standards.itih.ai/catalog/standards/iso/3d2ee8e9-14a1-49b6-9117-fa3dca1789bc/iso-9413-2019>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Valves and valve components for tyres – Identification system	1
5 Tubeless valves only	2
5.1 Snap-in valves	2
5.1.1 Valve hole 11,3 ^{+0,4} ₀	2
5.1.2 Valve hole 15,7 ^{+0,4} ₀	3
5.2 Clamp-in valves	4
5.2.1 Clamp-in valves with O-ring	4
5.2.2 Clamp-in valves with grommet	17
6 Valves for tubes only	30
6.1 Rubber-covered valves	30
6.1.1 Valve hole 8,3 ^{+0,5} _{-0,1}	30
6.1.2 Valve hole 11,3 ^{+0,4} ₀	31
6.1.3 Valve hole 15,7 ^{+0,4} ₀	32
6.2 Rubber-base valves	38
6.2.1 Valve hole 6,2	38
6.2.2 Valve hole 8,3 ^{+0,5} _{-0,1}	40
6.2.3 Rim slot 12,5 ⁺² ₀ and 14 ⁺³ ₀	42
6.2.4 Valve hole 12,5 ^{+0,4} ₀	45
6.2.5 Valve hole 15,7 ^{+0,4} ₀	46
6.3 Rubber semi-covered-base valve — Valve hole 10,2 ^{+0,3} ₀ or 11,3 ^{+0,4} ₀	47
6.4 Screw-on universal valves — Rim slots 12,5 ⁺² ₀ and 14 ⁺³ ₀	48
6.5 Large-bore valves — Rim slot 19 ⁺³ ₀	54
6.6 Metal-base valve	57
6.6.1 Valve hole 6,2	57
6.6.2 Valve hole 8,3	58
7 Spuds, valve bodies and adaptors	60
7.1 Rubber spuds	60
7.1.1 Spuds for screw-on universal valves — Rim slots 12,5 ⁺² ₀ and 15 ⁺² ₀	60
7.1.2 Rubber-covered air/liquid spuds — Valve hole 15,7 ^{+0,4} ₀	61
7.1.3 Screw-on large-bore spuds — Valve hole 20,5 ^{+0,5} ₀ and rim slot 19 ⁺³ ₀ mm	62
7.2 Clamp-in spuds	62

7.2.1	Air/liquid large-bore spud — Valve hole $15,7^{+0,4}_0$	62
7.2.2	Valve hole $20,5^{+0,5}_0$	64
7.3	Valve body and core housing	66
7.3.1	Tubeless and tube-type core housing for spuds with valve hole $15,7^{+0,4}_0$	66
7.3.2	Large and super-large-bore valve body for spuds with valve hole $20,5^{+0,5}_0$	67
7.4	Adaptors	73
7.4.1	Straight adaptor	73
7.4.2	Bent adaptor	74
8	Valve components	75
8.1	O-rings	75
8.2	Ring washers	75
8.3	Hex nuts	76
8.4	Knurled nuts, hex nuts, screw	78
8.5	Rubber grommets	81
8.6	Valve caps	83
8.7	Valve core	88
8.7.1	For ISO core chamber No. 1, No. 3 (short core only) and No. 4 (short core only)	88
8.7.2	For ISO core chamber No. 2	89
	Annex A (normative) Valves and valve components for tyres — Identification system	90
	Annex B (informative) Correspondence between ISO designations and other designations	94
	Bibliography	105

ITeH Standards
 (https://standards.iteh.ai)
 Document Preview

ISO 9413:2019

<https://standards.iteh.ai/catalog/standards/iso/3d2ee8e9-14a1-49b6-9117-fa3dca1789bc/iso-9413-2019>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 31, *Tyres, rims and valves*, Subcommittee SC 9, *Valves for tube and tubeless tyres*.

This third edition cancels and replaces the second edition (ISO 9413:2012), which has been technically revised. It also incorporates the Amendment ISO 9413:2012/Amd.1:2012. The main change compared to the previous edition is as follows:

— Inclusion of new types of valves used for TPMS application.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Tyre valves — Dimensions and designation

1 Scope

This document defines the essential dimensions and the designation of tube valves and tubeless valves.

[Annex B](#) gives the correspondence between ISO designations and the designations established by:

- TRA (Tire and Rim Association Inc.);
- ETRTO (European Tyre and Rim Technical Organisation);
- JATMA (The Japan Automotive Tyre Manufacturer's Association, Inc.).

In the remainder of this document, all the dimensions are given at their nominal value except in cases where the tolerances are indicated.

The threaded length of valve stems for which no thread length is specified is the maximum possible length.

NOTE The drawings for valves are not all at the same scale.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Valves and valve componente for tyres — Identification system

The designations of tyre valves and tyre valve components shall follow the identification system in accordance with [Annex A](#).