

FINAL DRAFT Technical Report

ISO/DTR 25439

Design examples of concretefilled steel tubular (CFST) hybrid structures in accordance with ISO 16521

Document Preview

ISO/TC 71/SC 9

Secretariat: SAC

Voting begins on: 2025-08-12

Voting terminates on: 2025-10-07

https://standards.iteh.ai/catalog/standards/iso/65c6ee6c-53a5-49f6-8a78-74f8e8368e7d/iso-dtr-25439

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNO-LOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/DTR 25439

https://standards.iteh.ai/catalog/standards/iso/65c6ee6c-53a5-49f6-8a78-74f8e8368e7d/iso-dtr-25439



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents					
Fo	reword		v		
Int	troductio	on	vi		
1	Scor	De	1		
2	-	mative references			
3		ms and definitions			
4		ign examples of trussed CFST hybrid structures			
	4.1	General requirements 4.1.1 Match of materials (ISO 16521:2024, 5.2.6)			
		4.1.2 Requirements of CFST chords (ISO 16521:2024, 7.1)			
		4.1.3 Requirements of webs (ISO 16521:2024, 7.1)			
	4.2	Calculation of indices for cross-sections			
	1.2	4.2.1 Strength (ISO 16521:2024, 10.3.1)			
		4.2.2 Stiffness (ISO 16521:2024, 10.3.2)			
	4.3	Calculation of structural resistances	7		
		4.3.1 Resistance in axial compression (ISO 16521:2024, 11.2.1)	7		
		4.3.2 Bending resistance (ISO 16521:2024, 11.2.2)	9		
		4.3.3 Resistance in combined compression and bending (ISO 16521:2024, 11.2.3)			
		4.3.4 Resistances of CFST chords (ISO 16521:2024, 11.2.4)			
		4.3.5 Resistances of webs (ISO 16521:2024, 11.2.5)	18		
	4.4	4.3.6 Shear resistances (ISO 16521:2024, 11.3)			
	4.4	Protective design			
		4.4.1 Corrosion resistance (ISO 16521:2024, 14.2.2)			
	4.5	4.4.2 Impact resistance (ISO 16521:2024, 14.4) Design of connections	44 22		
	4.5	4.5.1 General requirements (ISO 16521:2024, Clause 15)			
		4.5.2 Detailing requirements (ISO 16521:2024, 15.2.7)			
		4.5.3 Resistance of joints (ISO 16521:2024, 15.2.7)			
		4.5.4 Fatigue design calculation (ISO 16521:2024, 15.5)			
	4.6	Calculation of core concrete void ratio (ISO 16521:2024, 16.3.10)			
5	httpsposi	ign examples of concrete-encased CFST hybrid structures 8-7418e8368e7d/iso-dtr-254			
3	5.1	General requirements	23 27		
	5.1	5.1.1 Match of materials (ISO 16521:2024, 5.2.6)			
		5.1.2 Requirements of CFST chords (ISO 16521:2024, 7.1.1)			
	5.2	Calculation of indices for cross-sections			
		5.2.1 Strength (ISO 16521:2024, 10.3.1)			
		5.2.2 Stiffness (ISO 16521:2024, 10.3.2)	29		
	5.3	Calculation of structural resistances			
		5.3.1 Resistance to compression (ISO 16521:2024, Clause 12)			
		5.3.2 Resistance in combined compression and bending (ISO 16521:2024, Clause 12)	32		
		5.3.3 Resistance considering long-term load effects (ISO 16521:2024, 12.6)			
	- 4	5.3.4 Shear resistance (ISO 16521:2024, 12.7)	34		
	5.4	Protective design for fire resistance (ISO 16521:2024, 14.3)			
6	Stru	ictural analysis example of concrete-encased CFST hybrid arch	37		
	6.1	Description of the arch structure	37		
	6.2	Load conditions			
	6.3	Establishment of the fibre model			
		6.3.1 Fibre mesh refinement			
		6.3.2 Stress-strain relationships for steel and concrete (ISO 16521:2024, 10.2)			
	6.4	Analysis of load-displacement relationship			
	6.5 6.6	Analysis of deformation	40 40		
	0.0	ATIGIVALA DI ALI ESSITI SLEET GITU LUITLI ELE	41 7		

Annex A (informative) Experimental verifications of design methods for concrete-filled steel	
tubular (CFST) hybrid structures	42
Rihlingranhy	64

iTeh Standards (https://standards.iteh.ai) Document Preview

<u>ISO/DTR 25439</u>

https://standards.iteh.ai/catalog/standards/iso/65c6ee6c-53a5-49f6-8a78-74f8e8368e7d/iso-dtr-25439

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 71, *Concrete, reinforced concrete and prestressed concrete*, Subcommittee SC 9, *Steel-concrete composite and hybrid structures*.

A list of all parts in the ISO/TR 25439 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

https://standards.iteh.ai/catalog/standards/iso/65c6ee6c-53a5-49f6-8a78-74f8e8368e7d/iso-dtr-25439

Introduction

This document provides informative design examples of concrete-filled steel tubular (CFST) hybrid structures in accordance with ISO 16521, *Design of concrete-filled steel tubular (CFST) hybrid structures*. ISO 16521 stipulates the conceptional design, refined analysis method, simplified design formulae based on refined analysis and experimental verifications, and detailing design of CFST hybrid structures. Detailed calculations are provided in the design examples and the corresponding reference subclauses in ISO 16521 are indicated.

For trussed CFST hybrid structures, four design examples are provided, which include a three-chord structure and two four-chord structures without concrete slab, and a four-chord structure with a concrete slab. General requirements are verified and indices for cross-sections are calculated. The resistances of the hybrid structures as well as the CFST chords in compression, bending, combined compression and bending, and shear, are calculated in accordance with ISO 16521:2024, Clause 11. The protective design of corrosion resistance and impact resistance is presented in accordance with ISO 16521:2024, Clause 14. The detailing requirements and the resistances of the joints are verified in accordance with ISO 16521:2024, Clause 15. Finally, the verification of the limiting value of the core concrete void in the steel tube is carried out in accordance with ISO 16521:2024, Clause 16.

For concrete-encased CFST hybrid structures, four design examples are presented, i.e., a single-chord structure, a six-chord structure, and a four-chord structure with circular CFST members and a four-chord structure with rectangular CFST members. General requirements are verified and indices for cross-sections are calculated. Resistances in compression, combined compression and bending, resistance considering long-term load effects, shear resistance, are verified in accordance with ISO 16521:2024, Clause 12. Fire resistance is calculated in accordance with ISO 16521:2024, Clause 14.

<u>Clause 6</u> of this document presents a global structural analysis example. A concrete-encased CFST hybrid arch structure is analysed in accordance with ISO 16521:2024, Clause 10, which employs a fibre-based model. It includes the determination of load, model establishment, load-displacement relationship analysis, deformation analysis, and stress and strain analysis.

Annex A is provided in this document to present some experimental data on CFST hybrid structures. These published experimental data serve as an important basis for the development of ISO 16521. Furthermore, they provide verifications of the design methods of CFST hybrid structures and examples for design of the structures based on experimental data, as stipulated in the standard.

It is worth pointing out that the design examples are only provided to help readers in using ISO 16521 and they are not based on any specific engineering projects.

Design examples of concrete-filled steel tubular (CFST) hybrid structures in accordance with ISO 16521

1 Scope

This document provides design examples of concrete-filled steel tubular (CFST) hybrid structures in accordance with ISO 16521.

This document includes the design calculation of major structural types in ISO 16521, i.e., trussed CFST hybrid structures, concrete-encased CFST hybrid structures. The design examples cover the major loading cases for the structures and follow the design procedure presented in ISO 16521:2024, Clause 6.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 16521, Design of concrete-filled steel tubular (CFST) hybrid structures

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 16521 apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/96-8a78-748e8368e7d/iso-dtr-25439

4 Design examples of trussed CFST hybrid structures

In this clause, the design of four examples of trussed concrete-filled steel tubular (CFST) hybrid structures with and without a concrete slab are conducted in accordance with the corresponding clauses of ISO 16521. The general design and construction procedure in ISO 16521:2024, 6.1, is followed, and the correspondence between this clause and the detailed clauses of ISO 16521:2024 are shown in Table 1.

Table 1 — Design and construction procedure of	f trussed CFST hybrid structures
------------------------------------------------	----------------------------------

Procedure	Clause in ISO 16521:2024	Subclause in this document
Preliminary structural design	Clauses 5 to 8	<u>4.1</u>
Definition of actions (loads)	Clause 9	/
Structural analysis	Clause 10	<u>4.2</u>
Ultimate limit states design	Clause 11	<u>4.3</u>
Serviceability limit states design	Clause 13	/
Protective design	Clause 14	<u>4.4</u>
Detailing design	Clause 15	<u>4.1</u> and <u>4.5</u>
Construction and acceptance	Clause 16	<u>4.6</u>