

ISO/FDIS 11982:2024(E)2025(en)
ISO TC 28/SC 5/WG 7
Secretariat: JISC
Date: 2024-11-292025-07-01
Refrigerated hydrocarbon and non-petroleum based liquefied gaseous fuels — Liquefied Natural Gas (LNG) as marine fuel — Measurement on board LNG bunkering ship
Hydrocarbures réfrigérés et combustibles gazeux liquéfiés à base non pétrolière — Utilisation du Gaz Naturel Liquéfié (GNL) comme combustible marin — Mesurage à bord des navires avitailleurs de GNL

Formatted: Centered

Style Definition: zzCopyright

Style Definition: Unresolved Mention1

Style Definition: Hashtag1

Style Definition: Mention1

Style Definition: Smart Hyperlink1

Formatted: French (Switzerland)

Formatted: Right: 1 cm

Formatted: French (Switzerland)

iTeh Standards
(https://standards.iteh.ai)
Document Preview

ISO/FDIS 11982
https://standards.iteh.ai/catalog/standards/iso/dc75ef2f-0b63-4a2a-93eb-974a53c2b91f/iso-fdis-11982

Formatted: Centered

© ISO 2024/2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Copyright Office

CP 401 • Ch. de Blandonnet 8

CH-1214 Vernier, Geneva

Phone: +41 22 749 01 11

Email: copyright@iso.org

Email: copyright@iso.org

Website: www.iso.org

Published in Switzerland.

Formatted: Font: 11 pt

Formatted: Justified, Space After: 30 pt, Line spacing: Exactly 11 pt

Formatted: Right: 1 cm

Formatted: Indent: Left: 0 cm, Right: 0 cm, Space Before: 0 pt, No page break before, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Default Paragraph Font

Formatted: Indent: Left: 0 cm, First line: 0 cm, Right: 0 cm, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Indent: Left: 0 cm, First line: 0 cm, Right: 0 cm, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO/FDIS 11982

<https://standards.itih.ai/catalog/standards/iso/dc75cf2f-0b63-4a2a-93cb-974a53c2b91f/iso-fdis-11982>

Formatted: Font: 11 pt

Formatted: Space After: 6 pt, Line spacing: Exactly 11 pt

Formatted: Font: 11 pt

Formatted: Centered

Formatted: Font: 11 pt

Contents

Formatted: Tab stops: Not at 17.2 cm

Foreword.....iv

Introduction.....v

1 Scope.....1

2 Normative references.....1

3 Terms and definitions.....1

4 On board measurement.....5

4.1 Outline.....5

4.2 Static Measurement.....5

4.3 Dynamic measurement.....7

5 On board sampling.....7

6 Analysis.....8

6.1 General.....8

6.2 Online analysis.....8

7 Calculation method.....8

7.1 General.....8

7.2 Static measurement.....9

7.3 Dynamic measurement.....10

7.4 Energy calculation.....10

7.5 Methane Number calculation.....13

Annex A (informative) Data processing of CTMS data.....14

A.1 Raw data.....14

Annex B (informative) Calculation example.....17

Annex C (informative) Density calculation for unsupported components.....24

Annex D (informative) Example of parameters of BDN.....25

Formatted: Normal, Centered, Line spacing: single,
Tab stops: 17.2 cm, Right

Formatted: Font: 11 pt

Annex E (informative) Estimation of the composition of comingled LNG26

Bibliography29

Forewordvi

Introduction.....vii

1 Scope.....1

2 Normative references.....1

3 Terms and definitions1

4 On-board measurement5

4.1 Outline5

4.2 Static measurement5

4.2.1 General.....5

4.2.2 Tank capacity table6

4.2.3 Custody transfer measurement system (CTMS)6

4.3 Dynamic measurement.....8

4.3.1 General.....8

4.3.2 Dynamic measurement equipment performance.....8

4.3.3 Calibration8

4.3.4 Measurement8

5 On-board sampling.....9

6 Analysis9

6.1 General9

6.2 Online analysis.....9

7 Calculation method9

7.1 General9

7.2 Static measurement11

7.2.1 General.....11

7.2.2 Liquid level11

7.2.3 Liquid and vapour temperature.....11

Formatted: Justified, Space After: 30 pt, Line spacing: Exactly 11 pt

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Space After: 6 pt, Line spacing: Exactly 11 pt

7.2.4 Vapour pressure11

7.2.5 Trim and list11

7.3 Dynamic measurement.....12

7.4 Energy calculation12

7.4.1 Liquid energy12

7.4.2 Vapour energy15

7.4.3 Wobbe index.....18

7.5 Methane number calculation.....18

Annex A (informative) Processing of CTMS data.....20

Annex B (informative) Calculation example25

Annex C (informative) Treatment of unsupported components.....40

Annex D (informative) Example of parameters in a bunker delivery note41

Annex E (informative) Estimation of the composition of comingled LNG.....43

Bibliography50

Formatted: Font: 11 pt

Formatted: Centered

Formatted: Font: 11 pt

Document Preview

ISO/FDIS 11982

<https://standards.iteh.ai/catalog/standards/iso/dc75cf2f-0b63-4a2a-93eb-974a53c2b91f/iso-fdis-11982>

Formatted: Normal, Centered, Line spacing: single,
Tab stops: 17.2 cm, Right

Formatted: Font: 11 pt

Formatted: Justified, Space After: 30 pt, Line spacing: Exactly 11 pt

Formatted: Font: 11 pt

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Formatted: Font color: Auto

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 28, *Petroleum and related products, fuels and lubricants from natural or synthetic sources*, Subcommittee SC 5, *Measurement of refrigerated hydrocarbon and non-petroleum based liquefied gaseous fuels*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Formatted: Font: 11 pt

Formatted: Space After: 6 pt, Line spacing: Exactly 11 pt

Formatted: Font: 11 pt

Formatted: Centered

Formatted: Font: 11 pt

Introduction

Efforts such as the restriction of ~~sulphur~~~~sulfur~~ content in marine fuel oil introduced by IMO MARPOL ANNEX IV^[23] and growing trends towards decarbonisation have promoted cleaner marine fuel.

Liquefied natural gas (LNG) is one of the most practical marine fuel choices. It is considered cleaner than conventional fuel oils. The conventional trade volume of LNG transported by one shipment is large, with a total capacity of 170_000_m³ at the time of publication of this document. The trade quantity is calculated according to the method defined by the sales and purchase agreement between the cargo supplier and receiver.

On the other hand, the trade quantity of LNG as a marine fuel by one shipment can be smaller than the conventional trade volume of 170_000_m³. Furthermore, the LNG containment system of the LNG bunkering ship is unlike the systems of conventional LNG carriers, especially the pressure in the tanks, which is relatively higher than that of the conventional carrier type. Tank types, including IMO type C, membrane, and SPB type, are available.

In addition to the difference in trade quantity and the cargo containment system between LNG bunkering shipments and conventional shipments, the energy transferred during the operations also differs. Determining the amount of energy transfer involves calculating not only the quantity but also the quality of transferred liquid and vapour, as well as the gas used during the transfer operation. This document provides the data treatment, calculation methods and calculation examples.

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 11982

<https://standards.iteh.ai/catalog/standards/iso/dc75cf2f-0b63-4a2a-93eb-974a53c2b91f/iso-fdis-11982>

Formatted: Normal, Centered, Line spacing: single,
Tab stops: 17.2 cm, Right

Formatted: Font: 11 pt