ISO/<del>DIS</del> FDIS 16259:2024(en)

Style Definition

ISO-<u>/</u>TC-8/<del>WG</del>-<u>SC</u>25

Formatted: zzCover large

Secretariat:- ANSI

**Formatted:** Right: 1.5 cm, Bottom: 1 cm, Gutter: 0 cm, Section start: New page, Header distance from edge: 1.27 cm, Footer distance from edge: 1.27 cm

Date: <del>2024-08-23</del>2025-05-27

Ships and marine technology—\_\_\_Performance test procedures of LNG BOG re-liquefaction system on board a ship

Formatted: Cover Title\_A1

iTeh Standards

## FDIS stage dards.iteh

<u> 180/FD18 16259</u>

https://standards.iteh.ai/catalog/standards/iso/d4h7h323-2afb-43fc-b842-62a541h4948h/iso-fdis-16259

Edited DIS MUST BE USED
FOR FINAL
DRAFT

#### ISO-<u>/FDIS</u>16259(E:2025(en)

#### © ISO 20242025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 EmailE-mail: copyright@iso.org Website: www.iso.orgwww.iso.org

Published in Switzerland

Formatted: Font: 11 pt, Bold

**Formatted:** HeaderCentered, Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

**Formatted:** Indent: Left: 0 cm, Right: 0 cm, Space Before: 0 pt, No page break before, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Default Paragraph Font

Formatted: French (Switzerland)

Formatted: French (Switzerland)

Formatted: French (Switzerland)

### iTeh Standards (https://standards.iteh.ai) Document Preview

#### <u>ISO/FDIS 16259</u>

https://standards.iteh.ai/catalog/standards/iso/d4b7b323-2afb-43fc-b842-62a541b4948b/iso-fdis-16259

Formatted: Font: 10 pt

**Formatted:** FooterPageRomanNumber, Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

© ISO16259 © ISO 2025 - All rights reserved

ii

#### ISO/DIS FDIS 16259:20242025 (en)

#### **Contents**

Foreword	<u></u> v
Introduction	<u></u> vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Abbreviated terms	2
5 Inspection and tests	
6 Marking	
7 Test reports	6
Annex A (informative) Inspection and test procedure	Ω
Annex B (informative) Example of document lists applicable to design appraisal	
Annex C (informative) Examples of test report forms	
Annex D (informative) Example of concept model for LNG re-liquefaction system	<u></u> 20
Annex E (informative) Components of natural gas	<u></u> 24
<u>Bibliography</u>	<u></u> 25
Foreword	iv
Introduction	<del></del>
1 Scope	<del>1</del>
2 Normative references	<del>1</del>
2 Normative references 3 Terms and definitions ISO/FDIS 162.59	1 1
TO OFFICE A COSO	1 1 <u>3</u> 12-
3 Terms and definitions ISO/FDIS 16259 4 Description Abbreviated terms 2 Control of the Control	1 1 1342-
3 Terms and definitions SOFDIS 162.59 4 Abbreviated terms 5 Inspection and tests 5.1 General	1 1 3/2- 4 4
3 Terms and definitions ISO/IDIS 16250 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid	1 1 4 4
3 Terms and definitions. 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal	1 1 2 3 2 2 3 2 4 4 4 4 4
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition	1 1 342- 4 4 4
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition 5.5 Hydrostatic test	1 1 342- 4 4 4 4 4
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition 5.5 Hydrostatic test 5.6 Instrument signal inspection	1 342- 4 4 4 4 4 4
3 Terms and definitions. 4 Abbreviated terms 5 Inspection and tests. 5.1 General. 5.2 Test fluid. 5.3 Design appraisal. 5.4 Equipment safety function test at ambient test / cryogenic condition. 5.5 Hydrostatic test. 5.6 Instrument signal inspection. 5.7 Cryogenic function test.	1 1 3/2- 4 4 4 4 4 5
3 Terms and definitions. 4 Abbreviated terms 5 Inspection and tests 5.1 General. 5.2 Test fluid. 5.3 Design appraisal. 5.4 Equipment safety function test at ambient test / cryogenic condition. 5.5 Hydrostatic test. 5.6 Instrument signal inspection 5.7 Cryogenic function test. 5.8 Emergency shut down test	1 1 342- 4 4 4 4 4 5 5
3 Terms and definitions. 4 Abbreviated terms 5 Inspection and tests 5.1 General. 5.2 Test fluid. 5.3 Design appraisal. 5.4 Equipment safety function test at ambient test / cryogenic condition. 5.5 Hydrostatic test. 5.6 Instrument signal inspection 5.7 Cryogenic function test. 5.8 Emergency shut down test. 5.9 Performance test at cryogenic condition.	1 1 3 4 4 4 4 4 5 5 5
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition 5.5 Hydrostatic test 5.6 Instrument signal inspection 5.7 Cryogenic function test 5.8 Emergency shut down test 5.9 Performance test at cryogenic condition 5.10 Visual inspection	1 3 4 4 4 4 4 5 5 5 6
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition 5.5 Hydrostatic test 5.6 Instrument signal inspection 5.7 Cryogenic function test 5.8 Emergency shut down test 5.9 Performance test at cryogenic condition 5.10 Visual inspection 6 Marking	1 342- 4 4 4 4 5 5 5 6
3 Terms and definitions. 4 Abbreviated terms 5 Inspection and tests 5.1 General. 5.2 Test fluid. 5.3 Design appraisal. 5.4 Equipment safety function test at ambient test / cryogenic condition. 5.5 Hydrostatic test. 5.6 Instrument signal inspection. 5.7 Cryogenic function test. 5.8 Emergency shut down test. 5.9 Performance test at cryogenic condition. 5.10 Visual inspection. 6 Marking.	1 342- 4 4 4 4 5 5 5 7
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition 5.5 Hydrostatic test 5.6 Instrument signal inspection 5.7 Cryogenic function test 5.8 Emergency shut down test 5.9 Performance test at cryogenic condition 5.10 Visual inspection 6 Marking 7 Test report  Annex A (informative) Inspection and test procedure	1 1 3 4 4 4 4 4 5 5 5 7 7
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition 5.5 Hydrostatic test 5.6 Instrument signal inspection 5.7 Cryogenic function test 5.8 Emergency shut down test 5.9 Performance test at cryogenic condition 5.10 Visual inspection 6 Marking 7 Test report  Annex A (informative) Inspection and test procedure Annex B (informative) Inspection and test procedure	1 1 3 4 4 4 4 4 5 5 6 7 7 7
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition 5.5 Hydrostatic test 5.6 Instrument signal inspection 5.7 Gryogenic function test 5.8 Emergency shut down test 5.9 Performance test at cryogenic condition 5.10 Visual inspection 6 Marking 7 Test report  Annex A (informative) Inspection and test procedure Annex B (informative) Example of document lists applicable to design appraisal Annex C (informative) Example of test report form	1 342- 4 4 4 4 4 5 5 5 6 7 7 7 8 11
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition 5.5 Hydrostatic test 5.6 Instrument signal inspection 5.7 Cryogenic function test 5.8 Emergency shut down test 5.9 Performance test at cryogenic condition 5.10 Visual inspection 6 Marking 7 Test report  Annex A (informative) Inspection and test procedure Annex B (informative) Inspection and test procedure	1 1 3 1 2 - 3 1 2 - 3 1 2 - 3 1 2 - 3 1 2 - 3 1 2 - 3 1 2 - 3 1 2 - 3 1 2 - 3 1 2 - 3 1 9
3 Terms and definitions 4 Abbreviated terms 5 Inspection and tests 5.1 General 5.2 Test fluid 5.3 Design appraisal 5.4 Equipment safety function test at ambient test / cryogenic condition 5.5 Hydrostatic test 5.6 Instrument signal inspection 5.7 Gryogenic function test 5.8 Emergency shut down test 5.9 Performance test at cryogenic condition 5.10 Visual inspection 6 Marking 7 Test report  Annex A (informative) Inspection and test procedure Annex B (informative) Example of document lists applicable to design appraisal Annex C (informative) Example of test report form	

Formatted: Font: Bold, English (United Kingdom)

**Formatted:** HeaderCentered, Left, Space After: 0 pt, Line spacing: single

Formatted: Font: Bold, English (United Kingdom)

Formatted: Font: Bold, English (United Kingdom)

Formatted: Font: 11 pt, Bold

-62a541b4948b/iso-fdis-16259

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Line spacing: single

Formatted: Font: 11 pt

**Formatted:** FooterPageRomanNumber, Left, Space After: 0 pt, Line spacing: single

ISO-<u>/FDIS</u>16259(E:2025(en)

**Bibliography** 

Formatted: Font: 11 pt, Bold

Formatted: Font: 11 pt, Bold

Formatted: HeaderCentered, Space After: 0 pt, Line

spacing: single

Formatted: Font: 11 pt, Bold

# iTeh Standards (https://standards.iteh.ai) Document Preview

#### <u>SO/FDIS 16259</u>

https://standards.iteh.ai/catalog/standards/iso/d4b7b323-2afb-43fc-b842-62a541b4948b/iso-fdis-16259

Formatted: Font: 10 pt

**Formatted:** FooterPageRomanNumber, Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

© ISO16259 © ISO 2025 - All rights reserved

iv

#### ISO/DIS-FDIS 16259:20242025 (en)

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <a href="https://www.iso.org/patents.">www.iso.org/patents.</a>. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a> www.iso.org/iso/foreword.html</a>

This document was prepared by Technical Committee ISO/TC 8, Ships and marine technology, Subcommittee SC 25, Maritime GHG reduction.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found a www.iso.org/members.html.www.iso.org/members.html.

Formatted: Font: Bold, English (United Kingdom)

Formatted: Font: Bold, English (United Kingdom)

Formatted: Font: Bold, English (United Kingdom)

**Formatted:** HeaderCentered, Left, Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt. Bold

**Formatted:** Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: English (United Kingdom)

Formatted: Font color: Auto

Formatted: English (United Kingdom)

Formatted: English (United Kingdom)

Formatted: English (United Kingdom)

**Formatted:** Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Edited DIS -MUST BE USED FOR FINAL

© ISO 2024-2025 - All rights reserved

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Line spacing: single

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space

After: 0 pt, Line spacing: single