



FINAL DRAFT International Standard

ISO/FDIS 9241-171

Ergonomics of human-system interaction —

Part 171: Software accessibility

*Ergonomie de l'interaction homme-système —
Partie 171: L'accessibilité aux logiciels*

ISO/TC 159/SC 4

Secretariat: **BSI**

Voting begins on:
2025-09-17

Voting terminates on:
2025-11-12

[ISO/FDIS 9241-171](https://standards.iteh.ai/catalog/standards/iso/2c880312-6cac-4eab-aab3-7eb390c8c09a/iso-fdis-9241-171)

<https://standards.iteh.ai/catalog/standards/iso/2c880312-6cac-4eab-aab3-7eb390c8c09a/iso-fdis-9241-171>

ISO/CEN PARALLEL PROCESSING

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/FDIS 9241-171

<https://standards.iteh.ai/catalog/standards/iso/2c880312-6cac-4eab-aab3-7eb390c8c09a/iso-fdis-9241-171>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	viii
Introduction	ix
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Major accessibility related concepts	1
3.2 Concepts relating to interaction	3
3.3 Concepts relating to the user interface	3
3.4 Concepts relating to individualization	6
3.5 Concepts relating to accessibility features	6
3.5.1 Major concepts relating to accessibility features	6
3.5.2 Concepts relating to visual accessibility features	7
3.5.3 Concepts relating to audio accessibility features	8
3.5.4 Concepts relating to audiovisual accessibility features	9
3.5.5 Concepts relating to input features	9
3.5.6 Concepts relating to keyboard-based input features	10
4 Conventions	12
5 Conformance	13
6 Structure and application of this document	13
6.1 External principles and guidance	13
6.1.1 Accessibility principles of the W3C Web Content Accessibility Guidelines (WCAG) 2.2	13
6.1.2 Accessibility principles of the W3C User Agent Accessibility Guidelines (UAAG) 2.0	14
6.2 Accessibility goals of ISO/IEC Guide 71	14
6.3 Organization of guidance in this document	15
6.4 Achieving accessibility	16
7 Goal 1: Achieving suitability for the widest range of users' needs	16
7.1 To recognize that users are included as system users within diverse contexts	16
7.2 To have accessible support for using the system	16
7.2.1 Describe accessibility features	16
7.2.2 Provide accessible support services	16
7.2.3 Provide accessible training material	17
7.2.4 Provide user documentation in accessible electronic form	17
7.2.5 Provide accessible feedback mechanisms	17
7.3 To have the system accessible to an individual with combinations of needs	17
8 Goal 2: Achieving conformity with user expectations needs	18
8.1 To not be surprised by the results of interactions with the system	18
8.1.1 Maintain naming consistency	18
8.1.2 Maintain location and ordering consistency	18
8.1.3 Present user notification using consistent techniques	18
8.1.4 Update equivalent alternatives for media when the media changes	18
8.1.5 Use familiar tactile patterns	19
8.1.6 Manage consistent focus	19
8.1.7 Restore state when regaining focus	19
8.1.8 Follow platform keyboard conventions	19
8.1.9 Managing changes of context	19
8.2 To apply personal knowledge and experience to interact successfully with the system	20
8.3 To provide user assistance for knowledge needed to interact with the system	20
8.4 To provide immediate and easily accessible help or further instructions, where such help can be provided by the system	20

9	Goal 3: Achieving support for individualization needs	20
9.1	To be provided with the way of interacting with a system that best works for them	20
9.2	To choose between the available input and output modalities and their configuration without requiring restart of the system	21
9.2.1	Enable switching of input and output alternatives	21
9.2.2	Enable revising or reassigning controls	21
9.3	To have simultaneous use of alternate interaction modalities	21
9.3.1	Choosing modalities to be simultaneously available	21
9.3.2	Switching between simultaneously available modalities	21
9.3.3	Allow user to select media streams to be presented	21
9.4	To be provided with information on available options for interacting with a system on which to base a choice of interaction methods	21
9.5	To be provided with an accessible means to choose individualization features	22
9.5.1	Enable individualization of user-preference settings	22
9.5.2	Enable adjustment of attributes of common user-interface elements	24
9.5.3	Enable individualization of the user interface	24
9.6	To have individualization features maintained for future uses of the system, until changed by the user	24
9.6.1	Utilize user-preference profiles	24
9.6.2	Provide a means of restoring system defaults	25
9.6.3	Minimize the need to restart for changes	25
9.7	To provide pre-defined preference profiles	25
9.8	To take or give up control of functions that can be performed by either the user or the system	25
9.9	To have the option to use the system with a minimum of setup or configuration	25
9.10	To customize important functionality: a new user accessibility need (UAN)	25
9.10.1	Manage key input functionalities	25
9.10.2	Manage pointer functionalities	27
9.10.3	Manage visual attributes	28
9.10.4	Manage auditory attributes	30
9.10.5	Manage language selection	30
9.10.6	Manage windowing functionalities	31
9.10.7	Manage functionalities providing content alternatives	32
9.10.8	Manage animation functionalities	32
9.10.9	Adjust the scale and layout of user-interface elements as font-size changes	32
10	Goal 4: Achieving approachability needs	33
10.1	To have the system free from any physical barriers	33
10.2	To have the system free from any psychological barriers	33
10.3	To have the system maintain the user's attention	33
10.3.1	Engage the user's attention	33
10.3.2	Enable user rest breaks	33
10.4	To have interaction options clearly presented	33
10.5	To have appropriate levels of privacy and security	34
10.6	To avoid patterns that cause psychological or physical discomfort or disturbance	34
10.6.1	Avoid seizure-inducing flash rates	34
10.7	To use the system remotely as well as directly	34
10.8	To have the system free from environmental barriers	34
11	Goal 5: Achieving perceivability needs	34
11.1	To use a specific sensory modality (or a set of specific modalities) to perceive information	34
11.1.1	To have information presented visually	34
11.1.2	To have visual information available in other modalities	35
11.1.3	To have information presented in auditory form	35
11.1.4	To have audio information available in other modalities	35
11.1.5	To have information in tactile form	36
11.1.6	To have tactile information also available in other modalities	36
11.1.7	To experience information via multiple simultaneous modalities	36
11.2	To have presentation attributes of a modality that match an individual's needs	36

11.2.1	To have presentation attributes specific to the visual modality that match an individual's needs.....	36
11.2.2	To have material printed.....	38
11.2.3	To have sign language perceivable.....	38
11.2.4	To have 3-dimensional visual information presented using only two dimensions.....	38
11.2.5	To have presentation attributes specific to the auditory modality that match an individual's needs.....	38
11.2.6	To select or deselect different audio streams.....	39
11.2.7	To have presentation attributes specific to the tactile modality that match an individual's needs.....	39
11.2.8	To have visual or tactile feedback occur at the same location as the control.....	39
11.3	To distinguish among the different components of information that are being presented.....	39
11.3.1	To distinguish between different components without them interfering with one another.....	39
11.3.2	To prevent actions which would unintentionally decrease information perceivability.....	39
11.3.3	To locate and identify all actionable components without activating them.....	39
11.3.4	To have actionable components look, sound or feel distinctive from non-actionable components.....	40
11.3.5	To have sufficient landmarks and cues to navigate to the necessary locations, functionalities or controls to carry out a task.....	40
11.3.6	To have distinct recognizable signals for different alerts or other messages that use signals.....	40
11.4	To perceive information regardless of environmental or other conditions that might interfere.....	40
11.4.1	To perceive foreground information in the presence of background information.....	40
11.4.2	To avoid distractions that prevent focusing on a task.....	41
11.4.3	To have accessibility features not interfere with perception of standard information.....	41
11.4.4	To have only the content necessary for the current task presented.....	41
11.4.5	To have haptic input and output from devices not interfere with the perception of information.....	41
11.5	To not have one's senses overloaded.....	41
11.6	To have attention drawn to critically important information in the appropriate modality, form, and language.....	42
12	Goal 6: Achieving understandability needs.....	42
12.1	To obtain information on the system and its components and functionalities.....	42
12.1.1	To get an overview and to orient the users to the system and its functions and components.....	42
12.1.2	To obtain and use unique names for every user interface component.....	43
12.1.3	To receive training that supports an individual's cognitive needs.....	46
12.1.4	To receive help that supports an individual's cognitive needs.....	46
12.1.5	To receive recommendations that aid a user's understanding.....	47
12.2	To understand information presented by the system.....	47
12.2.1	To have presented information as easy to understand as possible.....	47
12.2.2	To have individual linguistic requirements supported by the system.....	48
12.2.3	To have individual cultural requirements supported by the system.....	48
12.2.4	To have text alternatives be provided for all non-textual information.....	48
12.2.5	To have information provided pictorially as well as via text.....	50
12.2.6	To customize abstract symbols with alternative representations.....	50
12.2.7	To have language presented in a particular modality and format.....	50
12.3	To have information that supports an individual's cognitive needs.....	51
12.3.1	To have information presented in a manner that supports an individual's styles of reasoning.....	51
12.3.2	To avoid unnecessary high cognitive demands.....	51
12.3.3	To have navigation that supports an individual's thinking style.....	51
12.3.4	To have assistance with remembering and recalling information.....	53

12.4	To have the steps for completing tasks optimized to match an individual's needs and clearly explained.....	53
12.4.1	Optimize the number of steps required for any task.....	53
12.5	To have cues to support the individual in completing tasks.....	53
12.5.1	Provide notification about toggle-key status.....	53
12.5.2	Provide implicit or explicit designators.....	54
12.5.3	Provide notification of progress.....	54
12.6	To have feedback showing the results of actions.....	54
12.7	To have sufficient time to interact with the system.....	54
12.7.1	To have sufficient time to understand displayed or presented information.....	54
12.7.2	To have information necessary to plan actions available in advance.....	55
12.7.3	To plan a series of actions in advance.....	55
12.8	To access support when needed.....	55
13	Goal 7: Achieving controllability needs.....	55
13.1	To use a specific sensory modality (or a set of specific sensory modalities) for inputs to the system.....	55
13.1.1	To have alternate modalities of input to the system.....	55
13.1.2	To use the tactile modality as a source of inputs to the system.....	56
13.1.3	To use sound as a source of inputs.....	56
13.1.4	To use visual recognition as a source of inputs.....	57
13.2	To control attributes of an input or interaction modality to match an individual's needs.....	57
13.2.1	To have acceptable input or interaction attributes specific to the tactile modality.....	57
13.2.2	To have acceptable input or interaction attributes specific to the auditory modality.....	57
13.2.3	To have acceptable input or interaction attributes specific to the visual modality.....	57
13.2.4	To position system components and devices in suitable locations for their use.....	57
13.3	To use a specific interaction method to provide inputs to the system.....	57
13.3.1	Keyboard-based interactions.....	57
13.3.2	Pointer-based interactions.....	59
13.3.3	Speech-based interactions.....	59
13.3.4	Gesture-based interactions.....	60
13.4	To perform the task using specific types of action.....	60
13.4.1	To have a means of shifting the focus from one interface component to another interface component.....	60
13.4.2	To perform the task using various parts of the body.....	61
13.4.3	To have a method to fully operate the system that does not require simultaneous actions.....	61
13.4.4	To interact with the system at one's own pace.....	62
13.4.5	To have a method to fully operate the system that does not require direct body contact.....	64
13.4.6	To have specific interaction features: a new user accessibility need (UAN).....	64
13.5	To perform supporting and maintenance tasks related to the use of the system that other users are expected to undertake.....	67
13.6	To control the environment (to the extent possible) to prevent interference with performing the task.....	67
13.6.1	General.....	67
13.6.2	Avoid interference with accessibility features.....	67
13.7	To access the controls that allow them to turn on and adjust the built-in accessibility features.....	68
13.7.1	Make controls for accessibility features discoverable and operable.....	68
13.7.2	Inform user of accessibility feature "On" or "Off" status.....	68
13.7.3	Inform user of accessibility feature activation.....	68
13.7.4	Provide capability to use preference settings across locations.....	68
13.8	To have a suitable level of autonomy.....	69
14	Goal 8: Usability.....	69
14.1	To be provided a means to successfully accomplish tasks.....	69
14.2	To avoid making mistakes in completing tasks.....	69
14.3	To complete tasks in an efficient manner relative to one's own abilities.....	69

14.4	To perform tasks with a minimum of physical exertion	69
14.5	To perform tasks with a minimum of cognitive exertion.....	69
14.6	To operate the system without becoming fatigued	70
14.7	To complete tasks within the available time	70
14.8	To be satisfied with the outcome of interacting with the system.....	70
14.9	To have comparable satisfaction that the system is worth using to that of other users.....	70
15	Goal 9: Error tolerance.....	70
15.1	To have confidence that using the system will be free from negative consequences or unacceptable risks.....	70
15.1.1	Avoiding negative consequences.....	70
15.1.2	Avoiding motion sickness.....	70
15.1.3	Avoiding unexpected major changes.....	70
15.2	To explore a system without unintentionally activating components or their functionalities	71
15.2.1	Support exploration without unintentionally activating functions	71
15.2.2	Safeguard against inadvertent activation or deactivation of accessibility features.....	71
15.3	To accomplish tasks in spite of the occurrence of errors.....	71
15.3.1	Allow warning or error information to persist.....	71
15.4	To detect when errors have been made	71
15.4.1	Notify the user when errors are detected	71
15.4.2	Provide information about the error that has occurred.....	71
15.5	To recover from errors made from interacting with the system	71
15.5.1	Facilitate navigation to the location of errors.....	71
15.5.2	Assist with error correction.....	71
15.6	To reset a system to an earlier or original condition as a means of responding to errors.....	72
15.7	To avoid errors by making negative consequences be obvious, easy to avoid, and difficult to trigger	72
16	Goal 10: Equitable use.....	72
16.1	To use a system in a manner that is as similar as possible to other users	72
16.2	To use a system in a manner that is equivalent to that of other users, even if the manner of use is different.....	72
16.3	To have available alternate ways of interacting with a system that match a user's needs.....	72
16.3.1	Provide alternative means of interaction that match users' needs.....	72
16.3.2	Provide alternatives when assistive technology (AT) is not operable.....	73
17	Goal 11: Compatibility with other systems.....	73
17.1	To use their own assistive products or assistive technology (AT) to interact with all the functionalities of the system.....	73
17.1.1	Make interactions available to assistive technology (AT).....	73
17.1.2	Make user-interface element information available to assistive technologies.....	73
17.1.3	Make feedback and messages available to assistive technology (AT).....	74
17.1.4	Make event notification available to assistive technologies.....	74
17.1.5	Enable communication between software and assistive technology (AT)	75
17.1.6	Use standard accessibility services.....	75
17.1.7	Allow assistive technology (AT) to change focus and selection	76
17.1.8	Allow assistive technology (AT) to access resources	76
17.1.9	Use system-standard input and output.....	76
17.1.10	Enable appropriate presentation of tables.....	76
17.1.11	Accept the installation of keyboard and pointing device emulators.....	77
17.1.12	Allow assistive technology (AT) to monitor output operations.....	77
17.2	To have the interaction between the system and assistive technology be without interference.....	77
17.2.1	Support combinations of assistive technologies.....	77
17.2.2	Avoid interference between assistive technologies.....	77
17.3	To have specific accessibility functions available at all times, without disruption	77
17.3.1	Pass through of system functions.....	77
17.3.2	Restore hidden accessibility functions.....	78
Annex A (informative) W3C web content accessibility guidelines (WCAG) 2.2 success criteria.....		79