

INTERNATIONAL STANDARD



**Information technology – Home electronic system (HES) interfaces –
Part 3: Modular communications interface for energy management**

**(<https://standards.iteh.ai>)
Document Preview**

ISO/IEC 10192-3:2017

<https://standards.iteh.ai/catalog/standards/iso/e6a8a768-d728-46bc-91a0-e806c7224bbe/iso-iec-10192-3-2017>



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

[ISO/IEC 10192-3:2017](https://standards.iteh.ai/catalog/standards/iso/e6a8a768-d728-46bc-91a0-e806c7224bbe/iso-iec-10192-3-2017)

<https://standards.iteh.ai/catalog/standards/iso/e6a8a768-d728-46bc-91a0-e806c7224bbe/iso-iec-10192-3-2017>

INTERNATIONAL STANDARD



**Information technology – Home electronic system (HES) interfaces –
Part 3: Modular communications interface for energy management**

Document Preview

[ISO/IEC 10192-3:2017](https://standards.iteh.ai/catalog/standards/iso/e6a8a768-d728-46bc-91a0-e806c7224bbe/iso-iec-10192-3-2017)

<https://standards.iteh.ai/catalog/standards/iso/e6a8a768-d728-46bc-91a0-e806c7224bbe/iso-iec-10192-3-2017>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-5099-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references	10
3 Terms, definitions and abbreviated terms	11
3.1 Terms and definitions.....	11
3.2 Abbreviated terms.....	11
4 Conformance.....	12
5 Physical/electrical Interface	12
5.1 Form factors	12
5.2 Removal and exchange of a UCM	12
5.3 Block diagram	12
6 Serial protocol	13
6.1 Protocol data unit.....	13
6.2 Message Type field.....	13
6.3 Payload length field	14
6.4 Checksum field	15
6.5 Bit and byte order	15
6.5.1 Bit order within a byte.....	15
6.5.2 Byte order for multi-byte messages.....	15
6.6 Message synchronization and timing.....	15
6.6.1 Message sequencing.....	15
6.6.2 Link layer timing	15
6.6.3 Randomized link layer retries.....	17
6.6.4 Application layer timing.....	17
6.7 SGD handling of conflicting messages	18
7 Simple Protocol	18
8 Link layer.....	19
8.1 Use of link layer messages	19
8.2 Link layer ACK/NAK.....	19
8.3 Message Type “supported query”	20
9 Data-link messages	21
9.1 Message format	21
9.2 Interface power limit negotiation	23
9.3 Bit rate negotiation.....	24
9.4 Power-up and state reset	25
9.5 Security	25
9.6 Setting slot numbering	25
10 Basic DR application (Message Type = 0x08, 0x01)	26
10.1 Basic DR application commands	26
10.1.1 Message format.....	26
10.1.2 Basic message fixed length	30
10.1.3 Event Duration field	30
10.1.4 Grouped messages.....	31
10.2 Usage and details of basic DR application messages.....	31
10.2.1 Request for power level (Opcode 0x06)	31

10.2.2	Relative price commands (Opcode 0x07 and 0x08).....	32
10.2.3	Time remaining in present price period (Opcode 0x09)	33
10.2.4	Operating state monitoring (Opcodes 0x12 and 0x13).....	33
11	Intermediate DR application (Message Type = 0x08, 0x02).....	35
11.1	Intermediate DR message set	35
11.2	Usage and details of Intermediate DR application messages	38
11.2.1	Info request	38
11.2.2	Get/Set UTC time	41
11.2.3	Get/Set energy price	42
11.2.4	Get/Set tier	44
11.2.5	Get/Set temperature offset.....	45
11.2.6	Get/Set set point.....	46
11.2.7	Autonomous cycling.....	47
11.2.8	Demand reduction – terminate cycling	49
11.3	Demand response event schedules.....	49
11.3.1	Function	49
11.3.2	Send scheduled events request	50
11.4	Energy consumption	50
11.4.1	Function	50
11.4.2	Commodity read	50
11.4.3	Get/Set CommodityType.....	53
12	Commissioning and network messages (Message Type = 0x08, 0x04)	55
13	Pass-Through Mode	55
13.1	Pass-Through method.....	55
13.1.1	General	55
13.1.2	Full Encapsulation in the Message Payload	56
13.1.3	Message Type Field	56
13.1.4	Message Type Support Query.....	56
13.1.5	Maximum Message Length Negotiation.....	56
13.1.6	Pass-Through mode protocols	56
13.2	Pass-Through mode protocols.....	56
13.2.1	USNAP 1.0 protocol Pass-Through	56
13.2.2	SEP1.0 or 1.1 Pass-Through	57
13.2.3	ClimateTalk Pass-Through.....	57
13.2.4	General Internet Protocol Pass-Through	57
13.2.5	ISO/IEC 14543-4-3 Pass-Through	58
13.2.6	ISO/IEC 14543-3-1 Pass-Through	58
13.2.7	ISO/IEC 14908-1 Pass-Through.....	59
13.2.8	SunSpec Pass-Through	59
14	Typical communication exchanges.....	59
15	General security principles	60
16	Load management event randomization.....	60
Annex A	(normative) Low voltage DC form factor	62
A.1	General.....	62
A.2	Limitations	62
A.3	Power for UCM	62
A.4	Mechanical interface	62
A.4.1	DC form factor board layout.....	62

A.4.2	Module configuration	63
A.4.3	Form factor	66
A.4.4	Housing materials	66
A.4.5	Connector type	66
A.4.6	Pin assignments	67
A.5	Electrical interface	67
A.5.1	Electrical Interface Levels	67
A.5.2	Signal timing	67
A.5.3	Interface circuits	68
A.6	Data transfer protocol	68
A.6.1	Control signals	68
A.6.2	Clock and data rate	69
A.6.3	Multiple slots	69
A.7	Link layer data flow	69
A.8	Messages	69
A.8.1	Frame structure	69
A.8.2	Message synchronization (frame delimiting)	69
A.8.3	Message filling (inter-message byte filling)	69
A.8.4	Command/Response encoding	70
A.8.5	Checksum calculation	70
A.8.6	Master/Slave	70
A.8.7	Flow control	70
A.8.8	Error detection and recovery	70
A.9	Operation	71
A.9.1	Transaction sequence	71
A.9.2	SPI data transfer state machine	74
A.9.3	SGD transmitter operation	75
A.9.4	SGD device receiver operation	75
A.9.5	UCM operations	76
Annex B (informative)	Description of DC form factor applications	77
B.1	General	77
B.2	Applications of ISO/IEC 24379	77
B.3	Physical Form Factor Review	77
B.4	Observations with regard to UCM and ATA confusion	78
B.4.1	General	78
B.4.2	ATA into Smart Grid Device	78
B.4.3	Universal Communication Module into ATA device bay	78
B.5	Conclusion	78
Annex C (normative)	AC form factor	79
C.1	General	79
C.2	Physical form	79
C.2.1	AC SGD and AC UCM connector	79
C.2.2	AC enclosure requirements	84
C.3	AC power	87
C.4	Obtaining message sync	89
Annex D (normative)	Fletcher checksum	90
D.1	Checksum method	90
D.2	Calculating the checksum	90
D.3	Decoding the checksum	90

Annex E (informative) Example Visual Basic code	91
Annex F (informative) Guideline for computing average price.....	92
F.1 Average Price versus Time Varying Charges	92
F.2 Relative price command.....	92
F.3 Explanation for non-regulated utilities	93
F.4 Summary	93
Annex G (informative) Product safety considerations	95
Bibliography.....	96
Figure 1 – Illustrations of the modular communications interface (MCI) concept.....	9
Figure 2 – Modular communications interface (MCI) block diagram	13
Figure 3 – Link layer timing	16
Figure 4 – Application layer timing	17
Figure 5 – Non-linear event duration scaling	31
Figure 6 – Non-linear relative price scaling	33
Figure 7 – Illustration of energy storage capacity	53
Figure 8 – Internet Protocol Pass-Through (IPv6)	58
Figure 9 – Illustration of randomization of events by communications modules	61
Figure A.1 – DC form factor PCB dimensions.....	63
Figure A.2 – DC form factor housing dimensions – top view	64
Figure A.3 – DC form factor housing dimensions – side view	65
Figure A.4 – DC form factor housing dimensions – end view	66
Figure A.5 – Pin assignment	67
Figure A.6 – SPI Mode 0 bit timing.....	67
Figure A.7 – SPI transaction sequence: SGD-initiated message to the UCM	71
Figure A.8 – SPI transaction sequence: UCM-initiated message to the SGD	72
Figure A.9 – SPI data transfer state machine	74
Figure C.1 – Panel-mount AC connector form factor (device side shown) and pin-out	80
Figure C.2 – PCB-mount AC UCM connector (housing).....	80
Figure C.3 – Cable AC UCM connector (housing)	81
Figure C.4 – Panel mount AC SGD connector form factor dimensions.....	82
Figure C.5 – PCB mount connector dimensions	83
Figure C.6 – Cable connector dimensions	83
Figure C.7 – Contact dimensions for cable connector and PCB mount connector	84
Figure C.8 – Reserved area and dimensions on SGD (receptacle)	85
Figure C.9 – Right side and top view of maximum UCM dimensions.....	86
Figure C.10 – Left side and bottom view of maximum UCM dimensions	87
Figure C.11 – Typical RS-485 polarity and byte transfer	88
Figure C.12 – RS-485 connections.....	88
Table 1 – Protocol data unit format	13
Table 2 – Message type assignments	14
Table 3 – Message timing requirements.....	16
Table 4 – Basic/Intermediate DR application layer timing parameters	18