



ISO/IEC 14543-4-303

Edition 1.0 2026-06

INTERNATIONAL STANDARD

**Information technology - Home Electronic System (HES) architecture -
Part 4-303: Application protocol for electric vehicle supply equipment (EVSE)
chargers and controllers**

Sample Document

get full document from standards.iteh.ai



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2026 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search -

webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms, definitions, and abbreviated terms	6
3.1 Terms and definitions	6
3.2 Abbreviated terms	8
4 Conformance	8
5 Configuration	8
6 Application layer	10
6.1 General	10
6.2 NECD objects	10
6.3 NECD services	11
6.4 Object-specific NECD properties	11
6.5 Application operation	13
6.5.1 General	13
6.5.2 Continuous requests	13
6.5.3 Response wait time value for controllers	13
6.5.4 Resending a frame	13
6.5.5 Processing object property counter	13
6.5.6 Property values of write requests	13
6.5.7 Property values of read requests	14
7 Normal operation	14
7.1 General	14
7.2 Start-up operation	15
7.2.1 General	15
7.2.2 Start-up processing of NECD nodes	15
7.2.3 Search processing	16
7.2.4 Obtaining NECD attribute information	16
7.2.5 Obtaining EVSE charger attribute information	17
7.3 Occasional operation	18
7.3.1 General	18
7.3.2 Obtaining vehicle connection and chargeable status	18
7.3.3 Controlling EVSE charger	20
7.4 Fault status notification	22
8 Remote control	22
9 Considerations on controllers	23
Annex A (informative) Terms and NECD protocol frame format on ISO/IEC 14543-4-3 and IEC 62394	24
A.1 Terms correspondence between ISO/IEC 14543-4-3 and IEC 62394	24
A.2 NECD protocol frame format	24
Annex B (informative) Communication link between EVSE charger and CEM in IEC 63380-1	26
Annex C (informative) Relationship between ISO/IEC 14543-4 series and the HES gateway, based on ISO/IEC 15045 series and ISO/IEC 18012 series	27
Bibliography	34

Figure 1 – Relationship between IEC 62394, ISO/IEC 14543-4-3, and ISO/IEC 14543-4-303	5
Figure 2 – Physical configuration, and the path and direction of electricity and communication.....	9
Figure 3 – NECD configurations.....	9
Figure 4 – Assumed network stack.....	10
Figure 5 – Summary of normal operation sequences.....	15
Figure 6 – Sequence for obtaining NECD attribute information.....	17
Figure 7 – Sequence of obtaining EVSE charger attribute information.....	18
Figure 8 – Sequence to obtain vehicle connection and chargeable status of EVSE charger	19
Figure 9 – Sequence to control EVSE charger	21
Figure 10 – Remote control.....	22
Figure A.1 – NECD protocol frame format	25
Figure B.1 – Communication link between EVSE charger and CEM in IEC 63380-1	26
Figure C.1 – Measurement points for AC EVSEs translated into ISO/IEC 18012-3	32
Figure C.2 – Measurement points for DC EVSEs translated into ISO/IEC 18012-3	33
Table 1 – NECD objects for EVSE chargers	10
Table 2 – NECD objects for controllers	11
Table 3 – NECD services.....	11
Table 4 – NECD properties of device object (super class).....	11
Table 5 – NECD properties of device object.....	12
Table 6 – Response wait time values for controllers.....	13
Table A.1 – Terms correspondence table between ISO/IEC 14543-4-3 and IEC 62394	24
Table C.1 – List of the translation between ISO/IEC 14543-4-303, IEC 62394, and HES gateway lexicon (ISO/IEC 18012-3) supported	27
Table C.2 – List of the translation between ISO/IEC 14543-4-303, IEC 62394, and HES gateway lexicon (ISO/IEC 18012-3) not supported at this time	31

**Information technology -
Home Electronic System (HES) architecture -
Part 4-303: Application protocol for electric vehicle
supply equipment (EVSE) chargers and controllers**

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) IEC and ISO draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC and ISO take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC and ISO had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch> and www.iso.org/patents. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 14543-4-303 has been prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
JTC1-SC25/3321/CDV	JTC1-SC25/3346A/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

The list of all currently available parts of the ISO/IEC 14543 series, under the general title *Information technology - Home Electronic System (HES) architecture*, can be found on the IEC website and ISO website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, available at www.iec.ch/members_experts/refdocs and www.iso.org/directives.

Sample Document

get full document from standards.iteh.ai

INTRODUCTION

The ISO/IEC 14543 series provides networking capability for a wide range of appliances, equipment, sensors, etc. in the home, including lighting, heating, and cooling. This part of ISO/IEC 14543 specifies the detailed procedures and behaviours of both electric vehicle supply equipment (EVSE) chargers and controllers at the application level of communications based on ISO/IEC 14543-4-3. This document specifies the message structure, sequences, and protocol of the application layer for networked enhanced control devices (NECDs) used in the Home Electronic System (HES). Some services are targeted for communications between devices. Other services are exclusively reserved for management purposes. Some services can be used for both management and run-time communications. This document is applicable for energy management services involving EVSE chargers and related devices.

Figure 1 shows the relationship between IEC 62394, ISO/IEC 14543-4-3 and ISO/IEC 14543-4-303. ISO/IEC 14543-4-3 specifies the message structure, sequences and protocol for general-purpose communications used in network enhanced control devices of the Home Electronic System (HES) Class 1. ISO/IEC 14543-4-3 provides the common interfaces for the use-level process and the services such as energy management, remote maintenance, and other services for easily building a system consisting of multi-vendor devices and equipment. IEC 62394 specifies the detailed lists of control commands on NECD objects (see ISO/IEC 14543-4-3). Annex A shows terms and NECD protocol frame format on ISO/IEC 14543-4-3 and IEC 62394.




Figure 1 – Relationship between IEC 62394, ISO/IEC 14543-4-3, and ISO/IEC 14543-4-303

ISO/IEC 14543-4-3 is a general-purpose communications specification that applies to a variety of devices. ISO/IEC 14543-4-3 is the basis for this document, which specifies detailed procedures and behaviours for pre-packaged system solutions that include EVSE chargers and related devices. The procedures and behaviours specified in this document can be used for energy flow inside a home or energy flow between the grid and a home.

In order to enhance interoperability, it is important to specify how to implement ISO/IEC 14543-4-3 for each device and controller at the application level such as command sequences, timeout requirements, required combinations of acceptable commands, minimum subset of IEC 62394 properties, etc.

This document applies to the communication link in yellow between charging station (EVSE charger) and energy management system (EMS) as shown in Annex B.

For an EVSE that is capable of transferring electricity both from home or grid to EV and from EV to home or grid, see ISO/IEC 14543-4-304.

1 Scope

This part of ISO/IEC 14543 specifies an application-layer protocol important for ensuring interoperability among the products of various manufacturers regarding communications between electric vehicle supply equipment (EVSE) chargers and controllers. It uses the network enhanced communications device (NECD) protocol specified in ISO/IEC 14543-4-3. This protocol is based on UDP using IPv4 or IPv6 (TCP is optional).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62394, *Service diagnostic interface for consumer electronics products and networks - Implementation for ECHONET*

ISO/IEC 14543-4-3, *Information technology - Home Electronic System (HES) architecture - Part 4-3: Application layer interface to lower communications layers for network enhanced control devices of HES Class 1*

3 Terms, definitions, and abbreviated terms

3.1 Terms and definitions

For the purposes of this document the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1.1

controller

network enhanced control device (NECD) node that sends NECD requests (Get and SetC) to another NECD node

Note 1 to entry: A controller in this document can be used as a part of a customer energy manager (CEM) specified in IEC 63380-1.

Note 2 to entry: A controller in this document can be used with an energy management agent (EMA) specified in ISO/IEC 15067-3.

3.1.2

device object

network enhanced control device (NECD) object other than a node profile object

Note 1 to entry: In this document, "device object" refers to electric vehicle charger object only.

[SOURCE: ISO/IEC 14543-4-302:2023, 3.1.3, modified – In Note 1 to entry, "storage battery" has been replaced with "electric vehicle charger".]

3.1.3

electric vehicle

EV

vehicle that is powered by an electric motor that draws electricity from a battery and is capable of being charged from an external source

Note 1 to entry: In this document, "electric vehicle" refers to both a vehicle that is only powered by an electric motor that draws electricity from a battery and a vehicle that is powered by an electric motor that draws electricity from a battery and by an internal combustion engine.

Note 2 to entry: In this document, "electric vehicle" refers to both a vehicle that contains a device that converts alternating current (AC) voltage to direct current (DC) voltage (e.g. inverter) and a vehicle that does not contain a device that converts AC voltage to DC voltage.

3.1.4

electric vehicle supply equipment

EVSE

device that transfers electricity between electric vehicle and home or grid

Note 1 to entry: In this document, "electric vehicle supply equipment" refers to both a device that contains a device that converts alternating current (AC) voltage to direct current (DC) voltage (e.g. inverter) and a device that does not contain a device that converts AC voltage to DC voltage.

Note 2 to entry: In this document, "electric vehicle supply equipment" refers to a device that supports primarily single-family residential applications.

3.1.5

electric vehicle supply equipment charger

EVSE charger

electric vehicle supply equipment that includes a communications interface of NECD protocol and is capable of managing the transfer of electricity from home or grid to electric vehicle (EV) and includes a communications interface to receive network enhanced control device (NECD) messages

Note 1 to entry: In this document, "electric vehicle supply equipment charger" refers primarily to an EVSE that is not capable of transferring electricity from an EV to home or grid using the NECD protocol.

3.1.6

NECD protocol

protocol used in network enhanced control device (NECD) communications

[SOURCE: ISO/IEC 14543-4-302:2023, 3.1.5]

3.1.7

node profile

description of objects implemented in each node

[SOURCE: ISO/IEC 14543-4-302:2023, 3.1.6]

3.1.8

remote control

control from outside the home

[SOURCE: ISO/IEC 14543-4-302:2023, 3.1.9]

3.1.9

response wait time

time between a controller request to an electric vehicle supply equipment (EVSE) charger and the response from an electric vehicle supply equipment charger