

INTERNATIONAL STANDARD

**Information technology – Small computer system interface (SCSI) –
Part 224: Fibre Channel Protocol for SCSI, fourth version (FCP-4)**

**(<https://standards.iteh.ai>)
Document Preview**

[ISO/IEC 14776-224:2019](https://standards.iteh.ai/catalog/standards/iso/94b73fae-79ff-4054-9da3-4953d35b810f/iso-iec-14776-224-2019)

<https://standards.iteh.ai/catalog/standards/iso/94b73fae-79ff-4054-9da3-4953d35b810f/iso-iec-14776-224-2019>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2019 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/IEC 14776-224:2019](https://standards.iteh.ai/catalog/standards/iso/94b73fae-79ff-4054-9da3-4953d35b810f/iso-iec-14776-224-2019)

<https://standards.iteh.ai/catalog/standards/iso/94b73fae-79ff-4054-9da3-4953d35b810f/iso-iec-14776-224-2019>



ISO/IEC 14776-224

Edition 1.0 2019-10

INTERNATIONAL STANDARD

**Information technology – Small computer system interface (SCSI) –
Part 224: Fibre Channel Protocol for SCSI, fourth version (FCP-4)**

Document Preview

[ISO/IEC 14776-224:2019](https://standards.iteh.ai/iso-iec-14776-224-2019)

<https://standards.iteh.ai/catalog/standards/iso/94b73fae-79ff-4054-9da3-4953d35b810f/iso-iec-14776-224-2019>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-7520-7

Warning! Make sure that you obtained this publication from an authorized distributor.

Contents

FOREWORD	8
INTRODUCTION	10
1 Scope	11
2 Normative references	11
3 Terms, definitions, abbreviations and conventions	12
3.1 Terms and definitions	12
3.2 Abbreviations	18
3.3 Keywords	20
3.4 Editorial conventions	21
4 General	23
4.1 Structure and concepts	23
4.2 FCP I/O operations	24
4.3 Bidirectional and unidirectional commands and FCP_RSP IU format	26
4.4 Precise delivery of commands	26
4.5 Confirmed completion of FCP I/O operations	27
4.6 Retransmission of unsuccessfully transmitted IUs	28
4.7 Task retry identification	28
4.8 Discovery of FCP capabilities	29
4.9 Task management functions	29
4.9.1 Task management functions overview	29
4.9.2 ABORT TASK task management function	31
4.9.3 QUERY TASK task management function	31
4.10 Clearing effects of task management, FCP, FC-FS-3, FC-LS-2, and FC-AL-2 actions	32
4.11 I_T nexus loss notification events	34
4.12 Transport Reset notification events	34
4.13 Port Login/Logout	34
4.14 Process Login and Process Logout	35
4.15 Link management	35
4.16 FCP addressing and Exchange identification	35
4.17 Use of Worldwide_Names	35
5 FC-FS-3 frame header	37
5.1 FC-FS-3 frame header overview	37
5.2 FC-FS-3 frame header fields	37
5.2.1 R_CTL field	37
5.2.2 D_ID field	37
5.2.3 CS_CTL field	37
5.2.4 S_ID field	37
5.2.5 TYPE field	37
5.2.6 F_CTL field	37
5.2.7 SEQ_ID field	38
5.2.8 DF_CTL field	38
5.2.9 SEQ_CNT field	38
5.2.10 OX_ID field	38
5.2.11 RX_ID field	38
5.2.12 PARAMETER field	38
6 FCP link service definitions	39
6.1 Overview of link service requirements	39
6.2 Overview of Process Login and Process Logout	39
6.3 PRLI ELS	40
6.3.1 Use of PRLI ELS by the Fibre Channel Protocol	40
6.3.2 New or repeated Process Login	40

6.3.3 PRLI ELS request FCP Service Parameter page format	41
6.3.4 PRLI ELS accept FCP Service Parameter page format	44
6.4 PRLO ELS	45
6.5 Read Exchange Concise (REC) ELS	45
7 FC-4 specific Name Server registration and objects	47
7.1 Overview of FC-4 specific objects for the Fibre Channel Protocol	47
7.2 FC-4 TYPEs object	47
7.3 FC-4 Features object	47
8 FCP FC-4 Link Service (FCP_LS) definitions	49
8.1 FCP_LS overview	49
8.2 Sequence Retransmission Request (SRR) FCP_LS request	49
8.3 FCP_LS Accept (FCP_ACC)	50
8.4 FCP_LS Reject (FCP_RJT)	51
9 FCP Information Unit (IU) usage and formats	53
9.1 FCP Information Unit (IU) usage	53
9.2 FCP_CMND IU	54
9.2.1 Overview and format of FCP_CMND IU	54
9.2.2 FCP_CMND IU field descriptions	55
9.2.2.1 FCP_LUN field	55
9.2.2.2 COMMAND REFERENCE NUMBER field	55
9.2.2.3 COMMAND PRIORITY field	56
9.2.2.4 TASK ATTRIBUTE field	56
9.2.2.5 TASK MANAGEMENT FLAGS FIELD	56
9.2.2.6 ADDITIONAL FCP_CDB LENGTH field	58
9.2.2.7 RDDATA bit and WRDATA bit	58
9.2.2.8 FCP_CDB field	59
9.2.2.9 ADDITIONAL_FCP_CDB field	59
9.2.2.10 FCP_DL field	59
9.2.2.11 FCP_BIDIRECTIONAL_READ_DL field	59
9.3 FCP_XFER_RDY IU	59
9.3.1 Overview and format of FCP_XFER_RDY IU	59
9.3.2 FCP_DATA_RO field	60
9.3.3 FCP_BURST_LEN field	60
9.4 FCP_DATA IU	60
9.4.1 FCP_DATA IU overview	60
9.4.2 FCP_DATA IUs for read and write operations	61
9.4.3 FCP_DATA IUs for bidirectional commands	62
9.4.4 FCP_DATA IU use of fill bytes	62
9.5 FCP_RSP IU	63
9.5.1 Overview and format of FCP_RSP IU	63
9.5.2 STATUS QUALIFIER field	64
9.5.3 FCP_BIDI_RSP bit	64
9.5.4 FCP_BIDI_READ_RESID_UNDER bit	64
9.5.5 FCP_BIDI_READ_RESID_OVER bit	65
9.5.6 FCP_CONF_REQ bit	65
9.5.7 FCP_RESID_UNDER bit	65
9.5.8 FCP_RESID_OVER bit	65
9.5.9 FCP_SNS_LEN_VALID bit	65
9.5.10 FCP_RSP_LEN_VALID bit	65
9.5.11 SCSI STATUS CODE field	65
9.5.12 FCP_RESID field	65
9.5.13 FCP_BIDIRECTIONAL_READ_RESID field	66
9.5.14 FCP_SNS_LEN field	67
9.5.15 FCP_RSP_LEN field	67
9.5.16 FCP_RSP_INFO field	67
9.5.17 FCP_SNS_INFO field	68

9.6 FCP_CONF IU	68
10 SCSI mode parameters for the Fibre Channel Protocol	69
10.1 Overview of mode pages for the Fibre Channel Protocol	69
10.2 Disconnect-Reconnect mode page	69
10.2.1 Overview and format of Disconnect-Reconnect mode page for FCP	69
10.2.2 BUFFER FULL RATIO field	70
10.2.3 BUFFER EMPTY RATIO field	70
10.2.4 BUS INACTIVITY LIMIT field	70
10.2.5 DISCONNECT TIME LIMIT field	71
10.2.6 CONNECT TIME LIMIT field	71
10.2.7 MAXIMUM BURST SIZE field	71
10.2.8 EMDP bit	71
10.2.9 FAA BIT, FAB BIT, AND FAC bit	72
10.2.10 FIRST BURST SIZE field	72
10.3 Fibre Channel Logical Unit Control mode page	73
10.4 Fibre Channel Port Control mode page	73
10.4.1 Overview and format of Fibre Channel Port Control mode page	73
10.4.2 DISABLE TARGET ORIGINATED LOOP INITIALIZATION (DTOLI) bit	74
10.4.3 DISABLE TARGET INITIATED PORT ENABLE (DTIPE) bit	74
10.4.4 ALLOW LOGIN WITHOUT LOOP INITIALIZATION (ALWLI) bit	74
10.4.5 REQUIRE HARD ADDRESS (RHA) bit	74
10.4.6 DISABLE LOOP MASTER (DLM) bit	75
10.4.7 DISABLE DISCOVERY (DDIS) bit	75
10.4.8 PREVENT LOOP PORT BYPASS (PLPB) bit	75
10.4.9 DISABLE TARGET FABRIC DISCOVERY (DTFD) bit	75
10.4.10 RR_TOV UNITS field	75
10.4.11 SEQUENCE INITIATIVE RESOURCE RECOVERY TIMEOUT VALUE (RR_TOVSEQ_INIT) field	76
11 Timers for FCP operation and recovery	77
11.1 Summary of timers for the Fibre Channel Protocol	77
11.2 Error_Detect Timeout (E_D_TOV)	78
11.3 Resource Allocation Timeout (R_A_TOV)	78
11.4 Resource Recovery Timeout (RR_TOV)	78
11.5 Read Exchange Concise Timeout Value (REC_TOV)	78
11.6 Upper Level Protocol Timeout (ULP_TOV)	79
12 Link error detection and error recovery procedures	80
12.1 Error detection and error recovery overview	80
12.1.1 Exchange level	80
12.1.2 Sequence level	80
12.2 FCP error detection	80
12.2.1 Overview of FCP-4 error detection	80
12.2.2 FCP-4 error detection using protocol errors for all classes of service	80
12.2.3 Error detection mechanisms for acknowledged classes of service	81
12.3 Exchange level recovery using ABTS-LS	81
12.3.1 ABTS-LS overview	81
12.3.2 Initiator FCP_Port Exchange termination	82
12.3.3 Target FCP_Port response to Exchange termination	82
12.3.4 Additional error recovery by initiator FCP_Port	83
12.3.5 Additional error recovery by target FCP_Port	83
12.4 Sequence level error detection and recovery	83
12.4.1 Using information from REC ELS to perform Sequence retransmission	83
12.4.1.1 Polling Exchange state with REC ELS	83
12.4.1.2 Detection of errors while polling with REC ELS	83
12.4.1.3 FCP_CMND IU recovery	84
12.4.1.4 FCP_XFER_RDY IU recovery	84
12.4.1.5 FCP_RSP IU recovery	84
12.4.1.6 FCP_DATA IU recovery - write operations	85

12.4.1.7 FCP_DATA IU recovery - read operations	86
12.4.1.8 FCP_CONF IU recovery	86
12.4.2 Additional error recovery requirements	87
12.4.2.1 Error indicated in ACK	87
12.4.2.2 Missing ACK	87
12.4.2.3 Distinguishing Exchange to be aborted	87
12.5 Second-level error recovery	87
12.5.1 ABTS error recovery	87
12.5.2 REC ELS request error recovery	87
12.5.3 SRR FCP_LS request error recovery	88
12.6 Responses to FCP type frames before port login or process login	88

Annex A (normative) SAM-5 mapping to FCP-4	89
---	-----------

Annex B (informative) FCP examples	91
---	-----------

B.1 Examples of the use of FCP Information Units (IUs)	91
B.1.1 Overview of examples	91
B.1.2 Read command	91
B.1.3 Write command	92
B.1.4 Command with no data transfer or with check condition	92
B.1.5 Read command with multiple FCP_DATA IUs	93
B.1.6 Write command with FCP_XFER_RDY disabled	93
B.1.7 Bidirectional command with write before read	94
B.1.8 Bidirectional command with read before write	94
B.1.9 Bidirectional command with write first and write FCP_XFER_RDY disabled	95
B.1.10 Bidirectional command with intermixed writes and reads	96
B.1.11 Write command with confirmed completion	96
B.1.12 Task management function	97
B.1.13 Class 2 write command example, frame level	98
B.1.14 Class 2 read command example, frame level	100

Annex C (informative) Error detection and recovery examples	102
--	------------

Annex D (informative) FCP device discovery procedure	136
---	------------

D.1 FCP Device Discovery Procedure	136
D.1.1 Initiator discovery of Fabric-attached target FCP_Ports	136
D.1.2 Initiator discovery of loop-attached target FCP_Ports	136
D.2 Fabric and device verification	137
D.3 Logical unit verification	137

Annex E (informative) FCP-4 examples of link service usage	138
---	------------

E.1 Formats for recovery link services	138
E.2 Abort Sequence (ABTS) request	138
E.2.1 Abort Sequence (ABTS) request fields	138
E.2.2 Basic Accept (BA_ACC) frame to ABTS	139
E.2.3 Basic Reject (BA_RJT) frame to ABTS	139
E.3 Reinstate Recovery Qualifier (RRQ) ELS	140