ISO/IEC 14776-323

Edition 1.0 2017-01

INTERNATIONAL STANDARD

colour inside

Information technology – Small computer system interface (SCSI) – Part 323: SCSI Block Commands – 3 (SBC-3)

Sample Document

get full document from standards.iteh.ai

ISO/IEC 14776-323:2017-01(en)

ISO/IEC 14776-323:2017 • https://standards.iteh.ai/catalog/standards/iso/057bc8ef-34cf-4bc0-95af-033ec1a3b98d/iso-iec-14776-323-2017

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2017 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

Sample Document
get full document from standards.iteh.ai

ISO/IEC 14776-323

Edition 1.0 2017-01

INTERNATIONAL STANDARD

colour inside

Information technology – Small computer system interface (SCSI) – Part 323: SCSI Block Commands – 3 (SBC-3)

Sample Document

get full document from standards.iteh.ai

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-3721-2

Warning! Make sure that you obtained this publication from an authorized distributor.

FOREWORD 5
INTRODUCTION 7
General 7
SCSI standards family 7

1 Scope 8

2 Normative references 8

3 Terms, definitions, symbols, abbreviations, keywords, and conventions 9
3.1 Terms and definitions 9
3.2 Symbols 19
3.3 Abbreviations 19
3.4 Keywords 20
3.5 Editorial conventions 21
3.6 Numeric and character conventions 22
3.6.1 Numeric conventions 22
3.6.2 Units of measure 22
3.7 State machine conventions 24

4 Direct access block device type model 25
4.1 Direct access block device type model introduction 25
4.2 Direct access block device type model 26
4.2.1 Direct access block device type model overview 26
4.2.2 Logical block access command types 26
4.2.3 Logical block access operation types 26
4.3 Media examples 26
4.3.1 Media examples overview 26
4.3.2 Rotating media 27
4.3.3 Memory media 27
4.4 Removable media 27
4.5 Logical Blocks 28
4.6 Physical blocks 29
4.7 Logical block provisioning 33
4.7.1 Logical block provisioning overview 33
4.7.2 Fully provisioned logical unit 34
4.7.3 Logical block provisioning management 34
4.7.3.1 Logical block provisioning management overview 34
4.7.3.2 Resource provisioned logical unit 34
4.7.3.3 Thin provisioned logical unit 35
4.7.3.4 Unmapping LBAs 35
4.7.3.4.1 Processing unmap requests 35
4.7.3.4.2 Unmap operations 35
4.7.3.4.3 WRITE SAME command and unmap operations 36
4.7.3.5 Autonomous LBA transitions 37
4.7.3.6 Thin provisioned logical unit resource exhaustion considerations 37
4.7.3.7 Logical block provisioning thresholds 37
4.7.3.7.1 Logical block provisioning thresholds overview 37
4.7.3.7.2 Logical block provisioning armed decreasing thresholds 38
4.7.3.7.3 Logical block provisioning armed increasing thresholds 39
4.7.3.7.4 Logical block provisioning threshold notification 40
4.7.4 LBP (logical block provisioning) state machine 40
4.7.4.1 LBP state machine overview 40
4.7.4.2 LBP state machine for thin provisioned logical units supporting anchored LBAs 41
4.7.4.3 LBP state machine for thin provisioned logical units not supporting anchored LBAs 41
4.7.4.4 LBP state machine for resource provisioned logical units 42
4.7.4.5 Performing read operations with respect to logical block provisioning 42
4.7.4.6 LBP1:Mapped state 44

Sample Document
Get full document from standards.iteh.ai

ISO/IEC 14776-323:2017 • https://standards.iteh.ai/catalog/standards/iso/057bc8ef-34cf-4bc0-95af-033ec1a3b98d/iso-iec-14776-323-2017

4.7.4.6.1 LBP1:Mapped state description ... 44
4.7.4.6.2 Transition LBP1:Mapped to LBP2:Deallocated ... 44
4.7.4.6.3 Transition LBP1:Mapped to LBP3:Anchored ... 44
4.7.4.7 LBP2:Deallocated state ... 44
4.7.4.7.1 LBP2:Deallocated state description ... 44
4.7.4.7.2 Transition LBP2:Deallocated to LBP1:Mapped ... 44
4.7.4.7.3 Transition LBP2:Deallocated to LBP3:Anchored ... 45
4.7.4.8 LBP3:Anchored state ... 45
4.7.4.8.1 LBP3:Anchored state description ... 45
4.7.4.8.2 Transition LBP3:Anchored to LBP1:Mapped ... 45
4.7.4.8.3 Transition LBP3:Anchored to LBP2:Deallocated ... 45
4.8 Data de-duplication ... 45
4.9 Ready state ... 45
4.10 Initialization ... 46
4.11 Sanitize operations ... 46
4.11.1 Sanitize operations overview ... 46
4.11.2 Performing a sanitize operation ... 47
4.11.3 Completing a sanitize operation ... 48
4.12 Write protection ... 49
4.13 Medium defects ... 49
4.13.1 Medium defects overview ... 49
4.13.2 Generation of defect lists ... 52
4.14 Write and unmap failures ... 53
4.15 Caches ... 53
4.15.1 Caches overview ... 53
4.15.2 Read caching ... 53
4.15.3 Write caching ... 53
4.15.4 Command interactions with caches ... 54
4.15.5 Write operation and write medium operation interactions with caches ... 54
4.15.6 Read operation and read medium operation interactions with caches ... 54
4.15.7 Verify medium operation interactions with caches ... 55
4.15.8 Unmap operation interactions with caches ... 55
4.15.9 Power loss effects on caches ... 55
4.16 Implicit head of queue command processing ... 56
4.17 Reservations ... 56
4.18 Error reporting ... 58
4.18.1 Error reporting overview ... 58
4.18.2 Processing pseudo unrecovered errors ... 60
4.18.3 Block commands sense data descriptor ... 61
4.18.4 User data segment referral sense data descriptor ... 62
4.18.5 Direct-access block device sense data descriptor ... 64
4.19 Model for XOR commands ... 65
4.19.1 Model for XOR commands overview ... 65
4.19.2 SCSI storage array device supervised XOR operations ... 66
4.19.2.1 SCSI storage array device supervised XOR operations overview ... 66
4.19.2.2 Update write operation ... 66
4.19.2.3 Regenerate operation ... 66
4.19.2.4 Rebuild operation ... 67
4.19.3 Array subsystem considerations ... 67
4.19.3.1 Array subsystem considerations overview ... 67
4.19.3.2 Access to an inconsistent stripe ... 67
4.20 Rebuild assist mode ... 67
4.20.1 Rebuild assist mode overview ... 67
4.20.2 Enabling rebuild assist mode ... 68
4.20.3 Using the rebuild assist mode ... 68
4.20.3.1 Using rebuild assist mode overview ... 68
4.20.3.2 Unpredicted unrecovered read error ... 68
4.20.3.3 Predicted unrecovered read error ... 69

Sample Document
get full document from standards.iteh.ai

4.20.3.4 Unpredicted unrecovered write error ... 69
4.20.3.5 Predicted unrecovered write error ... 69
4.20.4 Disabling the rebuild assist mode ... 70
4.20.5 Testing rebuild assist mode ... 70
4.21 START STOP UNIT and power conditions ... 70
4.21.1 START STOP UNIT and power conditions overview ... 70
4.21.2 Processing of concurrent START STOP UNIT commands ... 70
4.21.3 Managing logical block access commands during a change to the active power condition ... 71
4.21.4 Stopped power condition ... 71
4.21.5 START STOP UNIT and power condition state machine ... 71
4.21.5.1 START STOP UNIT and power condition state machine overview ... 71
4.21.5.2 SSU_PC0:Powered_On state ... 73
4.21.5.2.1 SSU_PC0:Powered_On state description ... 73
4.21.5.2.2 Transition SSU_PC0:Powered_On to SSU_PC4:Active_Wait ... 74
4.21.5.2.3 Transition SSU_PC0:Powered_On to SSU_PC8:Stopped ... 74
4.21.5.3 SSU_PC1:Active state ... 74
4.21.5.3.1 SSU_PC1:Active state description ... 74
4.21.5.3.2 Transition SSU_PC1:Active to SSU_PC5:Wait_Idle ... 74
4.21.5.3.3 Transition SSU_PC1:Active to SSU_PC6:Wait_Standby ... 74
4.21.5.3.4 Transition SSU_PC1:Active to SSU_PC10:Wait_Stopped ... 75
4.21.5.4 SSU_PC2:Idle state ... 75
4.21.5.4.1 SSU_PC2:Idle state description ... 75
4.21.5.4.2 Transition SSU_PC2:Idle to SSU_PC4:Active_Wait ... 75
4.21.5.4.3 Transition SSU_PC2:Idle to SSU_PC5:Wait_Idle ... 75
4.21.5.4.4 Transition SSU_PC2:Idle to SSU_PC6:Wait_Standby ... 76
4.21.5.4.5 Transition SSU_PC2:Idle to SSU_PC7:Idle_Wait ... 76
4.21.5.4.6 Transition SSU_PC2:Idle to SSU_PC10:Wait_Stopped ... 76
4.21.5.5 SSU_PC3:Standby state ... 76
4.21.5.5.1 SSU_PC3:Standby state description ... 76
4.21.5.5.2 Transition SSU_PC3:Standby to SSU_PC4:Active_Wait ... 76
4.21.5.5.3 Transition SSU_PC3:Standby to SSU_PC6:Wait_Standby ... 77
4.21.5.5.4 Transition SSU_PC3:Standby to SSU_PC7:Idle_Wait ... 77
4.21.5.5.5 Transition SSU_PC3:Standby to SSU_PC9:Standby_Wait ... 77
4.21.5.5.6 Transition SSU_PC3:Standby to SSU_PC10:Wait_Stopped ... 78
4.21.5.6 SSU_PC4:Active_Wait state ... 78
4.21.5.6.1 SSU_PC4:Active_Wait state description ... 78
4.21.5.6.2 Transition SSU_PC4:Active_Wait to SSU_PC1:Active ... 79
4.21.5.7 SSU_PC5:Wait_Idle state ... 79
4.21.5.7.1 SSU_PC5:Wait_Idle state description ... 79
4.21.5.7.2 Transition SSU_PC5:Wait_Idle to SSU_PC2:Idle ... 79
4.21.5.8 SSU_PC6:Wait_Standby state ... 79
4.21.5.8.1 SSU_PC6:Wait_Standby state description ... 79
4.21.5.8.2 Transition SSU_PC6:Wait_Standby to SSU_PC3:Standby ... 79
4.21.5.9 SSU_PC7:Idle_Wait state ... 79
4.21.5.9.1 SSU_PC7:Idle_Wait state description ... 79
4.21.5.9.2 Transition SSU_PC7:Idle_Wait to SSU_PC2:Idle ... 80
4.21.5.10 SSU_PC8:Stopped state ... 80
4.21.5.10.1 SSU_PC8:Stopped state description ... 80
4.21.5.10.2 Transition SSU_PC8:Stopped to SSU_PC4:Active_Wait ... 80
4.21.5.10.3 Transition SSU_PC8:Stopped to SSU_PC7:Idle_Wait ... 81
4.21.5.10.4 Transition SSU_PC8:Stopped to SSU_PC9:Standby_Wait ... 81
4.21.5.11 SSU_PC9:Standby_Wait state ... 81
4.21.5.11.1 SSU_PC9:Standby_Wait state description ... 81
4.21.5.11.2 Transition SSU_PC9:Standby_Wait to SSU_PC3:Standby ... 81
4.21.5.12 SSU_PC10:Wait_Stopped state ... 82
4.21.5.12.1 SSU_PC10:Wait_Stopped state description ... 82
4.21.5.12.2 Transition SSU_PC10:Wait_Stopped to SSU_PC8:Stopped ... 82
4.22 Protection information model ... 82

iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/IEC 14776-323:2017 • https://standards.iteh.ai/catalog/standards/iso/057bc8ef-34cf-4bc0-95af-033ec1a3b98d/iso-iec-14776-323-2017

4.22.1 Protection information overview ... 82
4.22.2 Protection types ... 82
4.22.2.1 Protection types overview ... 82
4.22.2.2 Type 0 protection ... 83
4.22.2.3 Type 1 protection ... 84
4.22.2.4 Type 2 protection ... 84
4.22.2.5 Type 3 protection ... 85
4.22.3 Protection information format ... 85
4.22.4 Logical block guard ... 89
4.22.4.1 Logical block guard overview ... 89
4.22.4.2 CRC generation ... 89
4.22.4.3 CRC checking ... 90
4.22.4.4 CRC test cases ... 90
4.22.5 Application of protection information ... 90
4.22.6 Protection information and commands ... 91
4.23 Grouping function ... 91
4.24 Background scan operations ... 91
4.24.1 Background scan overview ... 91
4.24.2 Background pre-scan operations ... 92
4.24.2.1 Enabling background pre-scan operations ... 92
4.24.2.2 Suspending and resuming background pre-scan operations ... 92
4.24.2.3 Halting background pre-scan operations ... 93
4.24.3 Background medium scan ... 93
4.24.3.1 Enabling background medium scan operations ... 93
4.24.3.2 Suspending and resuming background medium scan operations ... 94
4.24.3.3 Halting background medium scan operations ... 94
4.24.4 Interpreting the logged background scan results ... 95
4.25 Association between commands and CbCS permission bits ... 95
4.26 Deferred microcode activation ... 97
4.27 Model for uninterrupted sequences on LBA ranges ... 97
4.28 Referrals ... 97
4.28.1 Referrals overview ... 97
4.28.2 Discovering referrals ... 98
4.28.3 Referrals in sense data ... 99
4.29 ORWRITE commands ... 100
4.29.1 ORWRITE commands overview ... 100
4.29.2 ORWgeneration code ... 100
4.29.2.1 ORWgeneration code overview ... 100
4.29.2.2 ORWgeneration code processing ... 101
4.29.3 Change generation and clear operation ... 101
4.29.4 Set operation ... 103
4.30 Block device ROD token operations ... 104
4.30.1 Block device ROD token operations overview ... 104
4.30.2 POPULATE TOKEN command and WRITE USING TOKEN command completion ... 105
4.30.3 Block device specific ROD tokens ... 105
4.30.4 Block device zero ROD token ... 106
4.30.5 ROD token device type specific data ... 106

5 Commands for direct access block devices ... 108
5.1 Commands for direct access block devices overview ... 108
5.2 COMPARE AND WRITE command ... 111
5.3 FORMAT UNIT command ... 113
5.3.1 FORMAT UNIT command overview ... 113
5.3.2 FORMAT UNIT parameter list ... 117
5.3.2.1 FORMAT UNIT parameter list overview ... 117
5.3.2.2 Parameter list header ... 117
5.3.2.3 Initialization pattern descriptor ... 122
5.4 GET LBA STATUS command ... 123

Standard document
get full document from standards.iteh.ai

5.4.1 GET LBA STATUS command overview ... 123
5.4.2 GET LBA STATUS parameter data ... 125
5.4.2.1 GET LBA STATUS parameter data overview ... 125
5.4.2.2 LBA status descriptor ... 126
5.4.2.3 LBA status descriptor relationships ... 126
5.5 ORWRITE (16) command ... 127
5.6 ORWRITE (32) command ... 133
5.7 POPULATE TOKEN command ... 135
5.7.1 POPULATE TOKEN command overview ... 135
5.7.2 POPULATE TOKEN parameter list ... 136
5.7.3 Block device range descriptor ... 138
5.8 PRE-FETCH (10) command ... 139
5.9 PRE-FETCH (16) command ... 140
5.10 PREVENT ALLOW MEDIUM REMOVAL command ... 141
5.11 READ (10) command ... 142
5.12 READ (12) command ... 146
5.13 READ (16) command ... 148
5.14 READ (32) command ... 149
5.15 READ CAPACITY (10) command ... 150
5.15.1 READ CAPACITY (10) overview ... 150
5.15.2 READ CAPACITY (10) parameter data ... 151
5.16 READ CAPACITY (16) command ... 151
5.16.1 READ CAPACITY (16) command overview ... 151
5.16.2 READ CAPACITY (16) parameter data ... 152
5.17 READ DEFECT DATA (10) command ... 154
5.17.1 READ DEFECT DATA (10) command overview ... 154
5.17.2 READ DEFECT DATA (10) parameter data ... 156
5.18 READ DEFECT DATA (12) command ... 156
5.18.1 READ DEFECT DATA (12) command overview ... 156
5.18.2 READ DEFECT DATA (12) parameter data ... 158
5.19 READ LONG (10) command ... 159
5.20 READ LONG (16) command ... 161
5.21 REASSIGN BLOCKS command ... 161
5.21.1 REASSIGN BLOCKS command overview ... 161
5.21.2 REASSIGN BLOCKS parameter list ... 163
5.22 RECEIVE ROD TOKEN INFORMATION ... 165
5.22.1 RECEIVE ROD TOKEN INFORMATION overview ... 165
5.22.2 RECEIVE ROD TOKEN INFORMATION parameter data for POPULATE TOKEN command ... 165
5.22.3 The RECEIVE ROD TOKEN INFORMATION parameter data for the WRITE USING TOKEN command ... 168
5.23 REPORT REFERRALS command ... 169
5.23.1 REPORT REFERRALS command overview ... 169
5.23.2 REPORT REFERRALS parameter data ... 170
5.24 SANITIZE command ... 171
5.24.1 SANITIZE command overview ... 171
5.24.2 SANITIZE command service actions ... 172
5.24.2.1 SANITIZE command service actions overview ... 172
5.24.2.2 OVERWRITE service action ... 172
5.24.2.3 BLOCK ERASE service action ... 173
5.24.2.4 CRYPTOGRAPHIC ERASE service action ... 174
5.24.2.5 EXIT FAILURE MODE service action ... 174
5.25 START STOP UNIT command ... 174
5.26 SYNCHRONIZE CACHE (10) command ... 178
5.27 SYNCHRONIZE CACHE (16) command ... 179
5.28 UNMAP command ... 180
5.28.1 UNMAP command overview ... 180
5.28.2 UNMAP parameter list ... 181
5.29 VERIFY (10) command ... 182

iTeh Standard Document
(standards.iteh.ai) full document from standards.iteh.ai

ISO/IEC 14776-323:2017 • https://standards.iteh.ai/catalog/standards/iso/057bc8ef-34cf-4bc0-95af-033ec1a3b98d/iso-iec-14776-323-2017

5.30 VERIFY (12) command ... 195
5.31 VERIFY (16) command ... 196
5.32 VERIFY (32) command ... 197
5.33 WRITE (10) command ... 198
5.34 WRITE (12) command ... 201
5.35 WRITE (16) command ... 202
5.36 WRITE (32) command ... 203
5.37 WRITE AND VERIFY (10) command ... 204
5.38 WRITE AND VERIFY (12) command ... 205
5.39 WRITE AND VERIFY (16) command ... 206
5.40 WRITE AND VERIFY (32) command ... 207
5.41 WRITE LONG (10) command ... 208
5.42 WRITE LONG (16) command ... 211
5.43 WRITE SAME (10) command ... 212
5.44 WRITE SAME (16) command ... 214
5.45 WRITE SAME (32) command ... 215
5.46 WRITE USING TOKEN command ... 217
5.46.1 WRITE USING TOKEN command overview ... 217
5.46.2 WRITE USING TOKEN parameter list ... 218
5.47 XDWRITEREAD (10) command ... 220
5.48 XDWRITEREAD (32) command ... 222
5.49 XPWRITE (10) command ... 222
5.50 XPWRITE (32) command ... 224

6 Parameters for direct access block devices ... 225
6.1 Parameters for direct access block devices introduction ... 225
6.2 Address descriptors ... 225
6.2.1 Address descriptor overview ... 225
6.2.2 Short block format address descriptor ... 226
6.2.3 Extended bytes from index address descriptor ... 226
6.2.4 Extended physical sector format address descriptor ... 228
6.2.5 Long block format address descriptor ... 229
6.2.6 Bytes from index format address descriptor ... 229
6.2.7 Physical sector format address descriptor ... 230
6.3 Diagnostic parameters ... 231
6.3.1 Diagnostic parameters overview ... 231
6.3.2 Rebuild Assist Input diagnostic page ... 232
6.3.3 Rebuild Assist Output diagnostic page ... 233
6.3.4 Translate Address Input diagnostic page ... 234
6.3.5 Translate Address Output diagnostic page ... 236
6.4 Log parameters ... 237
6.4.1 Log parameters overview ... 237
6.4.1.1 Summary of log pages ... 237
6.4.1.2 Setting and resetting log parameters ... 237
6.4.2 Background Scan log page ... 238
6.4.2.1 Background Scan log page overview ... 238
6.4.2.2 Background Scan Status log parameter ... 240
6.4.2.3 Background Scan Results log parameter ... 242
6.4.3 Format Status log page ... 245
6.4.3.1 Format Status log page overview ... 245
6.4.3.2 Format Data Out log parameter ... 246
6.4.3.3 Grown Defects During Certification log parameter ... 247
6.4.3.4 Total Blocks Reassigned During Format log parameter ... 248
6.4.3.5 Total New Blocks Reassigned log parameter ... 249
6.4.3.6 Power On Minutes Since Format log parameter ... 250
6.4.4 Logical Block Provisioning log page ... 251
6.4.4.1 Logical Block Provisioning log page overview ... 251
6.4.4.2 Available LBA Mapping Resource Count log parameter ... 253

Sample Document
get full document from standards.iteh.ai

6.4.4.2.1 Available LBA Mapping Resource Count log parameter overview 253
6.4.4.2.2 RESOURCE COUNT field 254
6.4.4.3 Used LBA Mapping Resource Count log parameter 254
6.4.4.4 De-duplicated LBA Resource Count log parameter 255
6.4.4.5 Compressed LBA Resource Count log parameter 256
6.4.4.6 Total Efficiency LBA Resource Count log parameter 257
6.4.5 Non-volatile Cache log page 258
6.4.5.1 Non-volatile Cache log page overview 258
6.4.5.2 Remaining Nonvolatile Time log parameter 259
6.4.5.3 Maximum Nonvolatile Time log parameter 260
6.4.6 Solid State Media log page 260
6.4.6.1 Solid State Media log page overview 260
6.4.6.2 Percentage Used Endurance Indicator log parameter 262
6.5 Mode parameters 263
6.5.1 Mode parameters overview 263
6.5.2 Mode parameter block descriptors 264
6.5.2.1 Mode parameter block descriptors overview 264
6.5.2.2 Short LBA mode parameter block descriptor 264
6.5.2.3 Long LBA mode parameter block descriptor 266
6.5.3 Application Tag mode page 267
6.5.3.1 Introduction 267
6.5.3.2 Application tag descriptor 269
6.5.4 Background Control mode page 270
6.5.5 Caching mode page 272
6.5.6 Informational Exceptions Control mode page 276
6.5.7 Logical Block Provisioning mode page 281
6.5.7.1 Logical Block Provisioning mode page overview 281
6.5.7.2 Threshold descriptor format 282
6.5.8 Read-Write Error Recovery mode page 283
6.5.9 Verify Error Recovery mode page 289
6.6 Vital product data (VPD) parameters 290
6.6.1 VPD parameters overview 290
6.6.2 Block Device Characteristics VPD page 291
6.6.3 Block Limits VPD page 294
6.6.4 Logical Block Provisioning VPD page 297
6.6.5 Referrals VPD page 299
6.6.6 Third-Party Copy VPD page 300
6.6.6.1 Third-Party Copy VPD page overview 300
6.6.6.2 Block device third-party copy descriptor type codes 300
6.6.6.3 Block Device ROD Token Limits descriptor 301
6.7 Copy manager parameters 302

Annex A (informative) Numeric order codes 303
A.1 Variable length CDBs 303
A.2 Service action CDBs 304

Annex B (informative) XOR command examples 305
B.1 XOR command examples overview 305
B.2 Update write operation 305
B.3 Regenerate operation 306
B.4 Rebuild operation 307

Annex C (informative) CRC example in C 309

Annex D (informative) Sense information for locked or encrypted logical units 311

Annex E (informative) Optimizing block access characteristics 312
E.1 Optimizing block access overview 312

iTeh Standard Document
(standard document from standards.iteh.ai)

E.2 Starting logical block offset ... 312
E.3 Optimal granularity sizes ... 312
E.4 Optimizing transfers ... 312
E.5 Examples ... 313

Annex F (informative) Logical block provisioning reporting examples ... 314
F.1 Logical block provisioning reporting examples overview ... 314
F.2 Interpreting log parameter counts ... 314
F.3 Dedicated resource, threshold set tracked example ... 315
F.3.1 Dedicated resource, threshold set tracked example overview ... 315
F.3.2 Dedicated resource, threshold set tracked example configuration ... 315
F.3.3 Dedicated resource, threshold set tracked example sequence ... 316
F.3.4 Dedicated resource, threshold set tracked example initial conditions ... 317
F.3.5 Operations that occur ... 317
F.3.6 Dedicated resource, threshold set tracked example final log page values ... 318
F.4 Shared resource, logical block tracked example ... 318
F.4.1 Shared resource, logical block tracked example overview ... 318
F.4.2 Shared resource, logical block tracked example configuration ... 319
F.4.3 Shared resource, logical block tracked example time line ... 319
F.4.4 Shared resource, logical block tracked example initial conditions ... 320
F.4.5 Operations that occur ... 320
F.4.6 Shared resource, logical block tracked example final log page values ... 321
F.5 Shared available, dedicated used, logical block tracked example ... 322
F.5.1 Shared available, dedicated used, logical block tracked example overview ... 322
F.5.2 Shared available, dedicated used, logical block tracked example configuration ... 322
F.5.3 Shared available, dedicated used, logical block tracked example time line ... 322
F.5.4 Shared available, dedicated used, logical block tracked example initial conditions ... 323
F.5.5 Operations that occur ... 323
F.5.6 Shared available, dedicated used, example final log page values ... 324

Annex G (informative) Discovering referrals examples ... 325
G.1 Referrals example with no user data segment multiplier ... 325
G.2 Referrals example with non-zero user data segment multiplier ... 327

Bibliography ... 329

Sample Document
get full document from standards.iteh.ai

Figure 0 – SCSI document relationships 7
Figure 1 – Example state machine figure 24
Figure 2 – One or more physical blocks per logical block examples 30
Figure 3 – One or more logical blocks per physical block examples 31
Figure 4 – Two logical blocks per physical block alignment examples 31
Figure 5 – Four logical blocks per physical block alignment examples 32
Figure 6 – Examples of the relationship between mapped and unmapped LBAs and physical blocks 33
Figure 7 – Armed decreasing threshold operation 39
Figure 8 – Armed increasing threshold operation 39
Figure 9 – LBP state machine (anchored LBAs supported and deallocated LBAs supported) 41
Figure 10 – LBP state machine (anchored LBAs not supported) 42
Figure 11 – LBP state machine (deallocated LBAs not supported) 42
Figure 12 – SSU_PC state machine 73
Figure 13 – Referrals 98
Figure B.1 – Update write operation (SCSI storage array device supervised) 306
Figure B.2 – Regenerate operation (SCSI storage array device supervised) 307
Figure B.3 – Rebuild operation (SCSI storage array device supervised) 308
Figure G.1 – Referrals example with no user data segment multiplier 325
Figure G.2 – Referrals example with non-zero user data segment multiplier 327

Sample Document
get full document from standards.iteh.ai

Table 1 – Numbering convention examples ... 22
Table 2 – Comparison of decimal prefixes and binary prefixes ... 23
Table 3 – Direct access block device type model topics ... 25
Table 4 – Logical block provisioning states supported by logical block provisioning type ... 33
Table 5 – WRITE SAME command and unmap operations ... 36
Table 6 – Threshold resource value, threshold type value, and threshold arming value for logical block provisioning thresholds ... 38
Table 7 – Logical block data returned by a read operation from a mapped LBA ... 43
Table 8 – Logical block data returned by a read operation from an unmapped LBA ... 43
Table 9 – Defect lists (i.e., PLIST and GLIST) ... 50
Table 10 – Address descriptor formats ... 52
Table 11 – SBC-3 commands that are allowed in the presence of various reservations ... 57
Table 12 – Example error conditions ... 59
Table 13 – Sense data field usage for direct access block devices ... 60
Table 14 – Block commands sense data descriptor format ... 62
Table 15 – User data segment referral sense data descriptor format ... 62
Table 16 – User data segment referral descriptor format ... 63
Table 17 – Target port group descriptor ... 64
Table 18 – Direct-access block device sense data descriptor format ... 65
Table 19 – Summary of states in the SSU_PC state machine ... 72
Table 20 – Logical block data format with a single protection information interval ... 85
Table 21 – An example of the logical block data for a logical block with more than one protection information interval ... 86
Table 22 – Content of the first LOGICAL BLOCK REFERENCE TAG field for the first logical block in the Data-In Buffer and/or Data-Out Buffer ... 87
Table 23 – Content of subsequent LOGICAL BLOCK REFERENCE TAG fields for a logical block in the Data-In Buffer and/or Data-Out Buffer ... 88
Table 24 – CRC polynomials ... 89
Table 25 – CRC test cases ... 90
Table 26 – Associations between commands and CbCS permissions ... 96
Table 27 – Commands that require uninterrupted sequences ... 97
Table 28 – Performing an ORWRITE set operation ... 103
Table 29 – ROD token type values ... 106
Table 30 – Block device zero ROD token format ... 106
Table 31 – Commands for direct access block devices ... 108
Table 32 – COMPARE AND WRITE command ... 112
Table 33 – FORMAT UNIT command ... 114
Table 34 – FORMAT UNIT command address descriptor support requirements ... 116
Table 35 – FORMAT UNIT parameter list ... 117
Table 36 – Short parameter list header ... 117
Table 37 – Long parameter list header ... 118
Table 38 – FMTPINFO field and PROTECTION FIELD USAGE field ... 119
Table 39 – Initialization pattern descriptor ... 122
Table 40 – INITIALIZATION PATTERN TYPE field ... 123
Table 41 – GET LBA STATUS command ... 124
Table 42 – GET LBA STATUS parameter data ... 125
Table 43 – LBA status descriptor format ... 126
Table 44 – PROVISIONING STATUS field ... 126
Table 45 – ORWRITE (16) command ... 127
Table 46 – ORPROTECT field - checking protection information from the read operations ... 128
Table 47 – ORPROTECT field - checking protection information from the Data-Out Buffer ... 131
Table 48 – ORWRITE (32) command ... 133
Table 49 – BMOP field ... 134
Table 50 – POPULATE TOKEN command ... 135
Table 51 – POPULATE TOKEN parameter list ... 136
Table 52 – Block device range descriptor ... 138
Table 53 – PRE-FETCH (10) command ... 139
Table 54 – PRE-FETCH (16) command ... 140

Sample Document
Get full document from standards.iteh.ai

ISO/IEC 14776-323:2017 • https://standards.iteh.ai/catalog/standards/iso/057bc8ef-34cf-4bc0-95af-033ec1a3b98d/iso-iec-14776-323-2017

Table 55 – PREVENT ALLOW MEDIUM REMOVAL command 141
Table 56 – PREVENT field 141
Table 57 – READ (10) command 142
Table 58 – RDPROTECT field 143
Table 59 – READ (12) command 147
Table 60 – READ (16) command 148
Table 61 – READ (32) command 149
Table 62 – READ CAPACITY (10) command 150
Table 63 – READ CAPACITY (10) parameter data 151
Table 64 – READ CAPACITY (16) command 152
Table 65 – READ CAPACITY (16) parameter data 152
Table 66 – P_TYPE field and PROT_EN bit 153
Table 67 – LOGICAL BLOCKS PER PHYSICAL BLOCK EXPONENT field 153
Table 68 – READ DEFECT DATA (10) command 154
Table 69 – REQ_PLIST bit and REQ_GLIST bit 155
Table 70 – READ DEFECT DATA (10) parameter data 156
Table 71 – READ DEFECT DATA (12) command 157
Table 72 – READ DEFECT DATA (12) parameter data 158
Table 73 – READ LONG (10) command 159
Table 74 – READ LONG (16) command 161
Table 75 – REASSIGN BLOCKS command 162
Table 76 – REASSIGN BLOCKS parameter list 163
Table 77 – REASSIGN BLOCKS short parameter list header 163
Table 78 – REASSIGN BLOCKS long parameter list header 163
Table 79 – Reassign LBA if the LONGLBA bit is set to zero 164
Table 80 – Reassign LBA if the LONGLBA bit is set to one 164
Table 81 – RECEIVE ROD TOKEN INFORMATION reference 165
Table 82 – RECEIVE ROD TOKEN INFORMATION parameter data for POPULATE TOKEN 166
Table 83 – RECEIVE ROD TOKEN INFORMATION parameter data for WRITE USING TOKEN 168
Table 84 – REPORT REFERRALS command 169
Table 85 – REPORT REFERRALS parameter data 170
Table 86 – SANITIZE command 171
Table 87 – SANITIZE service action codes 172
Table 88 – OVERWRITE service action parameter list 172
Table 89 – TEST field 173
Table 90 – START STOP UNIT command 175
Table 91 – POWER CONDITION and POWER CONDITION MODIFIER field 176
Table 92 – SYNCHRONIZE CACHE (10) command 178
Table 93 – SYNCHRONIZE CACHE (16) command 179
Table 94 – UNMAP command 180
Table 95 – UNMAP parameter list 181
Table 96 – UNMAP block descriptor 182
Table 97 – Data-Out Buffer contents for the VERIFY (10) command 183
Table 98 – VERIFY (10) command 183
Table 99 – VRPROTECT field with the BYTCHK field set to 00b – checking protection information from the verify operations 185
Table 100 – VRPROTECT field with the BYTCHK field set to 01b or 11b – checking protection information from the verify operations 188
Table 101 – VRPROTECT field with the BYTCHK field set to 01b or 11b – checking protection information from the Data-Out Buffer 190
Table 102 – VRPROTECT field with the BYTCHK field set to 01b or 11b – compare operation requirements 192
Table 103 – VERIFY (12) command 195
Table 104 – VERIFY (16) command 196
Table 105 – VERIFY (32) command 197
Table 106 – WRITE (10) command 198
Table 107 – WRPROTECT field 199
Table 108 – WRITE (12) command 201
Table 109 – WRITE (16) command 202

Sample Document
get full document from standards.iteh.ai

ISO/IEC 14776-323:2017 • https://standards.iteh.ai/catalog/standards/iso/057bc8ef-34cf-4bc0-95af-033ec1a3b98d/iso-iec-14776-323-2017

Table 110 – WRITE (32) command ... 203
Table 111 – WRITE AND VERIFY (10) command ... 204
Table 112 – WRITE AND VERIFY (12) command ... 205
Table 113 – WRITE AND VERIFY (16) command ... 206
Table 114 – WRITE AND VERIFY (32) command ... 207
Table 115 – WRITE LONG (10) command ... 208
Table 116 – COR_DIS bit, WR_UNCOR bit, and PBLOCK bit ... 209
Table 117 – WRITE LONG (16) command ... 211
Table 118 – WRITE SAME (10) command ... 213
Table 119 – UNMAP bit, ANCHOR bit, and ANC_SUP bit relationships ... 214
Table 120 – WRITE SAME (16) command ... 215
Table 121 – NDOB bit and UNMAP bit interactions ... 215
Table 122 – WRITE SAME (32) command ... 216
Table 123 – WRITE USING TOKEN command ... 217
Table 124 – WRITE USING TOKEN parameter list ... 218
Table 125 – XDWRITEREAD (10) command ... 221
Table 126 – XDWRITEREAD (32) command ... 222
Table 127 – XPWRITE (10) command ... 223
Table 128 – XPWRITE (32) command ... 224
Table 129 – Parameters for direct access block devices ... 225
Table 130 – Address descriptors ... 226
Table 131 – Short block format address descriptor (000b) ... 226
Table 132 – Extended bytes from index format address descriptor (001b) ... 227
Table 133 – Sorting order for extended bytes from index format address descriptors ... 227
Table 134 – Extended physical sector format address descriptor (010b) ... 228
Table 135 – Sorting order for extended physical sector format address descriptors ... 229
Table 136 – Long block format address descriptor (011b) ... 229
Table 137 – Bytes from index format address descriptor (100b) ... 229
Table 138 – Sorting order for bytes from index format address descriptors ... 230
Table 139 – Physical sector format address descriptor (101b) ... 230
Table 140 – Sorting order for physical sector format address descriptors ... 230
Table 141 – Diagnostic page codes for direct access block devices ... 231
Table 142 – Rebuild Assist Input diagnostic page ... 232
Table 143 – Rebuild Assist Output diagnostic page ... 233
Table 144 – Translate Address Input diagnostic page ... 234
Table 145 – Translate Address Output diagnostic page ... 236
Table 146 – Log page codes and subpage codes for direct access block devices ... 237
Table 147 – Keywords for resetting or changing log parameters ... 238
Table 148 – Background Scan log page parameter codes ... 238
Table 149 – Background Scan log page ... 239
Table 150 – Background Scan Status log parameter format ... 240
Table 151 – BACKGROUND SCAN STATUS field ... 241
Table 152 – Background Scan Results log parameter format ... 242
Table 153 – REASSIGN STATUS field ... 243
Table 154 – Format Status log page parameter codes ... 245
Table 155 – Format Status log page ... 245
Table 156 – Format Data Out log parameter format ... 246
Table 157 – Grown Defects During Certification log parameter format ... 247
Table 158 – Total Blocks Reassigned During Format log parameter format ... 248
Table 159 – Total New Blocks Reassigned log parameter format ... 249
Table 160 – Power On Minutes Since Format log parameter format ... 250
Table 161 – Logical Block Provisioning log parameters ... 251
Table 162 – Logical Block Provisioning log page ... 252
Table 163 – Available LBA Mapping Resource Count log parameter format ... 253
Table 164 – SCOPE field ... 253
Table 165 – Used LBA Mapping Resource Count log parameter format ... 254
Table 166 – De-duplicated LBA Resource Count log parameter format ... 255
Table 167 – Compressed LBA Resource Count log parameter format ... 256

Standards document
get full document from standards.iteh.ai

ISO/IEC 14776-323:2017 • https://standards.iteh.ai/catalog/standards/iso/057bc8ef-34cf-4bc0-95af-033ec1a3b98d/iso-iec-14776-323-2017