

INTERNATIONAL STANDARD



Information technology – AT attachment –
Part 103: ATA/ATAPI Command Set - 3 (ACS-3)

(<https://standards.iteh.ai>)
Document Preview

[ISO/IEC 17760-103:2021](https://standards.iteh.ai/catalog/standards/iso/940107d9-d71c-42f8-a16e-20929220199b/iso-iec-17760-103-2021)

<https://standards.iteh.ai/catalog/standards/iso/940107d9-d71c-42f8-a16e-20929220199b/iso-iec-17760-103-2021>



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2021 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch

Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

iTeh Standards
(<http://standards.iteh.ai>)
Document Preview

[ISO/IEC 17760-103:2021](https://standards.iteh.ai/catalog/standards/iso/940107d9-d71c-42f8-a16e-20929220199b/iso-iec-17760-103-2021)

<https://standards.iteh.ai/catalog/standards/iso/940107d9-d71c-42f8-a16e-20929220199b/iso-iec-17760-103-2021>

INTERNATIONAL STANDARD



Information technology – AT attachment –
Part 103: ATA/ATAPI Command Set - 3 (ACS-3)

*iteh Standards
(<https://standards.iteh.ai>)
Document Preview*

[ISO/IEC 17760-103:2021](https://standards.iteh.ai/catalog/standards/iso/940107d9-d71c-42f8-a16e-20929220199b/iso-iec-17760-103-2021)

<https://standards.iteh.ai/catalog/standards/iso/940107d9-d71c-42f8-a16e-20929220199b/iso-iec-17760-103-2021>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-9827-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	16
INTRODUCTION	18
1 Scope	20
2 Normative references	20
3 Terms, definitions, abbreviations, and conventions	21
3.1 Terms and definitions	21
3.2 Symbols and abbreviations.....	30
3.2.1 Abbreviations	30
3.2.2 Units:	31
3.2.3 Mathematical operators:	31
3.2.4 Other Symbols	31
3.3 Conventions.....	31
3.3.1 Overview	31
3.3.2 Precedence	32
3.3.3 Lists	32
3.3.4 Keywords	33
3.3.5 Numbering	34
3.3.6 Bit conventions	35
3.3.7 Number range convention	35
3.3.8 State diagram conventions	35
3.3.9 Byte, word, DWord, QWord, and DQWord Relationships	37
3.3.10 ATA string convention	38
3.3.11 Offset Convention	39
4 Feature set definitions	40
4.1 Overview.....	40
4.1.1 Feature set summary	40
4.1.2 Capacity reporting	41
4.2 General feature set	42
4.3 The PACKET feature set	42
4.3.1 Overview	42
4.3.2 Identification of PACKET feature set devices	43
4.3.3 Signature for ATAPI devices	43
4.3.4 The PACKET command	43
4.4 48-bit Address feature set.....	43
4.5 Accessible Max Address Configuration feature set	44
4.5.1 Overview	44
4.5.2 SET ACCESSIBLE MAX ADDRESS EXT description	44
4.5.3 Device Statistics data	44
4.6 Advanced Power Management (APM) feature set	44
4.7 CompactFlash Association (CFA) feature set.....	45
4.8 Device Statistics Notification (DSN) feature set.....	45
4.8.1 Overview	45
4.8.2 DSN notifications	46
4.8.3 DSN notifications setup	46
4.9 Extended Power Conditions (EPC) feature set.....	47
4.9.1 Overview	47
4.9.2 Power conditions	47
4.9.3 Power condition timers	47
4.9.4 Interaction with resets, commands, and other features if the EPC feature set is enabled	48

4.10	Free-fall Control feature set	49
4.11	General Purpose Logging (GPL) feature set	49
4.12	Long Logical Sector (LLS) feature set	50
4.13	Long Physical Sector (LPS) feature set.....	51
4.14	Native Command Queuing (NCQ) feature set	53
4.14.1	Overview	53
4.14.2	Priority	54
4.14.3	Unload with NCQ commands outstanding	54
4.14.4	Command Phases	54
4.15	Power Management feature set.....	55
4.15.1	Overview	55
4.15.2	Power management commands	55
4.15.3	Standby timer	56
4.15.4	Power Management states and transitions	57
4.16	Power-Up In Standby (PUIS) feature set.....	60
4.16.1	Overview	60
4.16.2	Interactions with IDENTIFY DEVICE and IDENTIFY PACKET DEVICE commands	60
4.16.3	PUIS feature set device spin-up subcommand	60
4.17	Sanitize Device feature set	61
4.17.1	Overview	61
4.17.2	Sanitize operation scope	61
4.17.3	Sanitize commands	61
4.17.4	Sanitize operations	61
4.17.5	Command processing during sanitize operations	62
4.17.6	Sanitize Operation Completed Without Error value	62
4.17.7	Failure Mode Policy value	62
4.17.8	Sanitize Antifreeze value	63
4.17.9	Sanitize Device state machine	63
4.18	Security feature set.....	66
4.18.1	Overview	66
4.18.2	Disabling and enabling the Security feature set	66
4.18.3	Passwords	66
4.18.4	Master password capability	67
4.18.5	Frozen mode	67
4.18.6	Commands	67
4.18.7	Security initial setting	67
4.18.8	Password Rules	67
4.18.9	Password attempt counter and SECURITY COUNT EXPIRED bit	68
4.18.10	Master Password Identifier feature	68
4.18.11	Security states	69
4.19	Self-Monitoring, Analysis, and Reporting Technology (SMART) feature set	78
4.19.1	Overview	78
4.19.2	Device SMART data structure	78
4.19.3	Background data collection	78
4.19.4	Off-line/Captive mode data collection	78
4.19.5	Threshold exceeded condition	79
4.19.6	SMART feature set commands	79
4.19.7	SMART operation with power management modes	79
4.19.8	SMART device error log reporting	79
4.20	Sense Data Reporting feature set	79
4.21	Software Settings Preservation (SSP) feature set.....	80
4.22	SATA Hardware Feature Control.....	81
4.23	Streaming feature set	82
4.23.1	Streaming feature set overview	82
4.23.2	Streaming commands	82
4.24	Trusted Computing feature set	83
4.25	Write-Read-Verify feature set	84

5 ATA protocols	85
6 Normal and Error Output field descriptions	86
6.1 Overview	86
6.2 STATUS field	86
6.2.1 Overview	86
6.2.2 ALIGNMENT ERROR bit	86
6.2.3 BUSY bit	87
6.2.4 CHECK CONDITION bit	87
6.2.5 DATA REQUEST bit	87
6.2.6 DEFERRED WRITE ERROR bit	87
6.2.7 DEVICE FAULT bit	87
6.2.8 DEVICE READY bit	87
6.2.9 ERROR bit	87
6.2.10 SENSE DATA AVAILABLE bit	88
6.2.11 STREAM ERROR bit	88
6.2.12 Transport Dependent bits and fields	88
6.3 ERROR field	89
6.3.1 Overview	89
6.3.2 ABORT bit	89
6.3.3 COMMAND COMPLETION TIME OUT bit	89
6.3.4 END OF MEDIA bit	89
6.3.5 ID NOT FOUND bit	89
6.3.6 ILLEGAL LENGTH INDICATOR bit	90
6.3.7 INTERFACE CRC bit	90
6.3.8 SENSE KEY field	90
6.3.9 UNCORRECTABLE ERROR bit	90
6.4 INTERRUPT REASON field	90
6.4.1 Overview	90
6.4.2 COMMAND/DATA bit	90
6.4.3 INPUT/OUTPUT bit	90
6.5 COUNT field	90
6.5.1 Overview	90
6.5.2 Contiguous stream logical sectors that contain potentially bad data	90
6.5.3 NCQ Tag	91
6.6 SACTIVE field	91
6.7 SATA STATUS field	91
6.8 LBA field	91
6.8.1 Overview	91
6.8.2 LBA of First Unrecoverable Error	91
7 Command descriptions	92
7.1 Command description introduction	92
7.1.1 Overview	92
7.1.10 Command Code Usage	96
7.2 Accessible Max Address Configuration	97
7.2.1 Accessible Max Address Configuration overview	97
7.2.2 GET NATIVE MAX ADDRESS EXT – 78h/0000h, Non-Data	97
7.2.3 SET ACCESSIBLE MAX ADDRESS EXT – 78h/0001h, Non-Data	98
7.2.4 FREEZE ACCESSIBLE MAX ADDRESS EXT – 78h/0002h, Non-Data	99
7.3 CHECK POWER MODE – E5h, Non-Data	100
7.4 CONFIGURE STREAM – 51h, Non-Data	101
7.5 DATA SET MANAGEMENT – 06h, DMA	103
7.6 DEVICE RESET – 08h, Device Reset	106
7.7 DOWNLOAD MICROCODE – 92h, PIO Data-Out/Non-Data	107
7.8 DOWNLOAD MICROCODE DMA – 93h, DMA	120
7.9 EXECUTE DEVICE DIAGNOSTIC – 90h, Execute Device Diagnostic	121

7.10	FLUSH CACHE – E7h, Non-Data	123
7.11	FLUSH CACHE EXT – EAh, Non-Data	124
7.12	IDENTIFY DEVICE – ECh, PIO Data-In	125
7.13	IDENTIFY PACKET DEVICE – A1h, PIO Data-In	162
7.14	IDLE – E3h, Non-Data	182
7.15	IDLE IMMEDIATE – E1h, Non-Data	184
7.16	NCQ QUEUE MANAGEMENT – 63h, Non-Data	186
7.16.8	ABORT NCQ QUEUE – 63h/0h, Non-Data.....	188
7.16.9	DEADLINE HANDLING – 63h/1h, Non-Data	191
7.17	NOP – 00h, Non-Data	194
7.18	PACKET – A0h, Packet	195
7.19	READ BUFFER – E4h, PIO Data-In	198
7.20	READ BUFFER DMA – E9h, DMA	199
7.21	READ DMA – C8h, DMA	200
7.22	READ DMA EXT – 25h, DMA	201
7.23	READ FPDMA QUEUED – 60h, DMA Queued	202
7.24	READ LOG EXT – 2Fh, PIO Data-In	204
7.25	READ LOG DMA EXT – 47h, DMA	206
7.26	READ MULTIPLE – C4h, PIO Data-In	207
7.27	READ MULTIPLE EXT – 29h, PIO Data-In	208
7.28	READ SECTOR(S) – 20h, PIO Data-In	209
7.29	READ SECTOR(S) EXT – 24h, PIO Data-In	210
7.30	READ STREAM DMA EXT – 2Ah, DMA	211
7.31	READ STREAM EXT – 2Bh, PIO Data-In	214
7.32	READ VERIFY SECTOR(S) – 40h, Non-Data	215
7.33	READ VERIFY SECTOR(S) EXT – 42h, Non-Data	216
7.34	RECEIVE FPDMA QUEUED – 65h, DMA Queued	217
7.35	REQUEST SENSE DATA EXT – 0Bh, Non-Data	219
7.36	Sanitize Device	220
7.36.2	BLOCK ERASE EXT – B4h/0012h, Non-Data	221
7.36.3	CRYPTO SCRAMBLE EXT – B4h/0011h, Non-Data.....	224
7.36.4	OVERWRITE EXT – B4h/0014h, Non-Data.....	226
7.36.5	SANITIZE ANTIFREEZE LOCK EXT – B4h/0040h, Non-Data	229
7.36.6	SANITIZE FREEZE LOCK EXT – B4h/0020h, Non-Data	231
7.36.7	SANITIZE STATUS EXT – B4h/0000h, Non-Data	232
7.37	SECURITY DISABLE PASSWORD – F6h, PIO Data-Out	234
7.38	SECURITY ERASE PREPARE – F3h, Non-Data	236
7.39	SECURITY ERASE UNIT – F4h, PIO Data-Out	237
7.40	SECURITY FREEZE LOCK – F5h, Non-Data	239
7.41	SECURITY SET PASSWORD – F1h, PIO Data-Out	240
7.42	SECURITY UNLOCK – F2h, PIO Data-Out	242
7.43	SEND FPDMA QUEUED – 64h, DMA Queued	244
7.43.4	SFQ DATA SET MANAGEMENT – 64h/00h, DMA Queued.....	246
7.44	SET DATE & TIME EXT – 77h, Non-Data	248
7.45	SET FEATURES – EFh, Non-Data	249
7.45.6	SET FEATURES subcommands	250
7.45.7	Enable/disable volatile write cache	252
7.45.8	Set transfer mode	253
7.45.9	Enable/disable the APM feature set	254
7.45.10	Enable/disable the PUIS feature set	254
7.45.11	PUIS feature set device spin-up	254
7.45.12	Enable/Disable Write-Read-Verify feature set	255
7.45.13	Set Maximum Host Interface Sector Times	256
7.45.14	Enable/disable read look-ahead	256
7.45.15	Enable/disable reverting to defaults	256
7.45.16	Enable/Disable the Free-fall Control feature set	257
7.45.17	Enable/Disable SATA feature	257