



**International
Standard**

ISO/IEC 17760-302

**Information technology — AT
Attachment —**

**Part 302:
Zoned Device ATA Command Set-
2-(ZAC-2)**

Technologies de l'information — Attachement AT —

Partie 302: Jeu de commande 2-(ZAC-2) ATA de dispositif de zones

**First edition
2025-10**

ISO/IEC 17760-302:2025

<https://standards.iteh.ai/catalog/standards/iso/b57e87a4-2807-4f70-ad5-b032d5504b36/iso-iec-17760-302-2025>

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO/IEC 17760-302:2025

<https://standards.itih.ai/catalog/standards/iso/b57e87a4-2807-4f70-a0d5-b032d5504b36/iso-iec-17760-302-2025>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by INCITS (as INCITS 549-2022) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

A list of all parts in the ISO/IEC 17760 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Contents

	Page
Contents.....	iv
Tables	xiii
Figures	xv
1 Scope	1
2 Normative references.....	2
3 Definitions, abbreviations, and conventions.....	3
3.1 Definitions.....	3
3.2 Symbols and abbreviations.....	8
3.2.1 Abbreviations	8
3.2.2 Units	9
3.2.3 Symbols	9
3.2.4 Mathematical operators.....	9
3.3 Keywords.....	9
3.4 Conventions.....	10
3.4.1 Overview	10
3.4.2 Precedence	11
3.4.3 Lists.....	11
3.4.3.1 Lists overview	11
3.4.3.2 Unordered lists.....	11
3.4.3.3 Ordered lists	11
3.4.4 Numbering.....	12
3.4.5 Bit conventions.....	12
3.4.6 Number range convention	12
3.4.7 State diagram convention	13
3.4.8 Offset convention	13
4 Features.....	14
4.1 Feature set introduction.....	14
4.2 Basic zoned device model.....	15
4.3 Host Aware Zones feature set.....	16
4.4 Host Managed Zones feature set	17
4.5 Zone Domains feature set	18
4.5.1 Overview	18
4.5.2 Zone Domains.....	19
4.5.3 Zone domain 0	20
4.5.4 Zone domains other than zone domain 0.....	20
4.5.5 Zone activation in the Zone Domains feature set.....	21
4.6 Zone Realms feature set	22
4.6.1 Overview	22
4.6.2 Realm boundary considerations.....	24
4.6.3 Zone activation in the Zone Realms feature set.....	25
4.6.4 Realm attributes	25
4.6.4.1 Introduction	25
4.6.4.2 Restrict Write Pointer Reset	25
4.6.4.3 Restrict Zone Activate.....	26
4.7 Zone attributes.....	27
4.7.1 Summary.....	27
4.7.2 Zone Type zone attribute	27
4.7.3 Zone Condition zone attribute	29

4.7.4 WPointer zone attribute.....	29
4.7.5 RWP Recommended zone attribute.....	29
4.7.6 Non-Sequential Write Resources Active zone attribute	30
4.7.7 Predicted Unrecovered Errors Present zone attribute	30
4.8 Zone types.....	31
4.8.1 Overview	31
4.8.2 Conventional zones.....	31
4.8.2.1 Overview	31
4.8.2.2 Access Pattern Requirements	31
4.8.2.3 Conventional Zone state machine	32
4.8.2.3.1 Overview	32
4.8.2.3.2 CMR1: Not Write Pointer state.....	33
4.8.2.3.3 CMR2: Read Only state	33
4.8.2.3.4 CMR3: Offline state.....	34
4.8.3 Write pointer zones	34
4.8.3.1 Features common to all write pointer zones	34
4.8.3.1.1 General	34
4.8.3.1.2 Resetting the write pointer	35
4.8.3.1.3 Open zone resources.....	36
4.8.3.1.4 Errors common to access pattern requirements for all write pointer zones	36
4.8.3.2 Sequential Write Preferred zones.....	37
4.8.3.2.1 Overview	37
4.8.3.2.2 Access Pattern Requirements.....	37
4.8.3.2.2.1 Writing in Sequential Write Preferred zones.....	37
4.8.3.2.2.2 Reading in Sequential Write Preferred zones.....	39
4.8.3.2.2.3 Substitute data pattern for Sequential Write Preferred zones	39
4.8.3.3 Sequential Write Required zones	39
4.8.3.3.1 Overview	39
4.8.3.3.2 Access Pattern Requirements.....	39
4.8.3.3.2.1 Writing in Sequential Write Required zones	39
4.8.3.3.2.2 Reading in Sequential Write Required zones.....	40
4.8.3.3.2.3 Substitute data pattern for Sequential Write Required zones.....	41
4.8.3.3.2.4 Opening Sequential Write Required zones.....	41
4.8.3.4 Sequential Or Before Required zones	41
4.8.3.4.1 Overview	41
4.8.3.4.2 Access pattern requirements	41
4.8.3.4.2.1 Writing in Sequential Or Before Required zones.....	41
4.8.3.4.2.2 Reading in Sequential Or Before Required zones.....	42
4.8.3.4.2.3 Substitute data pattern for Sequential Or Before Required zones.....	42
4.8.3.5 Zone Condition state machine	42
4.8.3.5.1 Overview	42
4.8.3.5.2 ZC1: Empty state	45
4.8.3.5.3 ZC2: Implicit_Open state.....	46
4.8.3.5.4 ZC3: Explicit_Open state	47
4.8.3.5.5 ZC4: Closed state	48
4.8.3.5.6 ZC5: Full state.....	49
4.8.3.5.7 ZC6: Read_Only state.....	50
4.8.3.5.8 ZC7: Offline state	51
4.8.3.5.9 ZC8: Inactive state	51
4.8.3.5.10 Manage Open Zone Resources function	51
4.8.3.5.10.1 Overview.....	51
4.8.3.5.10.2 Processing a sequential write preferred zone.....	52
4.8.3.5.10.3 Processing a sequential write required zone	52
4.8.3.5.11 Explicitly Open Zone function.....	53
4.8.3.5.12 Close Zone function	53
4.8.3.5.13 Finish Zone function	53
4.8.3.5.14 Reset Write Pointer function	54

4.8.3.5.15 Sequentialize function	54
4.8.4 Gap zones	54
4.9 Additional feature set interactions	56
4.9.1 Introduction	56
4.9.2 Capacity reporting	56
4.9.3 Zoned device internal resource management	56
4.9.4 Unexpected power removal	56
4.9.5 Media failure	57
4.9.6 Interactions with volatile caches	57
4.9.7 Interactions with the Sanitize Device feature set	58
4.9.8 Interactions with the Power Management feature set	59
4.9.9 Interactions with the Security feature set	59
4.9.9.1 Interactions with the SECURITY ERASE UNIT command	59
4.9.9.2 Interactions with the SEC4: Security Enabled/Locked/Not Frozen state	60
4.9.10 Interactions with the SCT Write Same command	60
4.9.10.1 Overview	60
4.9.10.2 WRITE AND SET SUBSTITUTE DATA PATTERN bit	61
4.9.10.3 ZONE POST PROCESSING field	61
4.9.11 Interactions with the WRITE UNCORRECTABLE EXT command	61
4.9.12 Interactions with the SET SECTOR CONFIGURATION EXT command and MUTATE EXT command	62
4.9.13 Interactions with the Storage Element Depopulation feature set	62
4.9.13.1 Depopulation operations and depopulation restoration operations	62
4.9.13.2 Depopulation with zone modifications	63
4.9.13.2.1 Depopulation with zone modifications overview	63
4.9.13.2.2 Depopulation with zone modifications processing	63
4.9.13.2.2.1 Processing overview	63
4.9.13.2.2.2 Predicted unrecovered errors processing	64
4.9.13.2.3 Allowed commands during depopulation with zone modifications processing	64
4.9.13.2.4 Power-on reset handling	64
4.9.13.2.5 Progress checking during depopulation with zone modifications	65
4.9.13.2.6 Depopulation with zone modifications interactions with logs	65
4.9.13.2.7 Depopulation with zone modifications interactions with caches	65
5 Command descriptions	66
5.1 Command description introduction	66
5.2 Zone management commands	69
5.2.1 Overview	69
5.2.2 ZAC Management In command template, 4Ah, DMA	70
5.2.2.1 Feature Set	70
5.2.2.2 Description	70
5.2.2.3 Inputs	70
5.2.2.3.1 Overview	70
5.2.2.3.2 Action specific fields	70
5.2.2.3.3 ZM_ACTION field	71
5.2.2.3.4 RETURN PAGE COUNT field	71
5.2.2.4 Normal Outputs and Error Outputs	71
5.2.2.5 NCQ encapsulation for a DMA ZAC Management In command	71
5.2.3 ZAC Management Out command template, 9Fh, DMA	72
5.2.3.1 Feature Set	72
5.2.3.2 Description	72
5.2.3.3 Inputs	72
5.2.3.3.1 Overview	72
5.2.3.3.2 PAGES TO SEND field	72
5.2.3.4 Normal Outputs and Error Outputs	72
5.2.3.5 NCQ encapsulation for a DMA ZAC Management Out command	73
5.2.4 ZAC Management Out command template, 9Fh, Non-Data	74

5.2.4.1 Feature Set	74
5.2.4.2 Description	74
5.2.4.3 Inputs	74
5.2.4.3.1 Overview	74
5.2.4.3.2 ALL bit	74
5.2.4.3.3 Zone range specification fields	75
5.2.4.3.3.1 Overview	75
5.2.4.3.3.2 ZONE COUNT field	75
5.2.4.3.3.3 ZONE ID field	75
5.2.4.3.3.4 Zone range specification errors	75
5.2.4.4 Normal Outputs	75
5.2.4.5 Error Outputs	76
5.2.4.6 Non-Data NCQ encapsulation	76
5.2.5 CLOSE ZONE EXT command – 9Fh/01h, Non-Data	77
5.2.5.1 Feature Set	77
5.2.5.2 Description	77
5.2.5.3 Inputs	77
5.2.5.3.1 Overview	77
5.2.5.3.2 Zone range specification fields for the CLOSE ZONE EXT command	77
5.2.5.3.3 CLOSE ZONE EXT command processing	77
5.2.5.4 Normal Outputs	78
5.2.5.5 Error Outputs	78
5.2.6 FINISH ZONE EXT command – 9Fh/02h, Non-Data	79
5.2.6.1 Feature Set	79
5.2.6.2 Description	79
5.2.6.3 Inputs	79
5.2.6.3.1 Overview	79
5.2.6.3.2 Zone range specification fields for the FINISH ZONE EXT command	79
5.2.6.3.3 FINISH ZONE EXT command processing	80
5.2.6.4 Normal Outputs	80
5.2.6.5 Error Outputs	80
5.2.7 OPEN ZONE EXT command – 9Fh/03h, Non-Data	81
5.2.7.1 Feature Set	81
5.2.7.2 Description	81
5.2.7.3 Inputs	81
5.2.7.3.1 Overview	81
5.2.7.3.2 Zone range specification fields for the OPEN ZONE EXT command	81
5.2.7.3.3 OPEN ZONE EXT command processing	82
5.2.7.4 Normal Outputs	82
5.2.7.5 Error Outputs	82
5.2.8 REPORT REALMS EXT command – 4Ah/06h, DMA	83
5.2.8.1 Feature Set	83
5.2.8.2 Description	83
5.2.8.3 Inputs	83
5.2.8.3.1 Overview	83
5.2.8.3.2 REPORTING OPTIONS field	83
5.2.8.3.3 REALM LOCATOR field	84
5.2.8.4 Normal Outputs	84
5.2.8.5 Error Outputs	84
5.2.8.6 Input From the Device to the Host Data Structure	84
5.2.8.6.1 Overview	84
5.2.8.6.2 Report realms header	85
5.2.8.6.2.1 Overview	85
5.2.8.6.2.2 REALMS COUNT field	85
5.2.8.6.2.3 REALMS DESCRIPTOR LENGTH field	85
5.2.8.6.2.4 NEXT REALM LOCATOR field	85
5.2.8.6.3 Realm descriptor	85