

---

---

**Information technology — Digitally  
recorded media for information  
interchange and storage — 120 mm  
Single Layer (25,0 Gbytes per disk)  
and Dual Layer (50,0 Gbytes per disk)  
BD Recordable disk**

*Technologies de l'information — Supports enregistrés  
numériquement pour échange et stockage d'information — Disques  
BD enregistrables de 120 mm simple couche (25,0 Go par disque) et  
double couche (50,0 Go par disque)*

*(https://standards.iteh.ai/catalog/standards/iso/28426fdb-9aec-4593-bbe9-014cbb37661e/iso-iec-30190-2021)*

[ISO/IEC 30190:2021](https://standards.iteh.ai/catalog/standards/iso/28426fdb-9aec-4593-bbe9-014cbb37661e/iso-iec-30190-2021)

<https://standards.iteh.ai/catalog/standards/iso/28426fdb-9aec-4593-bbe9-014cbb37661e/iso-iec-30190-2021>



**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[ISO/IEC 30190:2021](https://standards.iteh.ai/catalog/standards/iso/28426fdb-9aec-4593-bbe9-014cbb37661e/iso-iec-30190-2021)

<https://standards.iteh.ai/catalog/standards/iso/28426fdb-9aec-4593-bbe9-014cbb37661e/iso-iec-30190-2021>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier; Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>x</b>
<b>Introduction</b> .....	<b>xi</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Symbol and abbreviated terms</b> .....	<b>2</b>
<b>5 Conformance</b> .....	<b>3</b>
5.1 Optical disk.....	3
5.2 Generating system.....	3
5.3 Receiving system.....	3
5.4 Compatibility statement.....	4
<b>6 Conventions and notations</b> .....	<b>4</b>
6.1 Levels of grouping.....	4
6.2 Representation of numbers.....	4
6.3 Integer calculus.....	5
<b>7 General description of disk</b> .....	<b>6</b>
<b>8 General requirements</b> .....	<b>8</b>
8.1 Environments.....	8
8.1.1 Test environment.....	8
8.1.2 Operating environment.....	9
8.1.3 Storage environment.....	10
8.1.4 Transportation.....	11
8.2 Safety requirements.....	11
8.3 Flammability.....	11
<b>9 Reference drive</b> .....	<b>12</b>
9.1 General.....	12
9.2 Measurement conditions.....	12
9.3 Optical system.....	12
9.4 Optical beam.....	13
9.5 HF read channel.....	13
9.6 Radial PP read channel.....	14
9.7 Disk clamping.....	14
9.8 Rotation of disk and measurement velocity.....	14
9.9 Normalized servo transfer function.....	15
9.10 Measurement velocities and reference servos for axial tracking.....	15
9.10.1 General.....	15
9.10.2 Reference servo for axial tracking for 1x measurement velocity.....	16
9.10.3 Reference servo for axial tracking for 2x measurement velocity and 3x measurement velocity.....	17
9.11 Measurement velocities and reference servos for radial tracking.....	18
9.11.1 General.....	18
9.11.2 Reference servo for radial tracking for 1x measurement velocity.....	18
9.11.3 Reference servo for radial tracking for 2x measurement velocity and 3x measurement velocity.....	20
<b>10 Dimensional characteristics</b> .....	<b>21</b>
10.1 General.....	21
10.2 Disk reference planes and reference axis.....	21
10.3 Overall dimensions.....	23
10.4 First transition area.....	23
10.5 Protection ring.....	23

10.6	Clamping zone .....	24
10.7	Second transition area .....	24
10.8	Information area .....	24
10.8.1	General .....	24
10.8.2	Subdivision of information zone on SL disks .....	25
10.8.3	Subdivision of information zone on DL disks .....	25
10.9	Rim area .....	26
<b>11</b>	<b>Mechanical characteristics .....</b>	<b>27</b>
11.1	Mass .....	27
11.2	Moment of inertia .....	27
11.3	Dynamic imbalance .....	27
11.4	Axial run-out .....	27
11.4.1	General .....	27
11.4.2	Residual axial tracking error for 1x measurement velocity .....	27
11.4.3	Residual axial tracking error for 2x measurement velocity .....	28
11.4.4	Residual axial tracking error for 3x measurement velocity .....	28
11.5	Radial run-out .....	28
11.5.1	General .....	28
11.5.2	Residual radial tracking error for 1x measurement velocity on SL disks .....	29
11.5.3	Residual radial tracking error for 1x measurement velocity on DL disks .....	29
11.5.4	Residual radial tracking error for 2x measurement velocity on SL and DL disks .....	29
11.5.5	Residual radial tracking error for 3x measurement velocity on SL and DL disks .....	30
11.6	Durability of cover layer .....	30
11.6.1	Impact resistance of cover layer .....	30
11.6.2	Scratch resistance of cover layer .....	30
11.6.3	Repulsion of fingerprints by cover layer .....	30
<b>12</b>	<b>Optical characteristics in information area .....</b>	<b>30</b>
12.1	General .....	30
12.2	Refractive index of transmission stacks (TS) .....	31
12.3	Thickness of transmission stacks (TS) .....	31
12.3.1	Thickness of transmission stack of SL disks .....	31
12.3.2	Thickness of transmission stacks of DL disks .....	31
12.4	Reflectivity .....	32
12.4.1	Reflectivity of recording layer of SL disks .....	32
12.4.2	Reflectivity of recording layers of DL disks .....	33
12.5	Birefringence .....	33
12.6	Angular deviation .....	33
<b>13</b>	<b>Data format .....</b>	<b>34</b>
13.1	General .....	34
13.2	Data frame .....	37
13.3	Error detection code (EDC) .....	37
13.4	Scrambled data frame .....	37
13.5	Data block .....	38
13.6	LDC block .....	39
13.7	LDC code words .....	40
13.8	LDC cluster .....	41
13.8.1	General .....	41
13.8.2	First interleaving step .....	41
13.8.3	Second interleaving step .....	41
13.9	Addressing and control data .....	43
13.9.1	General .....	43
13.9.2	Address units .....	43
13.9.3	User control data .....	46
13.9.4	Byte/bit assignment for user control data .....	46
13.10	Access block .....	48
13.11	BIS block .....	48
13.12	BIS code words .....	49

13.13	BIS cluster	50
13.14	ECC cluster	53
13.15	Recording frames	54
13.16	Physical cluster	55
13.17	17PP modulation for recordable data	55
	13.17.1 General	55
	13.17.2 Bit conversion rules	55
	13.17.3 dc-control procedure	56
	13.17.4 Frame sync	56
13.18	Modulation and NRZI conversion	58
<b>14</b>	<b>Physical data allocating and linking</b>	<b>58</b>
14.1	General	58
14.2	Recording unit block (RUB)	59
	14.2.1 General	59
	14.2.2 Data run-in	59
	14.2.3 Data run-out	60
	14.2.4 Guard_3 field	61
14.3	Locating data relative to wobble addresses	62
<b>15</b>	<b>Track format</b>	<b>62</b>
15.1	General	62
15.2	Track shape	63
15.3	Track path	64
15.4	Track pitch	64
	15.4.1 Track pitch in BCA zone	64
	15.4.2 Track pitch in embossed HFM area	64
	15.4.3 Track pitch in recordable area(s)	65
	15.4.4 Track pitch between embossed HFM area and recordable area	65
15.5	Track layout of HFM groove	65
	15.5.1 General	65
	15.5.2 Data format	65
	15.5.3 Addressing and control data	66
	15.5.4 Recording frames	69
15.6	Track layout of wobbled groove(s)	71
	15.6.1 General	71
	15.6.2 Modulation of wobbles	72
	15.6.3 Wobble polarity	73
15.7	ADIP information	73
	15.7.1 General	73
	15.7.2 ADIP unit types	74
	15.7.3 ADIP word structure	75
	15.7.4 ADIP data structure	76
	15.7.5 ADIP error correction	78
15.8	Disk information in ADIP frame	80
	15.8.1 General	80
	15.8.2 Error protection for disk information aux frames	81
	15.8.3 Disk information data structure	82
<b>16</b>	<b>General description of information zone</b>	<b>119</b>
16.1	General	119
16.2	Format of information zone on single-layer disk	119
16.3	Format of information zone on dual-layer disk	119
<b>17</b>	<b>Layout of recordable area of information zone</b>	<b>119</b>
<b>18</b>	<b>Inner zone</b>	<b>123</b>
18.1	General	123
18.2	Permanent information and control data (PIC) zone	125
	18.2.1 General	125
	18.2.2 Content of PIC zone	125

18.2.3	Emergency brake	126
18.3	Recordable area of inner zone 0	128
18.3.1	Protection zone 2	128
18.3.2	INFO 2/Reserved 8	128
18.3.3	INFO 2/Reserved 7	128
18.3.4	INFO 2/Reserved 6	128
18.3.5	INFO 2/Reserved 5	129
18.3.6	INFO 2/PAC 2	129
18.3.7	INFO 2/DMA 2	129
18.3.8	INFO 2/Control data 2	129
18.3.9	INFO 2/Buffer 2	129
18.3.10	OPC 0/Test zone	129
18.3.11	Usage of OPC areas	129
18.3.12	OPC 0/OPC 0 Buffer	131
18.3.13	TDMA 0	131
18.3.14	INFO 1/Pre-write area	131
18.3.15	INFO 1/Drive area	131
18.3.16	INFO 1/DMA 1	132
18.3.17	INFO 1/Control data 1	132
18.3.18	INFO 1/PAC 1	132
18.4	Recordable area of inner zone 1	132
18.4.1	Buffer	132
18.4.2	OPC 1	132
18.4.3	Buffer	133
18.4.4	INFO 2/Reserved 8	133
18.4.5	INFO 2/Reserved 7	133
18.4.6	INFO 2/Reserved 6	133
18.4.7	INFO 2/Reserved 5	133
18.4.8	INFO 2/PAC 2	133
18.4.9	INFO 2/DMA 2	133
18.4.10	INFO 2/Control data 2	133
18.4.11	INFO 2/Buffer 2	133
18.4.12	TDMA 1	133
18.4.13	Reserved	134
18.4.14	INFO 1/Pre-write area	134
18.4.15	INFO 1/Drive area	134
18.4.16	INFO 1/DMA 1	134
18.4.17	INFO 1/Control data 1	134
18.4.18	INFO 1/PAC 1	134
<b>19</b>	<b>Data zone</b>	<b>134</b>
<b>20</b>	<b>Outer zone(s)</b>	<b>134</b>
20.1	General	134
20.2	Recordable area of outer zone(s)	135
20.2.1	INFO 3/Buffer 4	135
20.2.2	INFO 3/DMA 3	135
20.2.3	INFO 3/Control data 3	135
20.2.4	Angular buffer	135
20.2.5	INFO 4/DMA 4	136
20.2.6	INFO 4/Control data 4	136
20.2.7	INFO 4/Buffer 6	136
20.2.8	DCZ 0/Test zone and DCZ 1 / Test zone	136
20.2.9	Usage of DCZ area	136
20.2.10	Protection zone 3	137
<b>21</b>	<b>Physical access control clusters</b>	<b>137</b>
21.1	General	137
21.2	Layout of PAC zones	138
21.3	General structure of PAC clusters	138

21.4	IS1 and IS2 PAC clusters.....	142
<b>22</b>	<b>Disk management.....</b>	<b>143</b>
22.1	General.....	143
22.2	Recording management.....	143
22.2.1	General.....	143
22.2.2	Sequential recording mode (SRM).....	143
22.2.3	Recording user data in SRR.....	143
22.2.4	SRR status.....	144
22.2.5	Closing SRR.....	144
22.3	Temporary disk management areas (TDMA).....	144
22.3.1	General.....	144
22.3.2	TDMA access indicators.....	144
22.4	Disk management structure (DMS).....	145
22.4.1	General.....	145
22.4.2	Temporary disk management structure (TDMS).....	145
22.4.3	TDMS in sequential recording mode.....	146
22.4.4	Temporary disk definition structure (TDDS).....	146
22.4.5	Temporary defect list (TDFL).....	151
22.4.6	Sequential recording range information (SRRI).....	153
22.5	Unrecorded (blank) disk structure.....	155
22.5.1	General.....	155
22.5.2	Pre-recorded areas on unrecorded disk.....	155
22.5.3	Pre-recorded BCA.....	156
22.5.4	Pre-recorded INFO 2/Reserved 5, Reserved 8 and Pre-recorded INFO 1/ Pre-write area.....	156
22.5.5	Pre-recorded INFO 1/PAC 1 and Pre-recorded INFO 2/PAC 2.....	156
22.5.6	OPC 0/Test zone and OPC 1/Test zone.....	156
22.5.7	TDMA 0.....	157
22.5.8	Initialization of disk.....	157
22.6	Recorded (closed) disk structure.....	157
22.6.1	General.....	157
22.6.2	DMA zones.....	157
22.6.3	Disk management structures (DMS).....	158
<b>23</b>	<b>Assignment of logical sector numbers (LSNs).....</b>	<b>159</b>
<b>24</b>	<b>Characteristics of grooved areas.....</b>	<b>160</b>
<b>25</b>	<b>Method of testing for grooved area.....</b>	<b>160</b>
25.1	General.....	160
25.2	Environment.....	160
25.3	Reference drive.....	161
25.3.1	General.....	161
25.3.2	Read power.....	161
25.3.3	Read channels.....	161
25.3.4	Tracking requirements.....	161
25.3.5	Scanning velocities.....	161
25.4	Definition of signals.....	161
<b>26</b>	<b>Signals from HFM groove.....</b>	<b>163</b>
26.1	Push-pull polarity.....	163
26.2	Push-pull signal.....	163
26.3	Wobble signal.....	163
26.4	Jitter of HFM signal.....	163
<b>27</b>	<b>Signals from wobbled groove(s).....</b>	<b>164</b>
27.1	Phase depth.....	164
27.2	Push-pull signal.....	164
27.3	Wobble signal.....	165
27.3.1	General.....	165