
**Identification cards — Recording
technique —**

**Part 2:
Magnetic stripe: Low coercivity**

Cartes d'identification — Technique d'enregistrement —

Partie 2: Bandeau magnétique: Faible coercivité

ITeH Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/IEC 7811-2:2018](https://standards.iteh.ai/catalog/standards/iso/9333a1df-88fd-4ac9-90a9-d4352e88b475/iso-iec-7811-2-2018)

<https://standards.iteh.ai/catalog/standards/iso/9333a1df-88fd-4ac9-90a9-d4352e88b475/iso-iec-7811-2-2018>



Reference number
ISO/IEC 7811-2:2018(E)

© ISO/IEC 2018

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/IEC 7811-2:2018

<https://standards.iteh.ai/catalog/standards/iso/9333a1df-88fd-4ac9-90a9-d4352e88b475/iso-iec-7811-2-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Conformance	3
5 Physical characteristics of the identification card	3
5.1 General	3
5.2 Magnetic stripe area warpage	3
5.3 Surface distortions	3
6 Physical characteristics of the magnetic stripe	4
6.1 Height and surface profile of the magnetic stripe area	4
6.1.1 Surface profile of the magnetic stripe area	5
6.1.2 Height of the magnetic stripe area	6
6.2 Surface roughness	6
6.3 Adhesion of stripe to card	6
6.4 Wear of magnetic stripe from read/write head	7
6.5 Resistance to chemicals	7
7 Performance characteristics for the magnetic material	7
7.1 General	7
7.2 Testing and operating environment	7
7.3 Signal amplitude requirements for magnetic media	7
8 Encoding technique	8
9 Encoding specification, general	9
9.1 Angle of recording	9
9.2 Nominal bit density	10
9.3 Signal amplitude requirements for tracks 1, 2 and 3	10
9.4 Bit configuration	11
9.5 Direction of recording	11
9.6 Leading and trailing zeroes	11
10 Encoding specifications	11
10.1 Alphanumeric track, Track 1	11
10.1.1 Average bit density	11
10.1.2 Flux transition spacing variation	12
10.1.3 Coded character set	13
10.1.4 Maximum number of characters for ID-1 type card	14
10.2 Numeric track, Track 2	15
10.2.1 Average bit density	15
10.2.2 Flux transition spacing variation	15
10.2.3 Coded character set	15
10.2.4 Maximum number of characters for ID-1 type card	16
10.3 Numeric track, Track 3	16
10.3.1 Average bit density	16
10.3.2 Flux transition spacing variation	16
10.3.3 Coded character set	16
10.3.4 Maximum number of characters for ID-1 type card	16
11 Error detection	16
11.1 General	16
11.2 Parity	17
11.3 Longitudinal redundancy check (LRC)	17
12 Location of encoded tracks	17

Annex A (informative) Magnetic stripe read compatibility — ISO/IEC 7811-2, ISO/IEC 7811-6	18
Annex B (informative) Magnetic stripe abrasivity	19

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO/IEC 7811-2:2018](https://standards.itih.ai/catalog/standards/iso/9333a1df-88fd-4ac9-90a9-d4352e88b475/iso-iec-7811-2-2018)

<https://standards.itih.ai/catalog/standards/iso/9333a1df-88fd-4ac9-90a9-d4352e88b475/iso-iec-7811-2-2018>