



International
Standard

ISO 15597

**Petroleum and related products —
Determination of chlorine and
bromine content — Wavelength-
dispersive X-ray fluorescence
spectrometry**

*Produits pétroliers et produits connexes — Détermination de la
teneur en chlore et en brome — Spectrométrie par fluorescence X
dispersive en longueur d'onde*

Second edition

ISO/PRF 15597

<https://standards.iteh.ai/catalog/standards/iso/a537933a-1845-4701-94fe-b36769764d56/iso-prf-15597>

PROOF/ÉPREUVE

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO/PRF 15597

<https://standards.itih.ai/catalog/standards/iso/a537933a-1845-4701-94fe-b36769764d56/iso-prf-15597>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

PROOF/ÉPREUVE

© ISO 2025 – All rights reserved

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Reagents and materials	2
6 Apparatus	2
7 Sampling	3
8 Calibration solutions	3
8.1 General	3
8.2 Preparation of stock solutions	3
8.2.1 Chlorine and bromine stock solutions	3
8.2.2 Bismuth solution	4
8.3 Preparation of standard solutions	4
8.4 Preparation of calibration solutions	4
8.5 Storage of standards	4
9 Calibration	4
9.1 General	4
9.2 Measurements	4
9.3 Calibration curves	5
9.4 Checking	5
10 Procedure	6
11 Calculation	6
12 Expression of results	6
13 Precision	6
13.1 General	6
13.2 Repeatability, r	6
13.3 Reproducibility, R	6
14 Test report	7
Bibliography	8