

Digital photography — Gain map metadata for image conversion

**Part 1:
Dynamic range conversion**

Photographie numérique — Carte de gain pour la conversion d'images

Partie 1: Conversion de plage de dynamique

FDIS stage

ISO/FDIS 21496-1:2025(en)

ISO/TC 42

Secretariat: ANSI

Date: 2025-05-03

Formatted: Left

Style Definition

Formatted: Font: 14 pt, Bold, Font color: Auto, French (France)

Formatted: zzCover large

Formatted: Right: 1.5 cm, Bottom: 1 cm, Gutter: 0 cm, Section start: New page, Header distance from edge: 1.27 cm, Footer distance from edge: 1.27 cm

Formatted: French (France)

Formatted

Formatted: French (France)

Formatted: Regular, Font: Bold, French (France)

Formatted: Cover Title_A2, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted

Formatted: Left

Formatted: Font: Bold

Formatted: HeaderCentered

© ISO 2025

Commented [eXtyle1]: The reference "ISO 2025" is to a withdrawn standard

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

Formatted: Default Paragraph Font

Formatted: Default Paragraph Font

Formatted: No page break before, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Formatted: French (France)

Formatted: French (France)

Formatted: French (France)

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

iTeh Standards (<https://standards.iteh.ai>) Document Preview

ISO/PRF 21496-1

<https://standards.iteh.ai/catalog/standards/iso/ef1c15f5-fbe6-421d-b145-887655776304/iso-prf-21496-1>

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterPageRomanNumber, Space After: 0 pt, Line spacing: single

Formatted: Font: 11 pt

Formatted: Font: 11 pt, Bold, Font color: Auto

Formatted: Font: Bold

Formatted: HeaderCentered, Left

Contents

Forewordvi

Introductionvii

1 Scope.....1

2 Normative references1

3 Terms, definitions, and acronyms.....1

4 Gain map requirements3

4.1 General.....3

4.2 Gain map dimensions3

4.3 Gain map colour components.....4

4.4 Gain map quantization4

4.5 Orientation4

5 Metadata.....4

5.1 General.....4

5.2 Gain map metadata.....4

5.3 Colorimetry metadata6

6 Gain map application6

6.1 General.....6

6.2 Processing the gain map7

6.3 Applying the gain map.....7

Annex A (informative) Computing the gain map9

Annex B (normative) Colour conversion11

Annex C (normative) Storing the gain map12

Bibliography17

Foreword4

Introduction5

1 Scope.....6

2 Normative references6

3 Terms, definitions, and acronyms.....6

3.1 alternate image.....6

3.2 baseline image.....6

3.3 gain map7

3.4 gain map application space.....7

3.5 high dynamic range and wide colour gamut encoding.....7

3.6 high dynamic range headroom7

3.7 high dynamic range image7

3.8 image7

3.9 nominal peak luminance7

3.10 reference diffuse white7

4 Gain map requirements8

4.1 General.....8

4.2 Gain map dimensions8

4.3 Gain map colour components.....8

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt,
Tab stops: Not at 17.2 cm

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space
After: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: Bold

Formatted: HeaderCentered

4.4	Gain map quantization	9
4.5	Orientation	9
5	Metadata	9
5.1	General	9
5.2	Gain map metadata	9
5.2.1	General	9
5.2.2	Dimensions	9
5.2.3	Quantization	9
5.2.4	Number of gain map components	9
5.2.5	Per-component metadata	10
5.2.6	Baseline HDR headroom	10
5.2.7	Alternate HDR headroom	11
5.2.8	Version tag	11
5.3	Colorimetry metadata	11
5.3.1	General	11
	Baseline image colorimetry metadata	11
5.3.2	11	
	Alternate image colorimetry metadata	11
5.3.3	11	
5.3.4	Gain map application space colour primaries metadata	11
6	Gain map application	11
6.1	General	11
6.2	Processing the gain map	12
6.2.1	Unnormalizing the gain map	12
6.2.2	Resampling the gain map	12
6.3	Applying the gain map	12
Annex A (informative)	Computing the gain map	14
A.1	General	14
A.2	Computing the gain map	14
A.3	Processing the gain map	14
A.3.1	General	14
A.3.2	Resampling the gain map	14
A.3.3	Normalizing the gain map	15
A.3.4	Applying a gamma to the gain map	15
Annex B (normative)	Colour conversion	16
B.1	General	16
B.2	Colour primary conversions	16
Annex C (normative)	Storing the gain map	17
C.1	General	17
C.2	Binary metadata payload	17
C.2.1	General	17
C.2.2	Syntax	17
C.2.3	Semantics	18
C.3	Storage in file formats	19

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterPageRomanNumber, Space After: 0
pt, Line spacing: single

Formatted: Font: 11 pt