

~~ISO/DIS~~**PRF** 4255:2024(en)

ISO/TC_206/AG_4

Secretariat: JISC

Date: ~~2024-08-19~~2025-05-21

Fine ceramics (advanced ceramics, advanced technical ceramics) — Mechanical properties of ceramic composites at high temperature — Determination of axial tensile properties of tubes

~~Céramiques techniques (céramiques avancées, céramiques techniques avancées) — Propriétés mécaniques des céramiques composites à haute température — Détermination des propriétés en traction axiale de tubes~~

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/PRF 4255](https://standards.iteh.ai/catalog/standards/iso/a29b6e01-2eee-45f6-acc1-f44010000000/iso-prf-4255)

<https://standards.iteh.ai/catalog/standards/iso/a29b6e01-2eee-45f6-acc1-f44010000000/iso-prf-4255>

Edited DIS - MUST BE USED FOR FINAL DRAFT

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

Style Definition

PROOF

**iTeh Standards
(<https://standards.itih.ai>)
Document Preview**

ISO/PRF 4255

<https://standards.itih.ai/catalog/standards/iso/a29b6e01-2eee-45f6-aec1-1a135c28a24d/iso-prf-4255>

Edited DIS - MUST BE USED FOR FINAL DRAFT

ISO/PRF 4255:2025(en)

Formatted: Font: Bold

Formatted: HeaderCentered

© ISO 2024, 2025

Formatted: Default Paragraph Font

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11

Formatted: English (United Kingdom)

Fax: +41 22 749 09 47

Formatted: English (United Kingdom)

Email: copyright@iso.org
Website: www.iso.org

Formatted: zzCopyright address, Adjust space between Latin and Asian text, Adjust space between Asian text and numbers

Published in Switzerland

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

ISO/PRF 4255

<https://standards.iteh.ai/catalog/standards/iso/a29b6e01-2eee-45f6-acc1-1a135c28a24d/iso-prf-4255>

Formatted: FooterPageRomanNumber

Contents

Foreword.....Error! Bookmark not defined.

1 Scope.....Error! Bookmark not defined.

2 Normative references.....Error! Bookmark not defined.

3 Terms and definitions.....Error! Bookmark not defined.

4 Principle.....Error! Bookmark not defined.

5 Apparatus.....Error! Bookmark not defined.

5.1 Testing machine.....Error! Bookmark not defined.

5.2 Gripping system.....Error! Bookmark not defined.

5.3 Test chamber and heating set-up.....Error! Bookmark not defined.

5.4 Heating apparatus.....Error! Bookmark not defined.

5.5 Strain measurement.....Error! Bookmark not defined.

5.6 Temperature measurement devices.....Error! Bookmark not defined.

5.7 Data recording system.....Error! Bookmark not defined.

5.8 Dimension-measuring devices.....Error! Bookmark not defined.

6 Tubular test specimen.....Error! Bookmark not defined.

6.1 Specimen specifications.....Error! Bookmark not defined.

6.2 Specimen preparation.....Error! Bookmark not defined.

6.3 End collars and alignment issue.....Error! Bookmark not defined.

6.4 Test count and test specimens sampling.....Error! Bookmark not defined.

7 Test procedure.....Error! Bookmark not defined.

7.1 Temperature considerations.....Error! Bookmark not defined.

7.2 Test set-up: other considerations.....Error! Bookmark not defined.

7.3 Testing technique.....Error! Bookmark not defined.

7.4 Test validity.....Error! Bookmark not defined.

8 Calculation of results.....Error! Bookmark not defined.

8.1 Test specimen origin.....Error! Bookmark not defined.

8.2 Engineering axial tensile stress and strain.....Error! Bookmark not defined.

8.3 Tensile strength.....Error! Bookmark not defined.

8.4 Strain at maximum tensile force.....Error! Bookmark not defined.

8.5 Tensile modulus.....Error! Bookmark not defined.

8.6 Poisson's ratio (optional).....Error! Bookmark not defined.

8.7 Statistics.....Error! Bookmark not defined.

9 Test report.....Error! Bookmark not defined.

9.1 General.....Error! Bookmark not defined.

9.2 Testing information.....Error! Bookmark not defined.

9.3 Test specimen and material.....Error! Bookmark not defined.

9.4 Equipment and test parameters.....Error! Bookmark not defined.

9.5 Test results.....Error! Bookmark not defined.

10 Uncertainties.....Error! Bookmark not defined.

(informative) Illustration of tensile modulus.....Error! Bookmark not defined.

Bibliography.....Error! Bookmark not defined.

Foreword.....4

1 Scope.....0

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: HeaderCentered, Left, Space After: 0 pt, Line spacing: single, Tab stops: Not at 0.71 cm

Formatted: Adjust space between Latin and Asian text, Adjust space between Asian text and numbers, Tab stops: Not at 15.22 cm + 17.2 cm

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space After: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: Bold

Formatted: HeaderCentered

2	Normative references	0
3	Terms and definitions	1
Figure 1	Cylindrical coordinate system used for the CMC tubes	3
4	Principle	3
5	Apparatus	4
5.1	Testing machine	4
5.2	Gripping system	4
5.2.1	Test specimen gripping	4
5.2.2	Location and temperature of grips	4
Figure 2	Example of “cold grip” configuration for the determination of the axial properties of CMC tubes at high temperature	5
5.2.3	Load train couplers	5
5.3	Test chamber and heating set-up	5
5.4	Heating apparatus	5
5.5	Strain measurement	5
5.5.1	General	5
5.5.2	Extensometers	6
5.5.3	Digital image correlation	6
5.6	Temperature measurement devices	7
5.7	Data recording system	7
5.8	Dimension measuring devices	7
6	Tubular test specimen	7
6.1	Specimen specifications	7
6.1.1	General	7
6.1.2	Dimension	8
6.1.3	Geometry commonly used	8
Figure 3	“Generic” straight-side tube test specimen	8
Table 1	Dimensional requirements for straight-side tube test specimen type	8
Figure 4	“Generic” contoured gauge tube test specimen	8
Table 2	Dimensional requirements for contoured gauge tube test specimen type	8
6.1.4	Tolerances and variability	9
6.2	Specimen preparation	9
6.2.1	General	9
6.2.2	As-fabricated	9
6.2.3	Application-matched machining	9
6.2.4	Customary practices	9
6.2.5	Standard procedure	10
6.3	End collars and alignment issue	10
Figure 5	Sectional schematic of end collar with bonding zone for a CMC tubular specimen to be tested using passive cold grip interface	11
Figure 6	Example of V-shaped supporting piece for bonding end collar on CMC tubular test specimen	11
6.4	Test count and test specimens sampling	11
7	Test procedure	11
7.1	Temperature considerations	11
7.1.1	General	11
7.1.2	Controlled temperature zone	11
7.1.3	Temperature measurement	12

Formatted: FooterPageRomanNumber

7.2 Test set-up: other considerations 12

7.3 Testing technique 12

7.3.1 Measurement of test specimen dimensions 12

7.3.2 Instrumentation of the test specimen 12

7.3.3 Specimen mounting 13

7.3.4 Setting-up of strain measurement means 13

7.3.5 Setting-up of inert atmosphere 13

7.3.6 Heating of test specimen and temperature control 13

7.3.7 Measurements 14

7.3.8 Post-test analyses 14

7.4 Test validity 14

8 Calculation of results 15

8.1 Test specimen origin 15

8.2 Engineering axial tensile stress and strain 15

8.3 Tensile strength 16

8.4 Strain at maximum tensile force 16

8.5 Tensile modulus 16

8.5.1 Stress-strain curves with a linear region 17

8.5.2 Non-linear stress-strain curves 17

8.6 Poisson's ratio (optional) 17

8.7 Statistics 18

9 Test report 18

9.1 General 18

9.2 Testing information 18

9.3 Test specimen and material 18

9.3.1 Tubular test specimen drawing or reference 18

9.3.2 Description of the test material 19

9.4 Equipment and test parameters 19

9.4.1 Testing machine type and configuration 19

9.4.2 Temperature and force measurement description 19

9.4.3 Test mode and test rate 19

9.4.4 Strain measurement description 19

9.5 Test results 19

10 Uncertainties 20

Annex A (informative) Illustration of tensile modulus 21

Figure A.1 — Mechanical behaviour with linear region bounded by σ_{1}, ϵ_{1} and σ_{2}, ϵ_{2} 21

Figure A.2 — Mechanical behaviour with predominantly linear region bounded by σ_{1}, ϵ_{1} near the origin and σ_{2}, ϵ_{2} 21

Figure A.3 — Mechanical behaviour without linear region 21

Bibliography 22

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: Font: 11 pt

Formatted: HeaderCentered, Left, Space After: 0 pt, Line spacing: single, Tab stops: Not at 0.71 cm

Formatted: Font: 10 pt

Formatted: Font: 10 pt

Formatted: FooterCentered, Left, Space Before: 0 pt, Tab stops: Not at 17.2 cm

Formatted: Font: 11 pt

Formatted: FooterPageRomanNumber, Left, Space After: 0 pt, Tab stops: Not at 17.2 cm