
**Machine tool spindles — Evaluation
of machine tool spindle vibrations by
measurements on spindle housing —**

Part 3:

**Gear-driven spindles with rolling
bearings operating at speeds between
600 r/min and 12 000 r/min**

*Broches pour machines-outils — Évaluation des vibrations d'une
broche pour machine-outil par mesurage sur le corps de broche —*

*Partie 3: Broches à roulements à entraînement par engrenages
opérant à des vitesses entre 600 tr/min et 12 000 tr/min*

ISO/TR 17243-3:2020

<https://standards.iteh.ai/catalog/standards/iso/eaf48e72-14d2-4ce8-b476-2d9229a58128/iso-tr-17243-3-2020>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TR 17243-3:2020](https://standards.iteh.ai/catalog/standards/iso/eaf48e72-14d2-4ce8-b476-2d9229a58128/iso-tr-17243-3-2020)

<https://standards.iteh.ai/catalog/standards/iso/eaf48e72-14d2-4ce8-b476-2d9229a58128/iso-tr-17243-3-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Preliminary operations	3
4.1 General	3
4.2 Process load	3
4.3 Spindle speed	3
4.4 Thermal conditions	3
4.5 Spindle position and orientation	4
4.6 Gear selection	4
4.7 Tool or workpiece balancing	4
4.7.1 General	4
4.7.2 Spindle vibration measurements with a tool/workpiece mounted in the spindle	4
4.7.3 Spindle vibration measurements without tool/workpiece	4
4.8 Spindle chuck	4
4.9 Spindle cooling	4
4.10 Drawbar	4
4.11 Background vibration	5
4.12 Idle operation	5
5 Measurement and operational procedures	5
5.1 Measuring instruments	5
5.2 Measurement locations/directions	5
5.2.1 General	5
5.2.2 Naming convention for measurement locations	7
5.3 Sensor mounting procedures	7
6 Evaluation parameters	8
6.1 Vibration velocity parameter	8
6.1.1 General	8
6.1.2 Resonance exclusion criteria	8
6.2 Vibration acceleration parameter	9
7 Spindle classification	10
7.1 General	10
7.2 Classification according to maximum spindle speed	10
7.3 Classification according to bearing type	10
8 Evaluation	10
8.1 General	10
8.1.1 Overview	10
8.1.2 Measurement uncertainty	11
8.2 Criterion I: vibration magnitude	11
8.2.1 General	11
8.2.2 Evaluation zones	11
8.2.3 Exemplary evaluation zone boundaries	11
8.3 Criterion II: change in vibration magnitude	11
8.4 General zone boundaries	12
8.5 Examples of evaluation zone boundary values	13
8.6 Operational limits	13
8.6.1 General	13
8.6.2 Setting of alerts	13
8.6.3 Setting of alarms	13
8.6.4 Setting of the threshold for shutdown	14

Annex A (informative) Introduction to alternative bearing condition assessment techniques	15
Bibliography	17

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TR 17243-3:2020](https://standards.iteh.ai/catalog/standards/iso/eaf48e72-14d2-4ce8-b476-2d9229a58128/iso-tr-17243-3-2020)

<https://standards.iteh.ai/catalog/standards/iso/eaf48e72-14d2-4ce8-b476-2d9229a58128/iso-tr-17243-3-2020>