
**Imaging materials — Pictorial colour
reflection prints — Comparison of
image degradation observed between
ISO 18930 accelerated weathering test
method and outdoor exposure**

*Matériaux pour l'image — Réflexion des impressions photographiques
en couleurs — Comparaison de la dégradation de l'image observée
entre la méthode d'essai de vieillissement accéléré de l'ISO 18930 et
l'exposition extérieure*

(<https://standards.iteh.ai/>)
Document Preview

ISO/TR 18945:2018

<https://standards.iteh.ai/catalog/standards/iso/3892f5b9-d9d9-453e-9684-ac34e2b1ee8b/iso-tr-18945-2018>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TR 18945:2018](https://standards.iteh.ai/catalog/standards/iso/3892f5b9-d9d9-453e-9684-ac34e2b1ee8b/iso-tr-18945-2018)

<https://standards.iteh.ai/catalog/standards/iso/3892f5b9-d9d9-453e-9684-ac34e2b1ee8b/iso-tr-18945-2018>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 General considerations for accelerated weathering tests	2
5 Materials	4
6 Test methods	5
6.1 Outdoor exposure tests	5
6.2 Laboratory accelerated weathering tests	5
6.3 Data analysis and work-up	5
7 Results and discussion	6
7.1 Colour Fade Acceleration Factors	6
7.2 Replicability of data	7
7.3 Applicability to multiple digital printing technologies	8
7.4 Effects of colour and patch darkness	9
7.5 Analysis of colour shifts	9
7.6 Two-year data analysis	10
7.7 Correlation coefficients and predictive correlations	11
7.8 Example — Degradation of Material H4	12
7.9 Comparison of material degradation during outdoor and ISO 18930 accelerated laboratory weathering tests (see Annex G)	14
7.9.1 General	14
7.9.2 Colour fade graphs	14
7.9.3 Comparison of ISO 18930 accelerated tests to nine outdoor exposure sites	15
7.9.4 Colour shift graphs	15
8 Conclusions and recommendations	15
Annex A (informative) Spectral power distribution for accelerated laboratory weathering tests ..	16
Annex B (informative) Photographs of weathered test target degradation	17
Annex C (informative) Comparison of accelerated weathering test methods and outdoor results ..	21
Annex D (informative) The various types of deterioration observed in ISO 18930	28
Annex E (informative) Effects of the angle of inclination in outdoor testing	30
Annex F (informative) Environmental condition data under real outdoor conditions	38
Annex G (informative) Comparison of material degradation during outdoor and ISO 18930 accelerated laboratory weathering tests	42
Bibliography	93

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 42, *Photography*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/TR 18945:2018

<https://standards.iteh.ai/catalog/standards/iso/3892f5b9-d9d9-453e-9684-ac34e2b1ee8b/iso-tr-18945-2018>

Introduction

Printed digital images are used in many applications in which they are exposed to outdoor weathering. ISO 18930 provides standardized test procedures to evaluate image stability both in real-time outdoor weathering tests and in accelerated laboratory simulations of the weathering process. Accelerated laboratory weathering tests have been developed as a result of the desire to obtain test results faster than would be obtained by actual outdoor exposure. However, accelerated weathering tests only have value if they can be correlated with actual outdoor performance.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TR 18945:2018](https://standards.iteh.ai/catalog/standards/iso/3892f5b9-d9d9-453e-9684-ac34e2b1ee8b/iso-tr-18945-2018)

<https://standards.iteh.ai/catalog/standards/iso/3892f5b9-d9d9-453e-9684-ac34e2b1ee8b/iso-tr-18945-2018>

Imaging materials — Pictorial colour reflection prints — Comparison of image degradation observed between ISO 18930 accelerated weathering test method and outdoor exposure

1 Scope

This document describes the experimental framework, results, and conclusions from a round robin test that was performed in order to establish correlations between accelerated weathering according to the ISO 18930 test method and outdoor weathering at nine outdoor sites.

The types of digital printing technology that were used in this round robin test are aqueous inkjet, solvent inkjet, UV curable inkjet, digitally-exposed silver halide, and thermal mass transfer. The image print stability data and correlations of this document are to be considered illustrative of the performance of these classes of materials. Extension of these correlations to other classes of materials, such as dye sublimation, is verified by appropriate experimentation.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at <https://www.iso.org/obp>

— IEC Electropedia: available at <http://www.electropedia.org/>

3.1

digital printing media

recording elements used by digital printers to receive inks or pre-formed colourants

EXAMPLE The substrate may be paper, plastic, canvas, fabric, metal, or other ink-receptive material; the substrate may, or may not, be coated with an ink-receptive layer. The category of digital printers includes inkjet, electrophotographic, and thermal transfer.

3.2

lamine

overlamine

layer of material that goes over the top or bottom of a specimen

Note 1 to entry: Usually to provide water-resistance, physical, and/or ultraviolet (UV) light protection of the specimen during a weathering test. A layer of protective film is applied with a pressure-sensitive or heat-activated adhesive.

3.3

accelerated laboratory weathering

simulated weathering where instruments (weathering devices) are used to obtain very controlled conditions that simulate, to some degree, and generally accelerate, the outdoor weathering results

Note 1 to entry: The use of such instruments is described in ISO 4892-1[2] and ASTM G151[16].