
**Nanotechnologies — Characterization
of carbon nanotube samples using
thermogravimetric analysis**

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TS 11308:2020](https://standards.iteh.ai/catalog/standards/iso/52c25268-4bfd-47a0-8b27-c14500883f5b/iso-ts-11308-2020)

<https://standards.iteh.ai/catalog/standards/iso/52c25268-4bfd-47a0-8b27-c14500883f5b/iso-ts-11308-2020>



iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/TS 11308:2020](https://standards.iteh.ai/catalog/standards/iso/52c25268-4bfd-47a0-8b27-c14500883f5b/iso-ts-11308-2020)

<https://standards.iteh.ai/catalog/standards/iso/52c25268-4bfd-47a0-8b27-c14500883f5b/iso-ts-11308-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	2
5 Principles of TGA	3
5.1 Measurement	3
5.2 Exothermic and endothermic reactions	3
6 Sampling	3
6.1 Sample pan selection	3
6.2 Sample size	4
6.3 Sample compaction	4
7 Test method	5
8 Data interpretation and results	5
8.1 General	5
8.2 Non-carbon content	6
8.3 Constituents	7
8.4 Thermal stability	7
8.5 Homogeneity	7
8.6 Purity	7
8.7 Quality	7
9 Uncertainties	8
10 Test report	8
Annex A (informative) Case studies	10
Annex B (informative) Effects of operating parameters on TGA analysis	19
Bibliography	22

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 229, *Nanotechnologies*.

This second edition cancels and replaces the first edition (ISO/TS 11308:2011), which has been technically revised. The main change compared with the previous edition is as follows:

- a generalization has been made from single-walled carbon nanotubes to all forms of carbon nanotubes (including multi-wall).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Carbon nanotubes (CNTs) are allotropic forms of carbon with cylindrical nanostructures. As a result of their geometric structures, these materials exhibit unique mechanical, thermal and electrical properties^{[1][2][3][4][5]}. CNTs are synthesized by several different methods, including pulsed laser vaporization, arc discharge, high pressure disproportionation of carbon monoxide and chemical vapour deposition (CVD)^{[6][7][8]}. These processes typically yield a heterogeneous mixture of CNTs and impurities, often requiring post-synthesis purification. Commonly observed impurities include other forms of carbon [e.g. fullerenes, amorphous carbon, graphitic carbon, single-wall carbon nanotubes (SWCNTs) and multi-wall carbon nanotubes (MWCNTs) outside the desired size or chirality range], as well as residual metallic catalyst nanoparticles. Purification can be accomplished using gaseous, chemical or thermal oxidation processes^{[9][10][11][12]}.

Thermogravimetric analysis (TGA) measures changes in the mass of a material as a function of temperature and time, which provides an indication of the reaction kinetics associated with structural decomposition, oxidation, pyrolysis, corrosion, moisture adsorption/desorption and gas evolution. By examining the reaction kinetics for a given sample, the relative fraction of different constituents present can be either quantitatively or qualitatively determined.

TGA is one of a number of analytical techniques that can be used to assess impurity levels in samples containing CNTs^{[14][15][16][17][18][19][20][21][22]}. For CNT-containing samples, TGA is typically used to quantify the level of non-volatile impurities present (e.g. metal catalyst particles). TGA is also used to assess thermal stability of a given sample, providing an indication of the type(s) of carbon materials present. Recent advances in TGA instrumentation enable better resolution during analysis. However, TGA alone is not specific enough to conclusively quantify the relative fractions of carbonaceous products within the material. Therefore, the information obtained from TGA should be used to supplement information gathered from other analytical techniques in order to achieve an overall assessment of the composition of a CNT sample^{[23][24][25][26][27][28][29]}.

Document Preview

[ISO/TS 11308:2020](https://standards.iteh.ai/catalog/standards/iso/52c25268-4bfd-47a0-8b27-c14500883f5b/iso-ts-11308-2020)

<https://standards.iteh.ai/catalog/standards/iso/52c25268-4bfd-47a0-8b27-c14500883f5b/iso-ts-11308-2020>