



Technical Specification

ISO/TS 23359

Nanotechnologies — Chemical characterization of graphene- related two-dimensional materials from powders and liquid dispersions

*Nanotechnologies — Caractérisation chimique des matériaux
bidimensionnels similaires au graphène à partir de poudres et de
dispersions liquides*

**First edition
2025-08**

ISO/TS 23359:2025

<https://standards.iteh.ai/catalog/standards/iso/b19bb80c-684d-4d25-a300-e58ef39db9dc/iso-ts-23359-2025>

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

ISO/TS 23359:2025

<https://standards.itih.ai/catalog/standards/iso/b19bb80c-684d-4d25-a300-e58ef39db9dc/iso-ts-23359-2025>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Abbreviated terms	4
5 Approaches to chemical characterization	5
6 X-ray photoelectron spectroscopy (XPS)	8
6.1 Introduction	8
6.2 Instrument preparation	8
6.3 Sample preparation	8
6.4 Method	9
6.5 Quantitative analysis	12
7 Thermogravimetric analysis (TGA)	13
7.1 Introduction	13
7.2 Sample preparation	15
7.2.1 General	15
7.2.2 Instrument conditions and preparation	15
7.2.3 Preparation of crucible	15
7.2.4 Measurement procedure	15
7.3 Data processing and quantitative analysis	16
7.3.1 Data plotting	16
7.3.2 Determination of the number of mass change steps	16
7.3.3 Determination of the temperature of maximum mass change rate ($T_{\max}$)	17
7.3.4 Identification of the GR2M present	17
7.3.5 Determine mass percentage	17
8 Inductively coupled plasma mass spectrometry (ICP-MS)	19
9 Fourier-transform infrared spectroscopy (FTIR)	19
10 Reporting	19
10.1 Introduction	19
10.2 X-ray photoelectron spectroscopy (XPS)	20
10.3 Thermogravimetric analysis (TGA)	20
10.4 Inductively coupled plasma mass spectrometry (ICP-MS)	20
10.5 Fourier-transform infrared spectroscopy (FTIR)	20
Annex A (informative) Inductively coupled plasma mass spectrometry (ICP-MS)	21
Annex B (informative) Fourier-transform infrared spectroscopy (FTIR)	26
Annex C (informative) Summary of X-ray photoelectron spectroscopy (XPS) interlaboratory studies	29
Annex D (informative) Summary of thermogravimetric analysis (TGA) interlaboratory study	34
Annex E (informative) Summary of inductively coupled plasma mass spectrometry (ICP-MS) interlaboratory study	41
Annex F (informative) Summary of Fourier-transform infrared spectroscopy (FTIR) mini-interlaboratory study	44
Bibliography	47

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared jointly by Technical Committee ISO/TC 229, *Nanotechnologies*, and Technical Committee IEC/TC 113, *Nanotechnology for electrotechnical products and systems*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 352, *Nanotechnologies*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Graphene nanoplatelets (GNPs) are applied in many technology areas, including solar cells, biosensors, displays, composites, flexible electronics and energy storage, due to the exceptional properties of graphene. However, it is not just GNPs that are used commercially but other material variants as well, such as reduced graphene oxide, graphene oxide and chemically functionalised forms of GNPs. These different graphene-related two-dimensional materials (GR2Ms) are suitable for different application areas and therefore, there must be a full understanding of the chemical properties of commercially available materials, so that the correct material is selected for specific application areas.

As these materials are increasingly used in different industries, international standardization is needed to support commercialization. Reliable, accurate, and reproducible measurements are important due to the multiple production routes and therefore variability in properties. Producers of the material must use standards to maintain quality in manufacture and confidence in the supply chain.

This document specifies methods to measure the chemical properties of powders and dispersions containing a GR2M. The techniques covered are X-ray photoelectron spectroscopy (XPS), thermogravimetric analysis (TGA), inductively coupled plasma mass spectrometry (ICP-MS), and Fourier-transform infrared spectroscopy (FTIR). These techniques determine the elemental composition, oxygen to carbon ratio, trace metal impurities, weight percentage of chemical species and the functional groups present.

XPS is used to provide quantitative measurements of the surface elemental composition of GR2Ms. It can measure every element except hydrogen and helium that are within up to approximately 10 nm of the surface and at equivalent homogeneous concentrations above the XPS detection limit.

TGA is a common material characterization technique available in research and industry labs, which offers rapid and simple characterization of bulk material properties providing useful qualitative and quantitative information. TGA is widely used for characterization of GR2M to determine the amount of impurities (i.e. water, amorphous carbon, metals), presence of functional groups, traces of surfactants or other organic impurities from fabrication processes or impurities from the initial raw material (graphite, silica, metal oxides etc).

ICP-MS is used to provide detection of the trace metal impurities in samples containing graphene related two-dimensional materials. However, using conventional solution sample introduction ICP-MS, the sample must be completely solubilized and hence digestion of the samples is required using harsh acid and microwave treatment before analysis using ICP-MS.

FTIR is used to understand the functional groups that are present for different materials with significant non-carbon elements, already identified using complementary techniques herein.

Nanotechnologies — Chemical characterization of graphene-related two-dimensional materials from powders and liquid dispersions

1 Scope

This document specifies methods for characterizing the chemical properties of powders or liquid dispersions containing graphene-related two-dimensional material (GR2M), using a set of suitable measurement techniques.

This document covers the determination of elemental composition, oxygen to carbon ratio, trace metal impurities, weight percentage of chemical species and functional groups present, by use of the following techniques:

- X-ray photoelectron spectroscopy (XPS);
- thermogravimetric analysis (TGA);
- inductively coupled plasma mass spectrometry (ICP-MS);
- Fourier-transform infrared spectroscopy (FTIR).

This document covers sample preparation, protocols and data analysis for the different techniques.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15472, *Surface chemical analysis — X-ray photoelectron spectrometers — Calibration of energy scales*

ISO 16129, *Surface chemical analysis — X-ray photoelectron spectroscopy — Procedures for assessing the day-to-day performance of an X-ray photoelectron spectrometer*

ISO 18115-1, *Surface chemical analysis — Vocabulary — Part 1: General terms and terms used in spectroscopy*

ISO 20903, *Surface chemical analysis — Auger electron spectroscopy and X-ray photoelectron spectroscopy — Methods used to determine peak intensities and information required when reporting results*

ISO 21270, *Surface chemical analysis — X-ray photoelectron and Auger electron spectrometers — Linearity of intensity scale*

ISO 24237, *Surface chemical analysis — X-ray photoelectron spectroscopy — Repeatability and constancy of intensity scale*

ISO 80004-1, *Nanotechnologies — Vocabulary — Part 1: Core terms*

ISO/TS 80004-6, *Nanotechnologies — Vocabulary — Part 6: Nano-object characterization*

ISO/TS 80004-13, *Nanotechnologies — Vocabulary — Part 13: Graphene and other two-dimensional (2D) materials*