

# Technical Specification

## ISO/TS 26048-1

Intelligent transport systems —
Field device Simple Network
Management Protocol (SNMP) data
interface —
iTeh Standards

Part 1: **Global objects** 

Systèmes de transports intelligents — Interface de données
Simple Network Management Protocol (SNMP) pour les
dispositifs de terrain —

(https://standards.iteh.ai)

Partie 1: objets globaux ai/catalog/standards/iso/f9dc43d2-f5b9-43e4 9206-9ca2f756a74b/iso-ts-26048-1-2025

First edition 2025-07

## iTeh Standards (https://standards.iteh.ai) Document Preview

ISO/TS 26048-1:2025

https://standards.iteh.ai/catalog/standards/iso/f9dc43d2-f5b9-43e4-9206-9ca2f756a74b/iso-ts-26048-1-2025



#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents					
Forew	Foreword				
1	Scope	1			
2	Normative references	1			
3	Terms and definitions  Symbols and abbreviated terms				
4					
5	Conventions and architecture 5.1 ISO maintenance portal				
	5.2 MIB files				
	5.2.1 MIB format				
	5.2.2 MIB access	7			
	5.2.3 MIB filenames	7			
	5.3 ASN.1				
	5.4 Conformance S.5 SNMP terminology				
	5.6 Architecture				
	5.6.1 ITS services				
	5.6.2 Functional view of interface				
	5.6.3 Physical view	8			
	5.6.4 Communications view				
	5.7 Constraints				
	5.7.1 Table design constraint				
	5.8 Outline				
	5.9 Requirements pattern				
6	User needs				
•	6.1 Authenticate users				
	6.2 Control access to data	12			
	6.3 Monitor failed access to the field device				
	6.4 Manage the field device				
	6.5 Monitor field device components dc43d2-15b9-43e4-9206-9ca21756a				
	6.5.1 Monitor ambient environment				
	6.5.3 Manage enclosure climate control components				
	6.5.4 Monitor field device power				
	6.5.5 Manage auxiliary ports				
	6.6 Receive notification of triggers firing				
	6.7 Manage device-specific notifications				
	<ul><li>6.8 Log system events</li><li>6.9 Log user-defined data snapshots</li></ul>				
	6.10 Record a series of data snapshots				
	6.11 Issue trigger-based commands				
	6.12 Configure a complex device				
	6.13 Efficient exchange of data				
	6.14 Future user needs				
	6.14.1 Software update				
	6.14.2 Start-up configuration				
	6.14.3 Configuration set management				
7	,				
7	High-level design				
	7.1 Authenticate users design overview				
	7.3 Monitor failed access to the field device				
	74 Manage the field device design overview	18			

	7.5	Monit	tor field device components	18
	7.6	Receiv	ve notification of triggers firing design overview	
		7.6.1	General	
		7.6.2	Triggers	19
		7.6.3	Action selection	19
		7.6.4	Notification factory	
		7.6.5	Notification channel	
	7.7	Mana	ge device-specific notifications design overview	20
	7.8		ystem events design overview	
	7.9		ser-defined data snapshots design overview	
	7.10		d a series of data snapshots design overview	
	7.11		trigger-based commands design overview	
	7.12		gure a complex device design overview	
	7.13		ent exchange of data design overview	
	7.14		ers	
	,,,,		General	
			Scheduled triggers design overview	
			Day plan triggers design overview	
			Condition-based triggers design overview	
8	Requ		nts	
	8.1	Action	n feature	
		8.1.1	Action feature definition	26
		8.1.2	Action feature data exchange requirements	
		8.1.3	Action feature functional requirements	28
		8.1.4	Action feature performance requirement	28
	8.2	Clock	feature UTC Clock	28
		8.2.1	UTC Clock	28
		8.2.2	Local clock	30
		8.2.3	Daylight saving time	
	8.3	Comn	nand feature	
		8.3.1	Command feature definition The May 1640	
		8.3.2	Command feature data exchange requirements	
		8.3.3	Command feature capability requirements	32
		8.3.4	Command feature functional requirements	32
	/88.4da		itional trigger feature.so./19.dc.43.d.2-f5.b9-43.e.4-92.06-9.ca.2.f7.5.6a.7.4b./.iso.	-ts-26048-1-2 <b>33</b>
	011	8.4.1	Conditional trigger feature definition	
		8.4.2	Conditional trigger feature data exchange requirements	33
		8.4.3	Conditional trigger feature functional requirements	34
		8.4.4	Conditional trigger feature capability requirements	
	8.5		oller feature	
	0.5	8.5.1	Controller feature definition	
		8.5.2	Controller feature data exchange requirements	
		8.5.3		
			Controller feature capability requirements	
	0.6	8.5.4	Controller performance requirements	
	8.6		lan feature	
		8.6.1	Day plan feature definition	
		8.6.2	Day plan feature data exchange requirements	
	0 =	8.6.3	Day plan feature functional requirements	
	8.7		mic object feature	
		8.7.1	Dynamic object feature definition	
		8.7.2	Dynamic object feature data exchange requirements	
		8.7.3	Dynamic object feature capability requirements	
		8.7.4	Dynamic object feature functional requirement	
		8.7.5	Dynamic object feature performance requirement	
	8.8		device feature	
		8.8.1	Field device definition	
		8.8.2	General field device features	47
		8.8.3	Ambient air temperature	48

	8.8.4	Ambient light	
	8.8.5	Ambient relative humidity	49
	8.8.6	Auxiliary bi-directional port	49
	8.8.7	Auxiliary input port	49
	8.8.8	Auxiliary output port	
	8.8.9	Field device air conditioner	
	8.8.10		
		Field device dehumidifier	
		Field device doors	
		Field device fans	
		Field device generator	
		Field device heaters	
		Field device humidity	
		Field device mains power	
		Field device power supply	
		Field device processor temperature	
		Field device solar power	
		Field device temperature	
		Field device temperature	
8.9		Field device wind power ature	
0.9	8.9.1	File feature definition	
	8.9.2	File feature data exchange requirements	
8.10		ng featureng	
0.10		Logging feature definition	
	0.10.2	Logging feature data exchange requirements	
		Logging feature functional requirements	
0.11	8.1U.4	Logging feature capability requirements	5/
8.11			
		Notification channel	
	8.11.2	Notification factoryIndependent notification	
0.13		Notification aggregator	
8.12		r feature	
		Owner feature definition	
0.12		Owner feature data exchange requirements	
8.13		ding feature	
		Recording feature definition	
		Recording feature data exchange requirements	
		Recording feature capability requirements	
0.44		Recording feature functional requirement	
8.14		uled trigger feature	
		Scheduled trigger feature definition	
		Scheduled trigger feature data exchange requirements	
		Scheduled trigger feature functional requirements	
		Scheduled trigger feature capability requirements	
8.15		e communications feature	
		Secure communications feature definition	
		Secure communications protocol requirements	
0.46		Secure communications conformance requirements	
8.16		target feature	
		SNMP target feature definition	
		SNMP target feature data exchange requirements	
0.4=		SNMP target feature capability requirements	
8.17		up feature	
		Start-up feature definition	
0.40		Start-up feature data exchange requirements	
8.18		emental roadside sensors and actuators (SRSA) feature	
	8.18.1	SRSA feature definition	

		8.18.2 SRSA feature data exchange requirements	77				
		8.18.3 SRSA feature capability requirements	78				
		8.18.4 SRSA feature performance requirements					
		8.18.5 SRSA feature supplemental requirements					
	8.19	System log feature					
		8.19.1 System log feature definition					
		8.19.2 System log feature data exchange requirements					
	0.00	8.19.3 System log feature capability requirements					
	8.20	Transaction feature					
		8.20.1 Transaction feature definition					
		<ul><li>8.20.2 Transaction feature data exchange requirements</li><li>8.20.3 Transaction feature functional requirements</li></ul>					
	8.21	View-based access control model (VACM) feature					
	0.21	8.21.1 VACM feature definition					
		8.21.2 VACM feature data exchange requirements					
		9 -					
9		ogues					
	9.1	General dialogue rules					
		9.1.1 Management station initiated					
		9.1.2 SNMP agent performance requirements					
	9.2	9.1.3 Generic and custom dialogues Generic dialogues					
	9.2	9.2.1 Get elemental data					
		9.2.2 Set elemental data					
		9.2.3 Walk data					
		9.2.4 Get bulk data					
		9.2.5 Get tabular data					
		9.2.6 Set tabular data	83				
		9.2.7 Get data column					
		9.2.8 Get counters 9.3.4 Stational Counters 9.3.8 Get counters					
		9.2.9 Get data from dynamic table entry	84				
		9.2.10 Get row status of dynamic table entry					
		9.2.11 Configure entry of a dynamic table	85				
		9.2.12 Configure entry of a dynamic table with TestAndIncr					
		9.2.13 Toggle active status of a dynamic table entry	86				
		9.2.15 Send a notification					
		9.2.16 Retrieve dynamic object data					
		9.2.17 Set dynamic object data					
		9.2.18 Retrieve a file					
		9.2.19 Generate a file	88				
<b>10</b>	Secui	rity	88				
	10.1	Vulnerabilities					
	10.2	Authentication and access control					
	10.3	Encryption					
	10.4	Security recommendations					
Annex A (informative) Conformance							
Anne	ex B (inf	formative) Management information base (MIB) summary	93				
D:LI:	Pibliography						

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <a href="https://www.iso.org/patents">www.iso.org/patents</a>. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

A list of all parts in the ISO 26048 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

ISO/TS 26048-1:2025

https://standards.iteh.ai/catalog/standards/iso/f9dc43d2-f5b9-43e4-9206-9ca2f756a74b/iso-ts-26048-1-2025