
Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 3. del: Medsebojno delovanje na medsistemskem vmesniku (ISI) - 15. poddel: Neodvisnost transportnih plasti dodatne omrežne funkcije, upravljanje mobilnosti (ANF-ISIMM)

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D) - Part 3: Interworking at the Inter-System Interface (ISI) - Sub-part 15: Transport layer independent Additional Network Feature, Mobility Management (ANF-ISIMM)

Sample Document

get full document from standards.iteh.ai

Ta slovenski standard je istoveten z: ETSI EN 300 392-3-15 V1.5.0 (2026-04)

ICS:

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
35.100.40	Transportni sloj	Transport layer

oSIST prEN 300 392-3-15 V1.5.0:2026 en

Sample Document

get full document from standards.iteh.ai

Draft ETSI EN 300 392-3-15 V1.5.0 (2026-04)



EUROPEAN STANDARD

**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 15: Transport layer independent Additional Network
Feature, Mobility Management (ANF-ISIMM)**

ReferenceREN/TCCE-03277

Keywordsmanagement, mobility, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	17
1 Scope	18
2 References	19
2.1 Normative references	19
2.2 Informative references.....	20
3 Definition of terms, symbols and abbreviations.....	20
3.1 Terms.....	20
3.2 Symbols.....	23
3.3 Abbreviations	23
4 Overview	25
4.1 General	25
4.2 Applicability.....	25
4.2.1 Entities	25
4.2.2 Services.....	25
4.3 Testability.....	26
4.4 Provision/withdrawal.....	26
4.5 Activation/deactivation	26
4.6 Charging.....	26
5 The generic ANF-ISIMM stage 1 service model	26
5.1 ANF-ISIMM - the service provider.....	26
5.2 SwMI MMs - the ANF-ISIMM service users.....	27
5.3 Stage 1 description conventions	28
6 Migration service description - stage 1	29
6.1 Pre-requisite requirements for the migration service.....	29
6.2 Service definition	29
6.3 Service description	29
6.4 Service architecture	30
6.5 Normal procedures	31
6.5.1 Invocation	31
6.5.1.1 Invocation criteria	31
6.5.1.2 Invocation of ANF-ISIMM.....	31
6.5.2 Operation	33
6.5.2.1 General.....	33
6.5.2.2 Migration with pre-defined migration profile(s) (applicable for case 1).....	34
6.5.2.2.1 Support for call restoration.....	34
6.5.2.2.2 Final migration approval	34
6.5.2.3 Migration with migration profile exchange (applicable for case 2, 3a and 3b).....	36
6.5.2.3.1 Basic migration profile exchange	36
6.5.2.3.2 SS-migration profile(s) exchange (applicable for case 3a).....	46
6.5.2.3.3 Support for call restoration.....	48
6.5.2.3.4 Final migration approval (applicable for cases 2), 3a) and 3b)).....	48
6.5.2.3.5 SS-migration profile exchange after final migration approval (applicable for case 3b)).....	49
6.6 Interactions	49
6.6.1 Interactions with the authentication service.....	49
6.6.2 Interactions with the group attachment and the group detachment services	49
7 Restricted migration service description - stage 1.....	49
7.1 Pre-requisite requirements for the restricted migration service.....	49
7.2 Service definition	50
7.3 Service description	50
7.4 Service architecture	51

7.5	Normal procedures	51
7.5.1	Invocation	51
7.5.1.1	Invocation criteria	51
7.5.1.2	Invocation of ANF-ISIMM	52
7.5.2	Operation	54
7.5.2.1	General	54
7.5.2.2	Operation when the individual subscriber visited SwMI MM invokes restricted migration	55
7.5.2.3	Invocation of RSI	56
7.5.2.4	Support for emergency call restoration	56
7.5.2.5	Receipt of restricted migration approval	56
7.6	Exceptional procedures	56
7.6.1	General	56
7.6.2	Detected by the individual subscriber visited SwMI MM	57
7.6.3	Detected by the individual subscriber home SwMI MM	58
7.7	Interactions	58
7.7.1	Interactions with the authentication service	58
7.7.2	Interactions with the group attachment and the group detachment services	58
8	Removal of Subscriber Information (RSI) service description - stage 1	58
8.1	Service definition	58
8.2	Service description	58
8.3	Service architecture	59
8.4	Normal procedures	59
8.4.1	Invocation	59
8.4.1.1	Invocation criteria	59
8.4.1.2	Invocation of ANF-ISIMM	60
8.4.2	Operation	61
8.5	Exceptional procedures	63
8.6	Interaction with authentication	64
9	De-registration service description - stage 1	64
9.1	Service definition	64
9.2	Service description	64
9.3	Service architecture	64
9.4	Normal procedures	65
9.4.1	Invocation	65
9.4.1.1	Invocation criteria	65
9.4.1.2	Invocation of ANF-ISIMM	65
9.4.2	Operation	66
9.5	Exceptional procedures	67
10	Profile update service description - stage 1	68
10.1	Service definition	68
10.2	Service description	68
10.3	Service architecture	68
10.4	Normal procedures	69
10.4.1	Invocation	69
10.4.1.1	Invocation criteria	69
10.4.1.2	Invocation of ANF-ISIMM	70
10.4.2	Operation	80
10.5	Exceptional operation	90
11	SS-profile update service description - stage 1	90
11.1	Service definition	90
11.2	Service description	91
11.3	Service architecture	91
11.4	Normal procedures	91
11.4.1	Invocation	91
11.4.1.1	Invocation criteria	91
11.4.1.2	Invocation of ANF-ISIMM	92
11.4.2	Operation	92
11.4.2.1	Creation of temporary SS-migration profiles	92
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles	93

11.5	Exceptional operation.....	94
12	Authentication service description - stage 1.....	95
12.1	Pre-requisite requirements for the authentication service.....	95
12.2	Service definition	96
12.3	Service description	96
12.4	Service architecture	96
12.5	Normal procedures	96
12.5.1	Invocation	96
12.5.1.1	Invocation criteria	96
12.5.1.2	Invocation of ANF-ISIMM.....	97
12.5.2	Operation (relevant for case 1)	98
12.5.2.1	Exchange of authentication parameters.....	98
12.5.2.2	Sending of authentication result.....	98
12.6	Exceptional procedures	99
12.6.1	General.....	99
12.6.2	Detected by the individual subscriber visited SwMI MM	100
12.6.3	Detected by the individual subscriber home SwMI MM	100
12.7	Interaction with migration and restricted migration	101
12.7.1	Normal operation	101
12.7.2	Exceptional procedures.....	101
13	Over The Air Re-keying (OTAR) service description - stage 1.....	102
13.1	Pre-requisite requirements.....	102
13.2	Service definition	102
13.3	Service description	102
13.4	Service architecture	103
13.5	Normal procedures	103
13.5.1	Invocation	103
13.5.1.1	Invocation criteria	103
13.5.1.2	Invocation of ANF-ISIMM.....	104
13.5.1.2.1	Case 1).....	104
13.5.1.2.2	Case 2).....	104
13.5.1.2.3	Case 3).....	104
13.5.1.2.4	Case 4).....	105
13.5.2	Operation	105
13.5.2.1	Case 1)	105
13.5.2.2	Case 2)	106
13.5.2.3	Case 3)	107
13.5.2.4	Case 4)	108
13.6	Exceptional procedures	108
13.6.1	General.....	108
13.6.2	Detected by the individual subscriber visited SwMI MM	109
13.6.3	Detected by the individual subscriber home SwMI MM	110
14	Individual subscriber Database Recovery (IDR) service description - stage 1	110
14.1	Service definition	110
14.2	Service description	110
14.3	Service architecture	111
14.4	Normal procedures	111
14.4.1	Invocation	111
14.4.1.1	Invocation criteria	111
14.4.1.2	Invocation of ANF-ISIMM.....	112
14.4.2	Operation (relevant for case 1 and 2 unless otherwise stated).....	114
14.4.2.1	The individual subscriber visited SwMI MM receives the HMM recovery indication.....	114
14.4.2.2	The individual subscriber home SwMI MM receives the VMM recovery indication.....	114
14.4.2.3	The virtual migration or restricted migration	115
14.4.2.4	The virtual RSI.....	115
14.4.2.5	The iteration	116
14.4.2.6	The completion of the IDR	116
14.4.2.6.1	VMM recovery	116
14.4.2.6.2	HMM recovery	116
14.5	Exceptional procedures	117

15	Group attachment service description - stage 1	118
15.1	Service definition	118
15.2	Service description	118
15.3	Service architecture	119
15.4	Normal procedures	119
15.4.1	Invocation	119
15.4.1.1	Invocation criteria	119
15.4.1.2	Invocation of ANF-ISIMM	121
15.4.1.2.1	Case 1)	121
15.4.1.2.2	Cases 2) to 4)	122
15.4.1.2.3	Case 5)	123
15.4.1.2.4	Case 6)	128
15.4.2	Operation	129
15.4.2.1	Case 1)	129
15.4.2.1.1	General	129
15.4.2.1.2	Group attachment with pre-defined migration profile(s)	130
15.4.2.1.3	Group attachment with migration profile exchange	132
15.4.2.1.4	SS-migration profile(s) exchange	137
15.4.2.2	Cases 2) to 4)	140
15.4.2.2.1	Updates to G-HDB	140
15.4.2.2.2	Sending of group attachment approval	140
15.4.2.2.3	Receipt of group attachment approval	141
15.4.2.3	Case 5)	141
15.4.2.3.1	General	141
15.4.2.3.2	Group home SwMI MM initiated group attachment with pre-defined migration profile(s)	141
15.4.2.3.3	Group home SwMI MM initiated group attachment with migration profile exchange	143
15.4.2.4	Case 6)	145
15.4.2.4.1	Additional Group home SwMI MM initiated group attachment	145
15.5	Exceptional procedures	146
15.5.1	General	146
15.5.2	Detected by the group visited SwMI MM	147
15.5.3	Detected by the group home SwMI MM	148
15.6	Interactions	148
16	Group detachment service description (stage 1)	149
16.1	Service definition	149
16.2	Service description	150
16.3	Service architecture	151
16.4	Normal procedures	151
16.4.1	Invocation	151
16.4.1.1	General	151
16.4.1.2	Invocation of ANF-ISIMM	152
16.4.1.2.1	Cases 1) to 3)	152
16.4.1.2.2	Case 4)	153
16.4.2	Operation	154
16.4.2.1	Cases 1) to 3)	154
16.4.2.2	Case 4)	155
16.5	Exceptional procedures	156
16.6	Interactions	157
17	Group Database Recovery (GDR) service description - stage 1	158
17.1	Service definition	158
17.2	Service description	158
17.3	Service architecture	159
17.4	Normal procedures	159
17.4.1	Invocation	159
17.4.1.1	Invocation criteria	159
17.4.1.2	Invocation of ANF-ISIMM	160
17.4.2	Operation (applicable for cases 1) and 2) unless otherwise stated)	161
17.4.2.1	Verification of age information	161
17.4.2.2	The group visited SwMI MM receives the G-HDR indication	162
17.4.2.3	The group home SwMI MM receives the G-VDR indication	162

17.4.2.4	The virtual group attachment and detachment	163
17.4.2.5	The iteration	164
17.4.2.6	The completion of the GDR	164
17.4.2.6.1	G-HDR	164
17.4.2.6.2	G-VDR	164
17.5	Exceptional procedures	165
18	Group linking/unlinking service description - stage 1	166
18.1	Service definition	166
18.2	Service description	167
18.3	Service architecture	167
18.4	Normal procedures	168
18.4.1	Invocation	168
18.4.1.1	Invocation criteria	168
18.4.1.2	Invocation of ANF-ISIMM	168
18.4.1.2.1	Case 1) - group linking service - Sending of Linking_req	168
18.4.1.2.2	Case 2) - group unlinking service	169
18.4.1.2.3	Case 3) - remote group unlinking service	169
18.4.2	Operation	170
18.4.2.1	General	170
18.4.2.2	Case 1) - group linking service	170
18.4.2.2.1	First phase of group linking service	170
18.4.2.2.2	Second phase of group linking service	171
18.4.2.3	Case 2) - group unlinking service	173
18.4.2.4	Case 3) - remote group unlinking service	174
18.5	Exceptional procedures	174
18.5.1	General	174
18.5.2	Case 1) - group linking service	174
18.5.3	Case 2) - group unlinking service	175
18.5.4	Case 3) - remote group unlinking service	176
18.6	Interactions	177
19	Linked group attachment service description - stage 1	177
19.1	Service definition	177
19.2	Service description	177
19.3	Service Architecture	177
19.4	Normal Procedure	178
19.4.1	Invocation	178
19.4.1.1	Invocation criteria	178
19.4.1.2	Invocation of ANF-ISIMM	178
19.4.1.2.1	Case 1	178
19.4.1.2.2	Case 2	179
19.4.2	Operation	179
19.5	Exceptional cases	179
19.6	Interactions	179
20	Linked group detachment service description - stage 1	180
20.1	Service definition	180
20.2	Service description	180
20.3	Service architecture	180
20.4	Normal procedure	180
20.4.1	Invocation	180
20.4.1.1	Invocation criteria	180
20.4.1.2	Invocation of ANF-ISIMM	181
20.4.1.2.1	Case 1	181
20.4.1.2.2	Case 2	181
20.4.2	Operation	182
20.5	Exceptional cases	182
20.6	Interactions	182
21	ANF-ISIMM stage 2 specification	182
21.1	General	182
21.2	Functional model	182

21.3	Information flow diagrams	183
22	Migration - stage 2 information flow sequences	183
22.1	General	183
22.2	Normal operation.....	183
22.2.1	Migration with pre-defined profile(s)	183
22.2.2	Migration with basic migration profile exchange	184
22.2.3	Migration with basic migration and SS-migration profiles exchange.....	186
22.2.3.1	SS-migration profiles exchanged before final migration approval.....	186
22.2.3.2	SS-migration profiles exchanged after final migration approval	188
22.3	Exceptional operation.....	190
22.3.1	Migration rejection request upon receipt of the Migration_ind	190
22.3.2	Migration rejection request upon receipt of Profile update result and SS-profile update result	191
22.4	FE actions for subscriber migration	193
22.4.1	FE actions of FE1	193
22.4.2	FE actions of FE3	193
23	Restricted migration - stage 2 information flow sequences	194
23.1	General	194
23.2	Normal operation.....	194
23.2.1	Restricted migration requested by individual subscriber visited SwMI MM.....	194
23.2.2	Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the individual subscriber visited SwMI MM.....	194
23.2.3	Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the individual subscriber visited SwMI MM	195
23.3	Exceptional operation.....	195
23.4	FE actions for restricted migration	195
23.4.1	FE actions of FE1	195
23.4.2	FE actions of FE3	196
24	Removal of Subscriber Information - stage 2 information flow sequences	196
24.1	General	196
24.2	Normal operation.....	196
24.3	Exceptional operation.....	197
24.4	FE actions for subscriber migration	197
24.4.1	FE actions of FE1	197
24.4.2	FE actions of FE4	198
25	De-registration - stage 2 information flow sequences	198
25.1	General	198
25.2	Normal operation.....	198
25.2.1	Individual subscriber visited SwMI MM initiated de-registration.....	198
25.3	Exceptional operation.....	200
25.3.1	Individual subscriber visited SwMI MM initiated de-registration rejected	200
25.4	FE actions	200
25.4.1	FE actions of FE1	200
25.4.2	FE actions of FE3	201
26	Profile update - stage 2 information flow sequences.....	201
26.1	General	201
26.2	Normal operation.....	202
26.3	Profile update rejection	203
26.4	FE actions for Profile update	203
26.4.1	FE actions of FE1	203
26.4.2	FE actions of FE3	203
27	SS-profile update - stage 2 information flow sequences	204
27.1	General	204
27.2	Normal operation.....	204
27.3	SS-profile update rejection	205
27.4	FE actions for SS-profile update	205
27.4.1	FE actions of FE1	205
27.4.2	FE actions of FE3	205

28	Authentication - stage 2 information flow sequences	206
28.1	General	206
28.2	Normal operation.....	206
28.2.1	Authentication.....	206
28.2.2	Successful subsequent authentication	207
28.3	Authentication invoked in conjunction with migration	208
28.4	Exceptional operation.....	209
28.4.1	Authentication failure in the individual subscriber visited SwMI	209
28.5	FE actions for authentication.....	211
28.5.1	FE actions of FE1	211
28.5.2	FE actions of FE3	212
29	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	212
29.1	General	212
29.2	Normal operation.....	212
29.2.1	OTAR SCK generation service.....	212
29.2.2	Individual subscriber visited SwMI MM initiated OTAR SCK delivery service	214
29.2.3	Individual subscriber home SwMI MM initiated OTAR SCK delivery service	215
29.2.4	OTAR SCK generation service, subsequent use of parameters	216
29.3	Exceptional operation.....	217
29.3.1	Failed OTAR SCK generation service.....	217
29.3.2	Failed individual subscriber visited SwMI MM initiated OTAR SCK delivery.....	219
29.3.3	Failed individual subscriber home SwMI MM initiated OTAR SCK delivery.....	220
29.3.4	Failed subsequent use of OTAR SCK generation parameters	221
29.4	FE actions for OTAR	221
29.4.1	FE actions of FE1	221
29.4.2	FE actions of FE3	222
30	Individual subscriber database recovery - stage 2 information flow sequences.....	222
30.1	General	222
30.2	Normal operation.....	222
30.2.1	HMM recovery	222
30.2.2	VMM recovery	226
30.3	Exceptional operation.....	229
30.3.1	Rejection of HMM recovery	229
30.3.2	Rejection of VMM recovery.....	230
30.4	FE actions	230
30.4.1	FE actions of FE1	230
30.4.2	FE actions of FE3	231
30.4.3	FE actions of FE4	231
31	Group attachment - stage 2 information flow sequences	232
31.1	Normal operation.....	232
31.1.1	Group visited SwMI MM initiated group attachment without migration profile exchange.....	232
31.1.2	Group visited SwMI MM initiated first group attachment with migration profile exchange	233
31.1.3	Group home SwMI MM initiated group attachment without migration profile exchange.....	235
31.1.4	Group home SwMI MM initiated group attachment with migration profile exchange.....	235
31.2	Exceptional operation.....	238
31.2.1	Rejection of group visited SwMI MM initiated group attachment without migration profile exchange ..	238
31.2.2	Rejection of profile update in connection to group home SwMI MM initiated group attachment with migration profile exchange	239
31.2.3	Rejection of group home SwMI MM initiated group attachment without migration profile exchange	240
31.2.4	Rejection of group home SwMI MM initiated group attachment with migration profile exchange	241
31.3	FE actions	242
31.3.1	FE actions of FE2	242
31.3.2	FE actions of FE6	242
32	Normal operation for group detachment - stage 2 information flow sequences.....	243
32.1	Normal operation.....	243
32.1.1	Group visited SwMI MM initiated group detachment	243
32.1.2	Group home SwMI MM initiated group detachment.....	244
32.2	Exceptional operation.....	245
32.2.1	Rejection of group visited SwMI MM initiated group detachment	245

32.2.2	Rejection of group home SwMI MM initiated group detachment rejection	246
32.3	FE actions	246
32.3.1	FE actions of FE2	246
32.3.2	FE actions of FE3	247
33	Group database recovery - stage 2 information flow sequences	248
33.1	Normal operation.....	248
33.1.1	G-HDR.....	248
33.1.2	G-VDR.....	250
33.2	Exceptional operation.....	252
33.2.1	Rejection of G-HDR	252
33.2.2	Rejection of G-VDR	253
33.3	FE actions	253
33.3.1	FE actions of FE2	253
33.3.2	FE actions of FE6	254
34	Group linking/unlinking - stage 2 information flow scenarios.....	254
34.1	Normal operation.....	254
34.2	Exceptional operation - group linking rejected by participating SwMI	254
34.3	FE actions	254
34.3.1	FE actions of FE5	254
34.3.2	FE actions of FE6	254
35	Linked group attachment/detachment - stage 2 information flow scenarios.....	255
35.1	Normal operation.....	255
35.1.1	Group linking participating SwMI MM initiated attachment to a linked group	255
35.1.2	Group linking participating SwMI MM initiated detachment from a linked group.....	255
35.2	Exceptional operation - attach linked group rejected by linking controlling SwMI.....	256
35.3	FE actions	257
35.3.1	FE actions of FE2	257
35.3.2	FE actions of FE5	258
36	Definition of stage 2 information flows	258
36.1	General	258
36.2	ATTACH LINKED GROUP	258
36.3	ATTACH LINKED GROUP REJECT	259
36.4	AUTHENTICATION DEMAND	259
36.5	AUTHENTICATION RESPONSE.....	259
36.6	AUTHENTICATION RESULT	260
36.7	AUTH REJECT.....	260
36.8	DE-REGISTRATION	260
36.9	DE-REG REJECT	261
36.10	DETACH LINKED GROUP	261
36.11	GROUP ATTACHMENT	261
36.12	GROUP ATT REJECT	262
36.13	GROUP DETACHMENT	262
36.14	GROUP DET REJECT	263
36.15	HMM RECOVERY	263
36.16	HMM RECOVERY COMPLETED.....	263
36.17	HMM RECOVERY REJECT	264
36.18	LINKING	264
36.19	LINKING COMMAND	264
36.20	LINKING REJECT	264
36.21	MIGRATION	265
36.22	MIGRATION REJECT	265
36.23	OTAR-KEY DEMAND	266
36.24	OTAR-KEY PROVIDE	266
36.24a	OTAR-EXTENDED KEY PROVIDE	267
36.25	OTAR-KEY REJECT	267
36.26	OTAR-KEY RESULT	267
36.27	OTAR-PARAM DEMAND	268
36.28	OTAR-PARAM PROVIDE	268
36.28a	OTAR-EXTENDED PARAM PROVIDE	268

36.29	OTAR-PARAM REJECT	269
36.30	OTAR-PARAM RESULT	269
36.31	PROFILE REJECT	269
36.32	PROFILE UPDATE	270
36.33	REMOTE UNLINKING	270
36.34	REMOVE REJECT	270
36.35	REMOVE SUBS	270
36.36	SS-PROFILE REJECT	271
36.37	SS-PROFILE UPDATE	271
36.38	UNLINKING	272
36.39	UNLINKING REJECT	272
36.40	VMM RECOVERY	272
36.41	VMM RECOVERY COMPLETED	272
36.42	VMM RECOVERY REJECT	273
36.43	Profiles	273
36.43.1	Basic migration profiles	273
36.43.1.1	Group basic migration profile (original and temporary)	273
36.43.1.2	Individual basic migration profile	274
36.43.2	SS-migration profile (original and temporary)	276
37	ANF-ISIMM encoding requirements - stage 3	276
37.1	Introduction	276
37.2	ANF-ISIMM PDU description tables	276
37.2.1	General	276
37.2.2	ATTACH LINKED GROUP	277
37.2.3	ATTACH LINKED GROUP RESPONSE	277
37.2.4	ATTACH LINKED GROUP REJECT	278
37.2.5	AUTHENTICATION DEMAND	278
37.2.6	AUTHENTICATION RESPONSE	279
37.2.7	AUTHENTICATION RESULT	279
37.2.8	AUTH REJECT	280
37.2.9	DE-REGISTRATION	280
37.2.10	DE-REGISTRATION RESPONSE	281
37.2.11	DE-REG REJECT	281
37.2.12	DETACH LINKED GROUP	281
37.2.13	DETACH LINKED GROUP RESPONSE	282
37.2.14	GROUP ATTACHMENT	282
37.2.15	GROUP ATTACHMENT RESPONSE	283
37.2.16	GROUP ATT REJECT	284
37.2.17	GROUP DETACHMENT	284
37.2.18	GROUP DETACHMENT RESPONSE	285
37.2.19	GROUP DET REJECT	285
37.2.20	HMM RECOVERY	286
37.2.21	HMM RECOVERY COMPLETED	286
37.2.22	HMM RECOVERY REJECT	287
37.2.23	HMM RECOVERY RESPONSE	287
37.2.24	LINKING	287
37.2.25	LINKING COMMAND	287
37.2.26	LINKING COMMAND RESPONSE	287
37.2.27	LINKING REJECT	288
37.2.28	LINKING RESPONSE	288
37.2.29	MIGRATION	288
37.2.30	MIGRATION REJECT	288
37.2.31	MIGRATION REJECT RESPONSE	289
37.2.32	MIGRATION RESPONSE	289
37.2.33	OTAR-KEY DEMAND	290
37.2.34	OTAR-KEY PROVIDE	290
37.2.34a	OTAR-EXTENDED-KEY PROVIDE	291
37.2.35	OTAR-KEY REJECT	291
37.2.36	OTAR-KEY RESULT	292
37.2.37	OTAR-PARAM DEMAND	292
37.2.38	OTAR-PARAM PROVIDE	292

37.2.38a	OTAR-EXTENDED PARAM PROVIDE.....	293
37.2.39	OTAR-PARAM REJECT.....	293
37.2.40	OTAR-PARAM RESULT.....	294
37.2.41	PROFILE REJECT.....	294
37.2.42	PROFILE UPDATE.....	295
37.2.43	PROFILE UPDATE RESPONSE.....	295
37.2.44	REMOTE UNLINKING.....	296
37.2.45	REMOVE REJECT.....	296
37.2.46	REMOVE SUBS.....	296
37.2.47	REMOVE SUBS RESPONSE.....	297
37.2.48	SS-PROFILE REJECT.....	297
37.2.49	SS-PROFILE UPDATE.....	297
37.2.50	SS-PROFILE UPDATE RESPONSE.....	298
37.2.51	UNLINKING.....	298
37.2.52	UNLINKING REJECT.....	298
37.2.53	UNLINKING RESPONSE.....	298
37.2.54	VMM RECOVERY.....	299
37.2.55	VMM RECOVERY COMPLETED.....	299
37.2.56	VMM RECOVERY REJECT.....	299
37.2.57	VMM RECOVERY RESPONSE.....	300
37.3	PDU information element encoding.....	300
37.3.1	Advanced link.....	300
37.3.2	Age stamp.....	301
37.3.3	AI encryption state list.....	301
37.3.4	ANF-ISIMM invoke id.....	302
37.3.5	Attach linked group rejection cause.....	302
37.3.6	Authentication invocation.....	302
37.3.7	Authentication rejection cause.....	303
37.3.8	Authentication service.....	303
37.3.9	Authentication type.....	304
37.3.10	Basic migration profile info.....	304
37.3.11	Call restoration support.....	304
37.3.12	Call time-out set-up phase timer (T301).....	304
37.3.13	Call time-out timer (T310).....	305
37.3.14	Circuit mode protected (high) data service.....	306
37.3.15	Circuit mode protected (low) data service.....	306
37.3.16	Circuit mode unprotected speech + data service.....	307
37.3.17	Default SS-information.....	307
37.3.18	De-registration rejection cause.....	308
37.3.19	De-registration type.....	308
37.3.20	Duplex service.....	308
37.3.21	End-to-end encryption service.....	309
37.3.22	First/Subsequent Group attachment.....	309
37.3.23	Following conditional element(s) present.....	309
37.3.24	Forced removal.....	310
37.3.25	Group attachment/detachment.....	310
37.3.26	Group attachment rejection cause.....	310
37.3.27	Group basic migration profile (original and temporary).....	311
37.3.28	Group detachment rejection cause.....	312
37.3.29	Group information.....	312
37.3.30	Group information in subscriber profile.....	312
37.3.31	Group priority.....	313
37.3.32	GSSI.....	313
37.3.33	Home/Visited SwMI MM initiated.....	313
37.3.34	Individual basic migration profile (original and temporary).....	314
37.3.35	Interleaving depth.....	315
37.3.36	IP service.....	315
37.3.37	ISSI.....	316
37.3.38	Last group detachment.....	316
37.3.39	Linking rejection cause.....	316
37.3.40	Maximum number of timeslots.....	316
37.3.41	Migration rejection cause.....	317

37.3.42	Migration type	317
37.3.43	MNI	318
37.3.44	Not supported SS	318
37.3.45	Number of not supported SSs	318
37.3.46	Number of SS-information	318
37.3.47	Original/Subsequent use of param	318
37.3.48	OTAR SCK delivery service	318
37.3.49	OTAR SCK generation service.....	319
37.3.50	OTAR SCK key rejection cause	320
37.3.51	OTAR SCK param rejection cause	320
37.3.52	Other linked group	320
37.3.53	PDU type	321
37.3.54	Pre-defined profile set reference(s).....	322
37.3.55	Profile exchange support	323
37.3.56	Profile rejection cause.....	323
37.3.57	Profile type.....	323
37.3.58	Point-to-multipoint acknowledged service	323
37.3.59	Point-to-multipoint broadcast service	324
37.3.60	Point-to-multipoint service	324
37.3.61	Point-to-point service.....	325
37.3.62	Profile status	325
37.3.63	Proprietary	326
37.3.64	Recovery	326
37.3.65	Recovery rejection cause	326
37.3.66	Recovery type	326
37.3.67	Restricted migration support.....	326
37.3.68	RSI rejection cause	327
37.3.69	SDS profile	327
37.3.70	Speech service	327
37.3.71	SS-information.....	328
37.3.72	SS-information response.....	328
37.3.73	SS-migration profile (original)	328
37.3.74	SS-migration profile response (temporary).....	329
37.3.75	SS-profile response status	329
37.3.76	SS-profile update indicator	329
37.3.77	SS-response status	329
37.3.78	SS-status	330
37.3.79	SS-type.....	330
37.3.80	Subscriber information	330
37.3.81	Subscriber information in group profile.....	330
37.3.82	Subscriber status	331
37.3.83	Type 3 element identifier	331
37.3.84	Unlinking rejection cause	331
37.3.85	Validity time	331
37.3.86	Validity time type	332
38	ANF-ISIMM procedures - stage 3.....	332
38.1	General	332
38.2	Generic procedures.....	332
38.2.1	General.....	332
38.2.2	Invoking SwMI.....	332
38.2.3	Receiving SwMI	332
38.2.4	Clearing of ISI GFP transport connection.....	332
38.2.5	Convert primitive to PDU.....	333
38.2.6	Convert PDU to primitive.....	333
38.2.7	Correspondence between ANF-ISIMM primitives and PDUs.....	333
38.3	SDL descriptions	334
38.4	Migration.....	334
38.4.1	General.....	334
38.4.2	Individual subscriber visited SwMI ANF-ISIMM	334
38.4.3	Individual subscriber home SwMI ANF-ISIMM.....	335
38.5	Restricted migration	337