



SLOVENSKI STANDARD
oSIST prEN 304 631 V1.0.0:2026

01-september-2026

Kibernetska varnost (CYBER) - CRA - Zahteve za kibernetsko varnost za virtualne pomočnike splošnega namena v pametnih domovih

Cyber Security (CYBER) - CRA - Cybersecurity requirements for smart home general purpose virtual assistants

Sample Document

Ta slovenski standard je istoveten z: ETSI EN 304 631 V1.0.0 (2026-07)

ICS:

35.030

Informacijska varnost

IT Security

oSIST prEN 304 631 V1.0.0:2026

en

2003-01.Slovenski inštitut za standardizacijo. Razmnoževanje celote ali delov tega standarda ni dovoljeno.

Sample Document

get full document from standards.iteh.ai

Draft ETSI EN 304 631 V1.0.0 (2026-07)



**Cyber Security (CYBER);
CRA;
Cybersecurity requirements for
smart home general purpose virtual assistants**

Sample Document
get full document from standards.iteh.ai

Reference

DEN/CYBER-EUS-0011

Keywords

CRA, cybersecurity, intelligent homes & buildings

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part of this document may be reproduced in any form, by any means and in any media, without the prior written authorization of ETSI and except as expressly permitted below.

By way of exception and when the document is a normative deliverable (European Standard (EN), Technical Specification (TS), Group Specification (GS) or ETSI Standard (ES)), ETSI authorizes to reproduce and incorporate into products, services and technical documentation only those extracts (e.g. templates) that are strictly necessary for the technical implementation of the normative deliverable, to ensure compliance with the latter. Nothing in this notice shall be construed as limiting any mandatory exceptions to copyright provided by applicable law.

© ETSI 2026.
All rights reserved.

Contents

Intellectual Property Rights	10
Foreword.....	10
Modal verbs terminology	11
Introduction	11
1 Scope	12
2 References	12
2.1 Normative references	12
2.2 Informative references	12
3 Definition of terms, symbols and abbreviations.....	13
3.1 Terms	13
3.1.1 Architecture related terms	13
3.1.2 Asset categories.....	14
3.1.3 Communication types.....	14
3.1.4 Data assets.....	15
3.1.5 Data related terms	16
3.1.6 Function assets	17
3.1.7 Function related terms.....	18
3.1.8 Interface	22
3.1.9 Operational environments	23
3.1.10 Users.....	23
3.2 Symbols	23
3.3 Abbreviations.....	24
4 Product context.....	26
4.1 Product functions	26
4.1.1 Function assets	26
4.1.2 Data assets.....	26
4.2 Product architecture	27
4.3 Operational environment	28
4.3.1 General description	28
4.3.2 Physical/Hardware environment	28
4.3.3 Logical/Software environment	29
4.3.4 Connectivity aspects.....	29
4.4 Distribution of security functions	29
4.5 Users	30
4.6 Use cases.....	30
5 Technical requirements for products	30
5.1 Introduction - Applicability of the requirements	30
5.2 Appropriate level of cybersecurity.....	30
5.2.0 Introduction on appropriate level of cybersecurity requirements	30
5.2.1 [USERNOT-NOSECFUC] User notifications on not available security functions.....	30
5.2.2 [USERNOT-SECREL] Language and representation for security-related user notifications	30
5.2.3 [GUI-SECCONF] Visual representation of security-related configuration via GUIs	31
5.2.4 [BACKUP-TRANS] Data transfer mechanisms for loss sensitive data	31
5.2.5 [BACKUP-AUTOTRANS] Automatic data transfer mechanisms for loss sensitive data	31
5.2.6 [BACKUP-EXPORT] Data export mechanisms for loss sensitive data.....	31
5.3 No known exploitable vulnerabilities	31
5.3.0 Introduction on no known exploitable vulnerabilities	31
5.3.1 [NKEV-MKAV] No known exploitable vulnerabilities	31
5.3.2 [NKEV-INIT-UDP] Initial security update before or during first use	31
5.4 Secure by default configuration	32
5.4.0 Introduction on secure by default configuration.....	32
5.4.1 [SDC-AUM-FH] Default configuration of authentication for functions whose use can cause harm	32
5.4.2 [SDC-SUM-AUTO] Default configuration of automated security updates	32

5.4.3	[SDC-SUM-NOTIF] Default configuration of update notifications	32
5.4.4	[SDC-FRM] Factory reset to restore the default state	32
5.4.5	[SDC-MON-HANDLE] Handling of events by default	33
5.4.6	[CRY-GENERAL] General requirements related to cryptography	33
5.4.7	[CRY-CCK-PRE-LEN] Key size of preinstalled long term confidential cryptographic keys	33
5.4.8	[CRY-CCK-GEN] Default key size of generated long term confidential cryptographic keys	33
5.4.9	[CRY-PW-PRE-COM] Complexity of preinstalled passwords	33
5.4.10	[CRY-PW-GEN-COM] Default complexity of generated passwords	33
5.4.11	[CRY-PW-USR-COM] Recommended complexity of user chosen passwords	34
5.5	Security updates	34
5.5.0	Introduction on security updates	34
5.5.1	[SU-SUPPORT] Secure software update mechanism	34
5.5.2	[SU-PROVIDE] Secure software update mechanism for core components	34
5.5.3	[SU-AUTO] Automated security updates	34
5.5.4	[SU-DISABLE-AUTO] Option to disable automated security updates	35
5.5.5	[SU-POSTPONE-AUTO] Option to postpone automated security updates	35
5.5.6	[SU-NOTIF] Update notifications	35
5.6	Authentication and access control	35
5.6.0	Introduction on authentication and access control	35
5.6.1	[ACM-FH] Access control for functions whose use can cause harm	35
5.6.2	[AUM-FH] Authentication for functions whose use can cause harm	36
5.6.3	[AUTHZ-LP] Least privilege in authorisation policies	37
5.6.4	[AUTHZ-R] Revocability of granted permissions	37
5.7	Confidentiality protection	37
5.7.0	Introduction on confidentiality protection	37
5.7.1	[CONF-SSM] Confidentiality protecting persistent storage for confidential data	37
5.7.2	[CONF-COM] Communication of confidential data	37
5.7.3	[CONF-MON-HW] Indication of active capture of audio or video data for hardware architectural component SHGPVA	38
5.7.4	[CONF-MON-UI] Indication of active capture of audio or video data for software architectural component SHGPVA with human interfaces	38
5.7.5	[CONF-MON-API] Indication of active capture of audio or video data for software architectural component SHGPVA without a human interface	39
5.7.6	[CONF-CAPT-MUTE] Mechanism to disable capture	39
5.7.7	[CONF-CAPT-MUTE-DISABLE] Allowing capturing after disabling	39
5.8	Integrity protection	39
5.8.0	Introduction on integrity protection	39
5.8.1	[INT-SSM] Integrity protecting persistent storage for integrity relevant data	39
5.8.2	[INT-COM] Communication of integrity relevant data	40
5.8.3	[INT-SWPCK] Software package verification	41
5.9	Data minimisation	41
5.9.0	Introduction on data minimisation	41
5.9.1	[DMIN-DJST] Minimise processed data	41
5.9.2	[DMIN-USERINFO] User Information about processing of audio- and video data	41
5.9.3	[DMIN-LOCAL] Local event detection	42
5.10	Availability protection	42
5.10.0	Introduction on availability protection	42
5.10.1	[AVAI-TIME-RECO-POW] Restoration after loss of power	42
5.10.2	[AVAI-TIME-NETW] Local operation	42
5.10.3	[AVAI-TIME-RECO-NETW] Restoration after loss of network connection	42
5.10.4	[AVAI-TIME-OUTA-NOT] Notify non-availability	42
5.10.5	[AVAI-TIME-PREV-NOT] Notify upcoming limitation	43
5.10.6	[AVAI-TIME-NET-PRIO] Network prioritisation	43
5.10.7	[AVAI-TIME-RES-PRIO] Power resource prioritization	43
5.10.8	[AVAI-TIME-DOS-RATE] Incoming rate limiting	43
5.10.9	[AVAI-SUM-SCHEDULE] Scheduling of updates	43
5.11	Non-interference	43
5.11.0	Introduction on non-interference	43
5.11.1	[NOINF-AMP] Amplification control	44
5.12	Attack surface minimisation	44
5.12.0	Introduction on attack surface minimisation	44
5.12.1	[LAS-INVAL] Validation of external data input	44

5.12.2	[LAS-INSAN] Sanitisation of external data input	44
5.12.3	[LAS-PHY-INF] Only necessary physical interfaces	44
5.12.4	[LAS-LOGIC-INF] Only necessary logical interfaces active by default	44
5.12.5	[LAS-APP] Only necessary apps by default	44
5.12.6	[LAS-SBOOT] Secure boot	45
5.13	Exploit mitigation	45
5.13.0	Introduction on exploit mitigation	45
5.13.1	[PRIV-DATA-HIGH] Privileged access on impact class high data assets	45
5.13.2	[PRIV-FUNC-HIGH] Privileged access on impact class high function assets	45
5.14	Monitoring	45
5.14.0	Introduction on monitoring	45
5.14.1	[MON-LOW] Events to log for low risk SHGPVA	46
5.14.2	[MON-MEDIUM] Events to log for medium risk SHGPVA	46
5.14.3	[MON-HIGH] Events to log for high risk SHGPVA	46
5.14.4	[MON-HANDLE] Handling of events	47
5.14.5	[LOG-TIME] Timestamps for logs	47
5.14.6	[LOG-TIME-HIGH] Real-time timestamps for logs	47
5.14.7	[LOG-STORE-MEDIUM] Logfile persistence for medium risk SHGPVA	47
5.14.8	[LOG-STORE-HIGH] Logfile persistence for high risk SHGPVA	47
5.14.9	[LOG-CONFIG] Configuration of logging mechanisms	48
5.14.10	[LOG-USER-ACC] User access to logs concerning their privacy	48
5.15	Factory reset and data portability	48
5.15.0	Introduction on factory reset and data portability	48
5.15.1	[DLM-PERM] Permanent removal of user-related data	48
6	Assessment criteria for compliance with technical requirements	49
6.1	General	49
6.2	Appropriate level of cybersecurity	50
6.2.1	Assessment criteria for [USERNOT-NOSECFUC]	50
6.2.2	Assessment criteria for [USERNOT-SECREL]	51
6.2.3	Assessment criteria for [GUI-SECCONF]	52
6.2.4	Assessment criteria for [BACKUP-TRANS]	53
6.2.5	Assessment criteria for [BACKUP-AUTOTRANS]	54
6.2.6	Assessment criteria for [BACKUP-EXPORT]	56
6.3	No known exploitable vulnerabilities	57
6.3.1	Assessment criteria for [NKEV-MKAV]	57
6.3.2	Assessment criteria for [NKEV-INIT-UDP]	58
6.4	Secure by default configuration	59
6.4.1	Assessment criteria for [SDC-AUM-FH]	59
6.4.2	Assessment criteria for [SDC-SUM-AUTO]	60
6.4.3	Assessment criteria for [SDC-SUM-NOTIF]	62
6.4.4	Assessment criteria for [SDC-FRM]	63
6.4.5	Assessment criteria for [SDC-MON-HANDLE]	64
6.4.6	Assessment criteria for [CRY-GENERAL]	65
6.4.7	Assessment criteria for [CRY-CCK-PRE-LEN]	65
6.4.8	Assessment criteria for [CRY-CCK-GEN]	66
6.4.9	Assessment criteria for [CRY-PW-PRE-COM]	67
6.4.10	Assessment criteria for [CRY-PW-GEN-COM]	67
6.4.11	Assessment criteria for [CRY-PW-USR-COM]	68
6.5	Security updates	70
6.5.1	Assessment criteria for [SU-SUPPORT]	70
6.5.2	Assessment criteria for [SU-PROVIDE]	71
6.5.3	Assessment criteria for [SU-AUTO]	72
6.5.4	Assessment criteria for [SU-DISABLE-AUTO]	73
6.5.5	Assessment criteria for [SU-POSTPONE-AUTO]	74
6.5.6	Assessment criteria for [SU-NOTIF]	75
6.6	Authentication and access control	77
6.6.1	Assessment criteria for [ACM-FH]	77
6.6.2	Assessment criteria for [AUM-FH]	78
6.6.3	Assessment criteria for [AUTHZ-LP]	79
6.6.4	Assessment criteria for [AUTHZ-R]	80
6.7	Confidentiality protection	81

6.7.1	Assessment criteria for [CONF-SSM]	81
6.7.2	Assessment criteria for [CONF-COM]	82
6.7.3	Assessment criteria for [CONF-MON-HW]	83
6.7.4	Assessment criteria for [CONF-MON-UI]	84
6.7.5	Assessment criteria for [CONF-MON-API]	85
6.7.6	Assessment criteria for [CONF-CAPT-MUTE]	87
6.7.7	Assessment criteria for [CONF-CAPT-MUTE-DISABLE]	88
6.8	Integrity protection	89
6.8.1	Assessment criteria for [INT-SSM]	89
6.8.2	Assessment criteria for [INT-COM]	90
6.8.3	Assessment criteria for [INT-SWPCK]	91
6.9	Data minimisation	93
6.9.1	Assessment criteria for [DMIN-DJST]	93
6.9.2	Assessment criteria for [DMIN-USERINFO]	93
6.9.3	Assessment criteria for [DMIN-LOCAL]	94
6.10	Availability protection	96
6.10.1	Assessment criteria for [AVAI-TIME-RECO-POW]	96
6.10.2	Assessment criteria for [AVAI-TIME-NETW]	97
6.10.3	Assessment criteria for [AVAI-TIME-RECO-NETW]	99
6.10.4	Assessment criteria for [AVAI-TIME-OUTA-NOT]	100
6.10.5	Assessment criteria for [AVAI-TIME-PREV-NOT]	102
6.10.6	Assessment criteria for [AVAI-TIME-NET-PRIO]	103
6.10.7	Assessment criteria for [AVAI-TIME-RES-PRIO]	104
6.10.8	Assessment criteria for [AVAI-TIME-DOS-RATE]	106
6.10.9	Assessment criteria for [AVAI-SUM-SCHEDULE]	107
6.11	Non-interference	108
6.11.1	Assessment criteria for [NOINF-AMP]	108
6.12	Attack surface minimisation	109
6.12.1	Assessment criteria for [LAS-INVAL]	109
6.12.2	Assessment criteria for [LAS-INSAN]	110
6.12.3	Assessment criteria for [LAS-PHY-INF]	111
6.12.4	Assessment criteria for [LAS-LOGIC-INF]	112
6.12.5	Assessment criteria for [LAS-APP]	113
6.12.6	Assessment criteria for [LAS-SBOOT]	114
6.13	Exploit mitigation	115
6.13.1	Assessment criteria for [PRIV-DATA-HIGH]	115
6.13.2	Assessment criteria for [PRIV-FUNC-HIGH]	116
6.14	Monitoring	117
6.14.1	Assessment criteria for [MON-LOW]	117
6.14.2	Assessment criteria for [MON-MEDIUM]	118
6.14.3	Assessment criteria for [MON-HIGH]	119
6.14.4	Assessment criteria for [MON-HANDLE]	120
6.14.5	Assessment criteria for [LOG-TIME]	121
6.14.6	Assessment criteria for [LOG-TIME-HIGH]	122
6.14.7	Assessment criteria for [LOG-STORE-MEDIUM]	123
6.14.8	Assessment criteria for [LOG-STORE-HIGH]	124
6.14.9	Assessment criteria for [LOG-CONFIG]	125
6.14.10	Assessment criteria for [LOG-USER-ACC]	126
6.15	Factory reset and data portability	127
6.15.1	Assessment criteria for [DLM-PERM]	127

Annex A (informative):	Relationship between the present document and the essential cybersecurity requirements of EU Regulation (EU) 2024/2847	130
-------------------------------	---	------------

Annex B (informative):	Security analysis	135
-------------------------------	--------------------------------	------------

B.1	General	135
B.2	Assets	135
B.3	Risk factors	135
B.4	Assumptions	135

B.5	Threats.....	136
B.6	Relationship between the present document and the covered/not covered cybersecurity risks	137
B.7	Guidance for determining impact classes.....	141
B.7.1	General.....	141
B.7.2	Confidential data.....	141
B.7.3	Loss sensitive data	141
B.7.4	Time sensitive function.....	142
B.7.5	Integrity relevant data and integrity relevant function	142
Annex C:	Void	144
Annex D (normative):	Relationship between specific data and functions assets covered by the present document to impact classes for generic asset categories	145
D.1	Data assets.....	145
D.2	Function assets	146
Annex E (normative):	Protection measures.....	148
E.1	Authentication mechanism strength	148
E.1.1	[AUM-FH] Authentication for functions whose use can cause harm	148
E.1.1.1	General	148
E.1.1.2	[AUM-E-I-Basic] AUTH.Basic inheritance based SFA.....	148
E.1.1.3	[AUM-E-K-Basic] AUTH.Basic knowledge based SFA	148
E.1.1.4	[AUM-E-I-Normal] AUTH.Normal inheritance based SFA	148
E.1.1.5	[AUM-E-K-Normal] AUTH.Normal knowledge based SFA	148
E.1.1.6	[AUM-E-P-Normal] AUTH.Normal possession based SFA.....	148
E.1.1.7	[AUM-E-MFA-Normal] AUTH.Normal MFA	149
E.1.1.8	[AUM-E-I-Enhanced] AUTH.Enhanced inheritance based SFA	149
E.1.1.9	[AUM-E-K-Enhanced] AUTH.Enhanced knowledge based SFA	149
E.1.1.10	[AUM-E-P-Enhanced] AUTH.Enhanced possession based SFA	149
E.1.1.11	[AUM-E-MFA-Enhanced] AUTH.Enhanced MFA.....	149
E.1.1.12	[AUM-E-I-Strong] AUTH.Strong inheritance based SFA	150
E.1.1.13	[AUM-E-P-Strong] AUTH.Strong possession based SFA.....	150
E.1.1.14	[AUM-E-MFA-Strong] AUTH.Strong MFA	150
E.1.1.15	[AUM-E-Replay] AUTH.Normal, AUTH.Enhanced and AUTH.Strong replay protection	150
E.1.1.16	[AUM-E-PitM] AUTH.Normal, AUTH.Enhanced and AUTH.Strong person in the middle protection	151
E.1.2	Assessment for [AUM-FH] authentication mechanism strength	151
E.1.2.1	General	151
E.1.2.2	Assessment criteria for [AUM-E-I-Basic].....	151
E.1.2.3	Assessment criteria for [AUM-E-K-Basic]	152
E.1.2.4	Assessment criteria for [AUM-E-I-Normal]	153
E.1.2.5	Assessment criteria for [AUM-E-K-Normal].....	154
E.1.2.6	Assessment criteria for [AUM-E-P-Normal]	154
E.1.2.7	Assessment criteria for [AUM-E-MFA-Normal].....	156
E.1.2.8	Assessment criteria for [AUM-E-I-Enhanced].....	157
E.1.2.9	Assessment criteria for [AUM-E-K-Enhanced]	158
E.1.2.10	Assessment criteria for [AUM-E-P-Enhanced].....	159
E.1.2.11	Assessment criteria for [AUM-E-MFA-Enhanced]	161
E.1.2.12	Assessment criteria for [AUM-E-I-Strong].....	162
E.1.2.13	Assessment criteria for [AUM-E-P-Strong].....	163
E.1.2.14	Assessment criteria for [AUM-E-MFA-Strong].....	164
E.1.2.15	Assessment criteria for [AUM-E-Replay].....	165
E.1.2.16	Assessment criteria for [AUM-E-PitM].....	166
E.2	Integrity protection strength	167
E.2.1	[INT-SSM] Integrity protecting persistent storage for integrity relevant data	167
E.2.1.1	General	167
E.2.1.2	[INT-SSM-E-Basic] INT.SSM.Basic integrity protecting secure storage mechanism.....	167
E.2.1.3	[INT-SSM-E-Normal] INT.SSM.Normal integrity protecting secure storage mechanism	168

E.2.1.4	[INT-SSM-E-Enhanced] INT.SSM.Enhanced integrity protecting secure storage mechanism	168
E.2.1.5	[INT-SSM-E-Strong] INT.SSM.Strong integrity protecting secure storage mechanism	168
E.2.2	Assessment for integrity protecting secure storage mechanism strength	168
E.2.2.1	General	168
E.2.2.2	Assessment criteria for [INT-SSM-E-Basic]	168
E.2.2.3	Assessment criteria for [INT-SSM-E-Normal]	169
E.2.2.4	Assessment criteria for [INT-SSM-E-Enhanced]	170
E.2.2.5	Assessment criteria for [INT-SSM-E-Strong]	171
E.2.3	[INT-COM] Communication of integrity relevant data	172
E.2.3.1	General	172
E.2.3.2	[INT-COM-E-Basic] INT.COM.Basic integrity protecting communication mechanism	172
E.2.3.3	[INT-COM-E-Normal] INT.COM.Normal integrity protecting communication mechanism	172
E.2.3.4	[INT-COM-E-Enhanced] INT.COM.Enhanced integrity protecting communication mechanism	172
E.2.3.5	[INT-COM-E-EndAuth] INT.COM.Normal and INT.COM.Enhanced integrity protecting communication mechanism endpoint authentication	173
E.2.3.6	[INT-COM-E-Downgrade] INT.COM.Normal and INT.COM.Enhanced integrity protecting communication mechanism downgrade protection	173
E.2.4	Assessment for integrity protecting communication mechanism strength	173
E.2.4.1	General	173
E.2.4.2	Assessment criteria for [INT-COM-E-Basic]	173
E.2.4.3	Assessment criteria for [INT-COM-E-Normal]	174
E.2.4.4	Assessment criteria for [INT-COM-E-Enhanced]	175
E.2.4.5	Assessment criteria for [INT-COM-E-EndAuth]	176
E.2.4.6	Assessment criteria for [INT-COM-E-Downgrade]	177
E.2.5	[INT-SWPCK] Software package verification	178
E.2.5.1	General	178
E.2.5.2	[INT-SWPCK-E-Basic] INT.SW.VER.Basic software package verification mechanism	178
E.2.5.3	[INT-SWPCK-E-Normal] INT.SW.VER.Normal software package verification mechanism	178
E.2.5.4	[INT-SWPCK-E-Enhanced] INT.SW.VER.Enhanced software package verification mechanism	179
E.2.6	Assessment for integrity protecting communication mechanism strength	179
E.2.6.1	General	179
E.2.6.2	Assessment criteria for [INT-SWPCK-E-Basic]	179
E.2.6.3	Assessment criteria for [INT-SWPCK-E-Normal]	180
E.2.6.4	Assessment criteria for [INT-SWPCK-E-Enhanced]	181
E.3	Confidentiality protection strength	182
E.3.1	[CONF-SSM] Confidentiality protecting persistent storage for confidential data	182
E.3.1.1	General	182
E.3.1.2	[CONF-SSM-E-Basic] CONF.SSM.Basic confidentiality protecting secure storage mechanism	182
E.3.1.3	[CONF-SSM-E-Normal] CONF.SSM.Normal confidentiality protecting secure storage mechanism	182
E.3.1.4	[CONF-SSM-E-Enhanced] CONF.SSM.Enhanced confidentiality protecting secure storage mechanism	183
E.3.1.5	[CONF-SSM-E-Strong] CONF.SSM.Strong confidentiality protecting secure storage mechanism	183
E.3.2	Assessment for integrity protecting secure storage mechanism strength	183
E.3.2.1	General	183
E.3.2.2	Assessment criteria for [CONF-SSM-E-Basic]	183
E.3.2.3	Assessment criteria for [CONF-SSM-E-Normal]	184
E.3.2.4	Assessment criteria for [CONF-SSM-E-Enhanced]	185
E.3.2.5	Assessment criteria for [CONF-SSM-E-Strong]	186
E.3.3	[CONF-COM] Communication of confidential data	187
E.3.3.1	General	187
E.3.3.2	[CONF-COM-E-Basic] CONF.COM.Basic confidentiality protecting communication mechanism	187
E.3.3.3	[CONF-COM-E-Normal] CONF.COM.Normal confidentiality protecting communication mechanism	187
E.3.3.4	[CONF-COM-E-Enhanced] CONF.COM.Enhanced confidentiality protecting communication mechanism	187
E.3.3.5	[CONF-COM-E-EndAuth] CONF.COM.Normal and CONF.COM.Enhanced confidentiality protecting communication mechanism endpoint authentication	187
E.3.3.6	[CONF-COM-E-Downgrade] CONF.COM.Normal and CONF.COM.Enhanced confidentiality protecting communication mechanism downgrade protection	188
E.3.4	Assessment for confidentiality protecting communication mechanism strength	188

E.3.4.1	General	188
E.3.4.2	Assessment criteria for [CONF-COM-E-Basic]	188
E.3.4.3	Assessment criteria for [CONF-COM-E-Normal]	189
E.3.4.4	Assessment criteria for [CONF-COM-E-Enhanced]	190
E.3.4.5	Assessment criteria for [CONF-COM-E-EndAuth]	191
E.3.4.6	Assessment criteria for [CONF-COM-E-Downgrade]	192
Annex F (informative):	Guidance for the application of the present document	194
Annexes G to J:	Void	197
Annex K (normative):	Generic cryptographic requirements and assessment	198
K.1	Cryptography	198
K.1.1	[CRY-SOTA] Requirement	198
K.1.2	Assessment criteria	199
K.1.2.1	Assessment criteria for [CRY-SOTA] concerning ACM-listed cryptographic mechanisms	199
K.1.2.2	Assessment criteria for [CRY-SOTA] concerning ACM-extended cryptographic mechanisms	200
K.1.2.3	Assessment criteria for [CRY-SOTA] concerning interoperability-based cryptographic mechanisms ...	201
K.2	Crypto agility	202
K.2.1	[CRY-AGIL] Requirement	202
K.2.2	Assessment criteria for [CRY-AGIL]	203
K.3	ACM-extended cryptographic mechanisms	204
K.3.1	[CRY-ACM-EXT] Requirement	204
K.3.2	List of ACM-extended cryptographic mechanisms	205
K.3.3	Assessment	205
K.4	Interoperability-based cryptographic mechanisms	205
K.4.1	[CRY-INTOP] Requirement	205
K.4.2	List of interoperability-based cryptographic mechanisms	205
K.4.3	Assessment	206
Annexes L to Q:	Void	207
Annex R (informative):	Guidance on RDPS	208
History		209

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables (European Standard (EN), Technical Specification (TS), Group Specification (GS) or ETSI Standard (ES)) may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

BLUETOOTH® is a trademark registered and owned by Bluetooth SIG, Inc.

Foreword

This draft Harmonised European Standard (EN) has been produced by ETSI Technical Committee Cyber Security (CYBER), and is now submitted for the combined Public Enquiry and Vote phase of the ETSI Standardisation Request deliverable Approval Procedure (SRdAP).

The present document has been prepared under the Commission's standardisation request C (2025) 618 final [i.3] to provide one voluntary means of conforming to the requirements of Regulation (EU) 2024/2847 of the European Parliament and of the Council of 23 October 2024 on horizontal cybersecurity requirements for products with digital elements and amending Regulations (EU) No 168/2013 and (EU) 2019/1020 and Directive (EU) 2020/1828 (Cyber Resilience Act) (CRA) [i.1].

Once the present document is cited in the Official Journal of the European Union under that Regulation, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding requirements of that Regulation and associated EFTA regulations.

Proposed national transposition dates	
Date of latest announcement of this EN (doa):	3 months after ETSI publication
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	6 months after doa
Date of withdrawal of any conflicting National Standard (dow):	18 months after doa

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document provides the technical cybersecurity requirements for the products in scope, following a risk-based approach in support of the Cyber Resilience Act (CRA) [i.1]. The technical cybersecurity requirements are thereby proportionate to the intended purpose, reasonably foreseeable use, deployment context, and threat exposure of the products.

- Clause [4](#) does not contain technical requirements; it describes the product context that is considered for the application of the present document.
- Clause [5](#) specifies technical cybersecurity requirements for the product to mitigate the identified risks, including their applicability conditions.
- Clause [6](#) specifies the assessment criteria and compliance verification procedures with the requirements of clause [5](#).
- Annex [A](#) maps the technical requirements of the present document with the essential requirements of the CRA [i.1].
- Annex [B](#) informs about the methodology used to assess the security risks of the products in their context.
- Annex [D](#) maps the data assets and function assets addressed by the present document to their impact classes. This mapping is necessary to identify the technical requirements and the related details that are to be applied for a product.
- Annex [E](#) provides specific technical requirements and related assessment criteria for certain protection measures that might be required for a product according to clause [5](#).
- Annex [F](#) provides guidance on the application of the present document.
- Annex [K](#) supports the definition of the cryptographic requirements and assessment criteria used by the present document.
- Annex [R](#) provides guidance on applying the technical requirements of the present document on Remote Data Processing Solutions (RDPS).

1 Scope

The present document specifies vulnerability handling activities, technical requirements and corresponding assessment criteria for smart home general purpose virtual assistants related to cybersecurity. The products with digital elements in scope, thereafter "smart home general purpose virtual assistants":

- are specified within the "technical description" of the "category of product" number "16." by the Commission Implementing Regulation (EU) 2025/2392 [i.2] as:
"Products with digital elements that communicate on the public Internet, whether directly or via other equipment, that process demands, tasks or questions based on natural language prompts, such as through audio or written input, and that, based on those demands, tasks or questions, provide access to other services or control the functions of connected devices in residential settings.
This category includes but is not limited to smart speakers with an integrated virtual assistant, and standalone virtual assistants that meet this description"; and
- are only covered within the product context described in clause 4.

The present document covers those products to demonstrate compliance with essential cybersecurity requirements in the Regulation (EU) 2024/2847 [i.1], Annex I, Part I under the conditions identified in Annex A.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [ENISA Report 1747792503](#) (version 2 - April 2025): "European Cybersecurity Certification Group Sub-group on Cryptography Agreed Cryptographic Mechanisms.

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents may be useful in implementing an ETSI deliverable or add to the reader's understanding, but are not required for conformance to the present document.

- [i.1] [Regulation \(EU\) 2024/2847](#) of the European Parliament and of the Council of 23 October 2024 on horizontal cybersecurity requirements for products with digital elements and amending Regulations (EU) No 168/2013 and (EU) 2019/1020 and Directive (EU) 2020/1828 (Cyber Resilience Act).
- [i.2] [Commission Implementing Regulation \(EU\) 2025/2392](#) of 28 November 2025 on the technical description of the categories of important and critical products with digital elements pursuant to Regulation (EU) 2024/2847 of the European Parliament and of the Council.

- [i.3] [Standardisation request M/606 - C\(2025\)618](#): "Commission Implementing decision of 3.2.2025 on a standardisation request to the European Committee for Standardisation (CEN), the European Committee for Electrotechnical Standardisation (Cenelec) and the European Telecommunications Standards Institute (ETSI) as regards products with digital elements in support of Regulation (EU) 2024/2847 of the European Parliament and of the Council of 23 October 2024 on horizontal cybersecurity requirements for products with digital elements and amending Regulations (EU) No 168/2013 and (EU) 2019/1020 and Directive (EU) 2020/1828 (Cyber Resilience Act)".
- [i.4] prEN 40000-1-1: "Cybersecurity requirements for products with digital elements – Vocabulary" (produced by CEN CENELEC).
- NOTE: Version and date to be added upon its publication by CEN CENELEC.
- [i.5] prEN 40000-1-3: "Cybersecurity requirements for products with digital elements – Part 1-3: Vulnerability handling" (produced by CEN CENELEC).
- NOTE: Version and date to be added upon its publication by CEN CENELEC.
- [i.6] ETSI EN 304 623 (V1.1.1): "Cyber Security (CYBER); CRA; Cybersecurity requirements for boot managers".
- [i.7] [ISO/IEC 24760-1:2025](#): "Information security, cybersecurity and privacy protection — A framework for identity management — Part 1: Core concepts and terminology".
- [i.8] [ETSI TS 103 732-2 \(V1.1.1\)](#): "CYBER; Consumer Mobile Device; Part 2: Biometric Authentication Protection Profile Module".
- [i.9] [NIST SP 800-78-5](#): "Cryptographic Algorithms and Key Sizes for Personal Identity Verification".
- [i.10] [IETF RFC 8446](#): "The Transport Layer Security (TLS) Protocol Version 1.3".
- [i.11] [IETF RFC 8613](#): "Object Security for Constrained RESTful Environments (OSCORE)".
- [i.12] [IETF RFC 9528](#): "Ephemeral Diffie-Hellman Over COSE (EDHOC)".
- [i.13] [IETF RFC 9147](#): "The Datagram Transport Layer Security (DTLS) Protocol Version 1.3".
- [i.14] [NIST FIPS 203](#): "Module-Lattice-Based Key-Encapsulation Mechanism Standard".
- [i.15] [NIST FIPS 204](#): "Module-Lattice-Based Digital Signature Standard".
- [i.16] [NIST SP 800-57-1](#): "Recommendation for Key Management: Part 1 - General".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in Regulation (EU) 2024/2847 [i.1], prEN 40000-1-1 [i.4] and the following apply:

3.1.1 Architecture related terms

application software: software designed to perform specific user- or SHGPVA-oriented functional tasks on a device, operating on top of the core software, and without direct responsibility for hardware initialisation or fundamental system control

EXAMPLE: A mobile app, desktop software or parts of architectural component's embedded software that implements essential functionalities.

NOTE: Application software typically uses APIs provided by core software.