
Eksplzivne atmosfere - 13. del: Zaščita opreme z zaprtimi prostori z nadtlakom "p" in umetno prezračevani prostori "v"

Explosive atmospheres - Part 13: Equipment protection by pressurized room "p" and artificially ventilated room "v"

Explosionsgefährdete Bereiche - Teil 13: Schutz von Einrichtungen durch einen überdruckgekapselten Raum "p" und einen fremdbelüfteten Raum "v"

Atmosphères explosives - Partie 13: Protection du matériel par salle à surpression interne "p" et salle à ventilation artificielle "v"

Ta slovenski standard je istoveten z: prEN 60079-13:2025

[oSIST prEN 60079-13:2025](https://standards.sist.net/catalog/standards/sist/cd235c9-781c-41b2-bc35-2b71c1a1cc99/prEN-60079-13-2025)

ICS:

29.260.20

Električni aparati za
eksplozivna ozračja

Electrical apparatus for
explosive atmospheres

oSIST prEN 60079-13:2025

en,fr,de



PROJECT NUMBER:

IEC 60079-13 ED3

DATE OF CIRCULATION:

2025-08-01

CLOSING DATE FOR VOTING:

2025-10-24

SUPERSEDES DOCUMENTS:

31J/373/CD, 31J/388/CC

IEC SC 31J : CLASSIFICATION OF HAZARDOUS AREAS AND INSTALLATION REQUIREMENTS

SECRETARIAT:

Croatia

SECRETARY:

Mr Marino Kelava

OF INTEREST TO THE FOLLOWING COMMITTEES:

TC 18, SC 65B

HORIZONTAL FUNCTION(S):

ASPECTS CONCERNED:

Environment, Safety

☒ SUBMITTED FOR CENELEC PARALLEL VOTING☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING**Attention IEC-CENELEC parallel voting**

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting.

The CENELEC members are invited to vote through the CENELEC online voting system.

oSIST prEN 60079-13:2025

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Explosive atmospheres - Part 13: Equipment protection by pressurized room "p" and artificially ventilated room "v"

PROPOSED STABILITY DATE: 2031

NOTE FROM TC/SC OFFICERS:

Copyright © 2025 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

1			
2			
3	FOREWORD.....		4
4	INTRODUCTION.....		10
5	1 Scope.....		11
6	2 Normative references		14
7	3 Terms and definitions		14
8	4 Requirements for all rooms.....		17
9	4.1 General.....		17
10	4.2 Type and Level of Protection		17
11	4.2.1 Pressurization “p”		17
12	4.2.2 Artificial ventilation “v”		17
13	4.2.3 Protection techniques		18
14	4.3 Construction		19
15	4.3.1 Rooms located in hazardous areas		19
16	4.4 Mechanical strength.....		19
17	4.5 Penetrations and seals		19
18	4.6 Personnel access doors		20
19	4.7 Inlets and outlets		20
20	4.8 Ducts		20
21	4.9 Purging and cleaning		20
22	4.9.1 General		20
23	4.9.2 Gases – Purging		20
24	4.10 Ignition prevention under system failure		21
25	5 Air supply		22
26	5.1 General.....		22
27	5.2 Source of air		22
28	5.3 Environmental and air temperature conditions.....		22
29	5.4 Heating, ventilation and air conditioning services		22
30	6 Requirements for pressurized rooms		23
31	6.1 General.....		23
32	6.1.1 Design		23
33	6.1.2 Source of air.....		23
34	6.1.3 Flow		23
35	6.1.4 Pressurization system.....		23
36	6.1.5 Preventing the explosive atmosphere from entering through an open		
37	door.....		23
38	6.1.6 Airlock		24
39	6.1.7 Outward air velocity through a door		24
40	6.1.8 Air consuming device.....		24
41	6.1.9 Action when pressurization system fails.....		24
42	6.1.10 Re-energizing the room		25
43	6.2 Purging of rooms		25
44	6.2.1 General		25
45	6.2.2 Sequence of operations of the purging safety devices		25
46	6.2.3 Dusts – Cleaning		25
47	6.3 Minimum safety provisions, safety devices and electrical disconnects		25

IEC CDV 60079-13 © IEC 2025

48	6.3.1	Safety devices	25
49	6.3.2	Safety devices based upon Level of Protection	26
50	6.3.3	Gas detectors	26
51	6.4	Verification for pressurized rooms	27
52	6.4.1	General	27
53	6.4.2	Tests	27
54	6.4.3	Overpressure test	27
55	6.4.4	Purging test	27
56	6.4.5	Minimum pressure differential test	27
57	6.4.6	Confirmation of the ratings of the safety devices	27
58	6.4.7	Verification of sequence of operation of the safety devices	28
59	6.4.8	Measurement of outward velocity	28
60	7	Requirements for artificially ventilated rooms	28
61	7.1	General	28
62	7.1.1	Design	28
63	7.1.2	Source of air	28
64	7.1.3	Layout of equipment	28
65	7.1.4	Ventilation system	29
66	7.1.5	Air consuming device	30
67	7.1.6	Safety actions when ventilation system fails	30
68	7.1.7	Energizing the artificially ventilated area	30
69	7.2	Purging of artificially ventilated rooms	31
70	7.2.1	General	31
71	7.2.2	Sequence of operations of the purging safety devices	31
72	7.3	Minimum safety provisions, safety devices and electrical disconnects	31
73	7.3.1	Safety devices	31
74	7.3.2	Safety devices based upon Equipment Protection Level	32
75	7.3.3	Artificial ventilation protection	32
76	7.3.4	Gas and leak detectors	32
77	7.4	Loss of artificial ventilation	33
78	7.5	Verification for artificially ventilated rooms	33
79	7.5.1	General	33
80	7.5.2	Tests	33
81	7.5.3	Minimum ventilation flow rate test	33
82	7.5.4	Confirmation of the ratings of the safety devices	33
83	7.5.5	Verification of sequence of operation of the safety devices	33
84	7.5.6	Purging test	33
85	7.5.7	Testing of ventilation system	34
86	8	Marking	34
87	8.1	General	34
88	8.2	Marking of pressurized rooms	35
89	8.3	Marking for artificially ventilated rooms	36
90	9	Instructions	36
91	9.1	General	36
92	9.2	Technical documentation for pressurized rooms	36
93	9.3	Technical documentation for artificially ventilated rooms	37
94	9.4	Technical documentation for rooms protected by pressurization and artificial ventilation combined	38
95			
96	9.5	Equipment assembly with its own source of release	38

IEC CDV 60079-13 © IEC 2025

97	9.6	Modifications	38
98	Annex A (informative)	Maintenance	39
99	A.1	Periodic verification	39
100	A.2	Modifications	39
101	Annex B (informative)	Guidelines when pressurization or artificial ventilation is not	
102		immediately restored	40
103	B.1	Short term disruptions	40
104	B.2	Longer term disruptions	40
105	Annex C (informative)	Examples of applications and associated guidelines	41
106	C.1	Examples of applications	41
107	C.2	Example of gas turbine enclosures or packages	41
108	C.3	Example of electrical equipment room located inside a bunded gas plant	
109		process train	41
110	C.4	Example of crane operator cabin and drillers cabin	42
111	C.5	Enclosed engine driven compressor package	43
112	C.6	Gas Chromatograph or analyser and metering buildings	44
113	C.7	Transportable gas chromatograph or analyser houses and metering houses	45
114	C.8	Crane cabin located adjacent to but outside and above a hazardous area	47
115	C.9	Metal sheet printing press	50
116	Annex D (normative)	Smoke Test Method	52
117	D.1	Smoke Test	52
118	Bibliography		53
119			
120	Figure C.1	Electrical equipment room located in a bunded gas plant process train	44
121	Figure C.2	Crane operator cabin and drillers cabin	45
122	Figure C.3	Enclosed engine driven compressor package	46
123	Figure C.4	Gas chromatograph or analyser and metering buildings duct	47
124	Figure C.5	Gas chromatograph or analyser and metering buildings	47
125	Figure C.6	Transportable gas chromatograph or analyser and metering houses plan	48
126	Figure C.7	Transportable gas chromatograph or analyser and metering houses views	49
127	Figure C.8	Crane cabin	50
128	Figure C.9	Classification of platform deck	51
129	Figure C.10	Crane cabin located adjacent to but outside and above a hazardous area	51
130	Figure C.11	Printing press without artificial ventilation	52
131	Figure C.12	Printing press with artificial ventilation	53
132			
133	Table 1	Applicability of specific clauses of IEC 60079-0	13
134	Table 2	Types of protection for pressurisation and artificial ventilation of rooms	19
135	Table 3	Safety devices for pressurized rooms	27
136	Table 4	Safety actions for artificial ventilation failure	32
137	Table 5	Required safety devices for artificial ventilation	34

138

139

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

**Part 13: Equipment protection by pressurized
room "p" and artificially ventilated room "v"**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-13 has been prepared by IEC technical subcommittee SC 31J: Classification of Hazardous Areas and Installation Requirements.

This third edition cancels and replaces the second edition published in 2017 and also replaces IEC 79-16. This edition constitutes a technical revision.

Users of this document are advised that interpretation sheets clarifying the interpretation of this document can be published. Interpretation sheets are available from the IEC webstore and can be found in the "history" tab of the page for each document.

This edition includes the following significant technical changes with respect to the previous edition: