

---

**Sekundarni členi in baterije z alkalnimi ali drugimi nekislinskimi elektroliti - Zatesnjeni nikelj-kadmij prizmatični ponovno polnljivi členi in baterije za industrijsko uporabo**

Secondary cells and batteries containing alkaline or other non-acid electrolytes - Sealed nickel-cadmium prismatic rechargeable cells and batteries for use in industrial applications.

Akkumulatoren und Batterien mit alkalischem oder anderen nichtsäurehaltigen Elektrolyten - Gasdichte wiederaufladbare prismatische Nickel-Cadmium-Einzelszellen

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide - Batteries et éléments parallélipipédiques rechargeables étanches au nickel-cadmium pour application industrielle

[oSIST prEN IEC 60622:2025](https://standards.iteh.ai/catalog/standards/sist/fe5e77b2-553f-4b25-97a8-e1e14ca751ec/osist-pren-iec-60622-2025)

<https://standards.iteh.ai/catalog/standards/sist/fe5e77b2-553f-4b25-97a8-e1e14ca751ec/osist-pren-iec-60622-2025>

**Ta slovenski standard je istoveten z: prEN IEC 60622:2025**

---

**ICS:**

29.220.30	Alkalni sekundarni členi in baterije	Alkaline secondary cells and batteries
-----------	--------------------------------------	--

**oSIST prEN IEC 60622:2025**

**en**





# 21A/934/CDV

## COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

**IEC 60622 ED4**

DATE OF CIRCULATION:

**2025-07-25**

CLOSING DATE FOR VOTING:

**2025-10-17**

SUPERSEDES DOCUMENTS:

**21A/907/CD, 21A/913A/CC**

IEC SC 21A : SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES

SECRETARIAT:

France

SECRETARY:

Mr Jean-Marie Bodet

OF INTEREST TO THE FOLLOWING COMMITTEES:

HORIZONTAL FUNCTION(S):

ASPECTS CONCERNED:

☒ SUBMITTED FOR CENELEC PARALLEL VOTING

☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING

**Attention IEC-CENELEC parallel voting**

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting.

The CENELEC members are invited to vote through the CENELEC online voting system.

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

**Secondary cells and batteries containing alkaline or other non-acid electrolytes - Sealed nickel-cadmium prismatic rechargeable cells and batteries for use in industrial applications.**

PROPOSED STABILITY DATE: 2026

**NOTE FROM TC/SC OFFICERS:**

The compilation of comments has been analyzed and solved by the project team. The resolved comments have been presented during IEC SC21A WG1 Virtual Meeting on 2025-04-07 and approved by the members of the WG1.

The revised draft (clean document) proposed for CDV will be onboarded on Online Standard Development (OSD). The writing team will manage the comments from National Committees on CDV via OSD.

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[oSIST prEN IEC 60622:2025](https://standards.iteh.ai/catalog/standards/sist/fe5e77b2-553f-4b25-97a8-e1e14ca751ec/osist-pren-iec-60622-2025)

<https://standards.iteh.ai/catalog/standards/sist/fe5e77b2-553f-4b25-97a8-e1e14ca751ec/osist-pren-iec-60622-2025>

## Link to Committee Draft for Vote (CDV) online document:

<https://osd.iec.ch/#/editor/archive/36bf8617-52d3-a766-e063-3012000aef7c/en/CCDV/1>

## How to access

This link leads you to the Online Standards Development (OSD) platform for National Mirror Committee's (NMC) comments. The project draft may be found further down this document.

## Resource materials

We recommend NCs to review the available materials to better understand the member commenting on the OSD platform. This includes the:

- OSD NC roles overview: [here](#)
- How to add and submit comments to the IEC: [here](#)

## Contact

Should you require any assistance, please contact the IEC IT Helpdesk at [helpdesk@iec.ch](mailto:helpdesk@iec.ch).

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[oSIST prEN IEC 60622:2025](https://standards.iteh.ai/catalog/standards/sist/fe5e77b2-553f-4b25-97a8-e1e14ca751ec/osist-pren-iec-60622-2025)

<https://standards.iteh.ai/catalog/standards/sist/fe5e77b2-553f-4b25-97a8-e1e14ca751ec/osist-pren-iec-60622-2025>

## CONTENTS

CONTENTS .....	1
FOREWORD .....	4
INTRODUCTION .....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms and definitions .....	7
3.1 Terms and definitions .....	7
3.2 Abbreviated terms .....	10
4 Parameter measurement tolerances .....	10
5 Designation and marking .....	11
5.1 Cell designation (mandatory) .....	11
5.2 Cell designation (optional) .....	11
5.3 Cell termination .....	12
5.4 Battery designation .....	12
5.4.1 Battery structure formulation .....	12
5.4.2 Definitions of components of a battery system .....	12
5.4.3 Classes of usage of battery system .....	15
5.5 Marking .....	16
5.6 Safety recommendations .....	16
6 Dimensions .....	16
7 Electrical tests .....	18
7.1 General .....	18
7.2 Charging procedure for test purposes .....	18
7.2.1 General .....	18
7.2.2 Charge procedure based on constant current .....	19
7.2.3 Charge procedure based on constant voltage at a given current .....	19
7.2.4 Rapid charge current .....	19
7.3 Discharge performances .....	19
7.3.1 General .....	19
7.3.2 Discharge performance at 20 °C .....	19
7.3.3 Discharge performance at +5 °C .....	20
7.3.4 Discharge performance at -18 °C .....	20
7.3.5 Discharge performance at low temperature .....	21
7.3.6 Discharge performance at high temperature .....	22
7.3.7 High rate current test .....	22
7.3.8 Measurement of the internal DC resistance .....	23
7.3.9 Pulse Power Calculation .....	25
7.3.10 Constant power measurement test .....	25
7.4 Charge retention .....	26
7.5 Endurance .....	26
7.5.1 Test conditions .....	26
7.5.2 Endurance in cycles .....	27
7.5.3 Final test after completion of endurance in cycles test .....	28
7.5.4 Determination of durability parameters .....	28
7.6 Permanent charge endurance .....	29
7.6.1 General .....	29

7.6.2	Test method .....	29
7.6.3	Acceptance criterion .....	30
7.7	Charge acceptance at constant voltage .....	30
7.8	Vent plug operation .....	30
7.9	Electrolyte retention test .....	30
7.10	Storage .....	30
7.10.1	Test method .....	30
7.10.2	Acceptance criteria .....	30
7.11	Overcharge test .....	30
7.11.1	General .....	30
7.11.2	Test method .....	30
7.11.3	Acceptance criterion .....	31
7.12	Safety device operation .....	31
7.12.1	General .....	31
7.12.2	Test method .....	31
7.12.3	Acceptance criteria .....	31
7.13	Gas leakage test .....	31
7.13.1	General .....	31
7.13.2	Test method .....	31
7.13.3	Acceptance criterion .....	31
8	Mechanical tests .....	32
9	Physical appearance .....	32
10	Requirements at battery level .....	32
10.1	General requirements .....	32
10.2	Environmental conditions .....	32
10.3	Operating voltage range of the battery system .....	32
10.4	Optional additional components to battery system .....	33
10.4.1	General .....	33
10.4.2	Battery information system .....	33
10.4.3	Battery heater .....	34
10.4.4	Thermostat or cut-off switch .....	34
10.4.5	Mounting racks .....	34
11	Performance requirement for the battery system .....	34
11.1	Design energy and power calculation methodology .....	34
11.1.1	General .....	34
11.1.2	Requirements for battery capacity sizing .....	35
11.1.3	Expected lifetime in years for the battery system .....	36
11.1.4	Deep discharge of batteries .....	36
11.1.5	Documentation .....	37
11.2	End of life performance .....	37
12	Conditions for approval and acceptance .....	37
12.1	Type approval .....	37
12.2	Batch acceptance .....	38
Annex A (normative)	CCCV charge methodology .....	40
Annex B (normative)	NiCd load profile verification documentation .....	42
B.1	General .....	42
B.2	General methodology .....	42
B.3	Battery sizing documentation .....	43