



SLOVENSKI STANDARD

oSIST prEN IEC 60623:2025

01-september-2025

Sekundarni členi in baterije z alkalnimi ali drugimi neksilinskimi elektroliti - Zračeni nikelj-kadmij prizmatični ponovno polnljivi členi in baterije za industrijsko uporabo

Secondary cells and batteries containing alkaline or other non-acid electrolytes - Vented nickel-cadmium prismatic rechargeable cells and batteries for use in industrial applications.

Akkumulatoren und Batterien mit alkalischen oder anderen nicht-säurehaltigen Elektrolyten - Geschlossene prismatische wiederaufladbare Nickel-Cadmium-Einzelsellen

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide - Batteries et éléments parallélépipédiques rechargeables ouverts au nickel-cadmium pour application industrielle

[\(https://standards.iteh.ai/\)](https://standards.iteh.ai/)
Document Preview
oSIST prEN IEC 60623:2025

<https://standards.iteh.ai/catalog/standards/sist/abf90470-fb8f-4609-86cf-55c547544f2a/osist-pren-iec-60623-2025>

Ta slovenski standard je istoveten z: prEN IEC 60623:2025

ICS:

29.220.99

Drugi členi in baterije

Other cells and batteries

oSIST prEN IEC 60623:2025

en



21A/935/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 60623 ED6

DATE OF CIRCULATION:

2025-07-25

CLOSING DATE FOR VOTING:

2025-10-17

SUPERSEDES DOCUMENTS:

21A/903/CD, 21A/908A/CC

IEC SC 21A : SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES

SECRETARIAT:

France

SECRETARY:

Mr Jean-Marie Bodet

OF INTEREST TO THE FOLLOWING COMMITTEES:

TC 21

HORIZONTAL FUNCTION(S):

ASPECTS CONCERNED:

☒ SUBMITTED FOR CENELEC PARALLEL VOTING

☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING

Attention IEC-CENELEC parallel voting

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting.

The CENELEC members are invited to vote through the CENELEC online voting system.

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Secondary cells and batteries containing alkaline or other non-acid electrolytes - Vented nickel-cadmium prismatic rechargeable cells and batteries for use in industrial applications.

PROPOSED STABILITY DATE: 2026

NOTE FROM TC/SC OFFICERS:

The compilation of comments has been analyzed and solved by the project team. The resolved comments have been presented during IEC SC21A WG1 Virtual Meeting on 2025-04-07 and approved by the members of the WG1.

The revised draft (clean document) proposed for CDV will be onboarded on Online Standard Development (OSD). The writing team will manage the comments from National Committees on CDV via OSD.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN IEC 60623:2025](https://standards.iteh.ai/catalog/standards/sist/abf90470-fb8f-4609-86cf-55c547544f2a/osist-pren-iec-60623-2025)

<https://standards.iteh.ai/catalog/standards/sist/abf90470-fb8f-4609-86cf-55c547544f2a/osist-pren-iec-60623-2025>

Link to Committee Draft for Vote (CDV) online document:

<https://osd.iec.ch/#/editor/archive/36c06805-7a46-56be-e063-3012000a1b3e/en/CCDV/1>

How to access

This link leads you to the Online Standards Development (OSD) platform for National Mirror Committee's (NMC) comments. The project draft may be found further down this document.

Resource materials

We recommend NCs to review the available materials to better understand the member commenting on the OSD platform. This includes the:

- OSD NC roles overview: [here](#)
- How to add and submit comments to the IEC: [here](#)

Contact

Should you require any assistance, please contact the IEC IT Helpdesk at helpdesk@iec.ch.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN IEC 60623:2025](https://standards.iteh.ai/catalog/standards/sist/abf90470-fb8f-4609-86cf-55c547544f2a/osist-pren-iec-60623-2025)

<https://standards.iteh.ai/catalog/standards/sist/abf90470-fb8f-4609-86cf-55c547544f2a/osist-pren-iec-60623-2025>

CONTENTS

CONTENTS	1
FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
3.1 Terms and definitions	7
3.2 Abbreviated terms	10
4 Parameter measurement tolerances	10
5 Designation and marking	11
5.1 Cell designation (mandatory)	11
5.2 Cell designation (optional)	11
5.3 Cell termination	11
5.4 Battery designation	12
5.4.1 Battery structure formulation	12
5.4.2 Definitions of components of a battery system	12
5.4.3 Classes of usage of battery system	15
5.5 Marking	16
5.6 Safety recommendations	16
6 Dimensions	16
7 Electrical tests for cells	18
7.1 General	18
7.2 Charging procedure for test purposes	18
7.2.1 General	18
7.2.2 Charge procedure based on constant current	18
7.2.3 Charge procedure based on constant voltage at a given current	18
7.2.4 Rapid charge current	19
7.3 Discharge performances	19
7.3.1 General	19
7.3.2 Discharge performance at 20 °C	19
7.3.3 Discharge performance at +5 °C	20
7.3.4 Discharge performance at -18 °C	20
7.3.5 Discharge performance at low temperature	21
7.3.6 Discharge performance at high temperature	22
7.3.7 High-rate current test	22
7.3.8 Measurement of the internal DC resistance	23
7.3.9 Pulse power calculation	25
7.3.10 Constant power measurement test	26
7.4 Charge retention	26
7.4.1 Test method	26
7.4.2 Acceptance criterion	27
7.5 Endurance for cells	27
7.5.1 Test conditions	27
7.5.2 Endurance in cycles	27
7.5.3 Final test after completion of endurance in cycles test	28
7.5.4 Determination of durability parameters	29

7.5.5	Permanent charge endurance (optional)	29
7.6	Charge acceptance at constant voltage	30
7.6.1	Test method	30
7.6.2	Acceptance criterion	31
7.7	Vent plug operation	31
7.8	Electrolyte retention test	31
7.8.1	General	31
7.8.2	Test method	31
7.8.3	Acceptance criteria	31
7.9	Storage	31
7.9.1	Test method	31
7.9.2	Acceptance criteria	32
7.10	Overcharge	32
8	Mechanical tests	32
9	Physical appearance	32
10	Requirements at battery level	32
10.1	General requirements	32
10.2	Environmental conditions	32
10.3	Operating voltage range of the battery system	32
10.4	Optional additional components to battery system	33
10.4.1	General	33
10.4.2	Battery information system	33
10.4.3	Battery heater	34
10.4.4	Thermostat or cut-off switch	34
10.4.5	Mounting racks	34
10.4.6	Deported components	34
11	Performance requirement for the battery system	34
11.1	Design energy and power calculation methodology	34
11.1.1	General	34
11.1.2	Requirements for battery capacity sizing	35
11.1.3	Expected lifetime in years for the battery system	36
11.1.4	Deep discharge of batteries	37
11.1.5	Documentation	37
11.2	End of life performance	37
12	Conditions for approval and acceptance	38
12.1	Type approval	38
12.2	Batch acceptance	39
Annex A (normative)	CCCV charge methodology	40
Annex B (normative)	Ni-Cd load profile verification documentation	42
B.1	General	42
B.2	General methodology	42
B.3	Battery sizing documentation	43
B.4	Operational verification (load profile test)	43
B.5	Test report	44
Annex C (informative)	Battery Structure Information	45
C.1	General	45
Annex D (informative)	Declaration of cell model range representative of the testing	46