

SLOVENSKI STANDARD oSIST pren IEC 60730-2-25:2025

01-oktober-2025

Avtomatske električne krmilne naprave - 2-25. del: Posebne zahteve za krmilne naprave z zaznavanjem toka

Automatic electrical controls - Part 2-25: Particular requirements for current sensing controls

iTeh Standards

Dispositifs de commande électrique automatiques - Partie 2-25: Exigences particulières pour les dispositifs de commande sensibles au courant

Ta slovenski standard je istoveten z: prEN IEC 60730-2-25:2025

<u>0.81811 prEN_IEC_60730-2-25:2025</u>

ICS:

97.120 Avtomatske krmilne naprave Automatic controls for

za dom household use

oSIST prEN IEC 60730-2-25:2025 en

oSIST prEN IEC 60730-2-25:2025

iTeh Standards (https://standards.iteh.ai) Document Preview

oSIST prEN IEC 60730-2-25:2025

https://standards.iteh.ai/catalog/standards/sist/a1b47b8f-e064-443a-8d49-550497ba0723/osist-pren-iec-60730-2-25-2025

PROJECT NUMBER:

IEC 60730-2-25 ED1

SUPERSEDES DOCUMENTS:

DATE OF CIRCULATION:

2025-08-08



72/1496/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

CLOSING DATE FOR VOTING:

2025-10-31

	72/1475/CD, 72/1494/CC				
-					
IEC TC 72 : AUTOMATIC ELECTRICAL CO	ONTROLS				
SECRETARIAT:		SECRETARY:			
United States of America		Ms Grace Roh			
OF INTEREST TO THE FOLLOWING COMMI	TTEES:	HORIZONTAL FUNCTION(S):			
ASPECTS CONCERNED:	Teh Sta	andards			
Safety					
SUBMITTED FOR CENELEC PARALLE	L VOTING	☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING			
Attention IEC-CENELEC parallel voi	ting	t Preview			
The attention of IEC National Commit CENELEC, is drawn to the fact that thi for Vote (CDV) is submitted for paralle	s Committee Draft	t 1 Teview			
0.5	SIST prEN IEC	<u>60730-2-25:2025</u>			
The CENELEC members are invited to CENELEC online voting system.	o vote through the	-443a-8d49-550497ba0723/osist-pren-iec-6073			
This document is still under study and subject to change. It should not be used for reference purposes. Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation. Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE AC/22/2007 OR NEW GUIDANCE DOC).					
Automatic electrical controls -Part 2-25: Particular requirements for current sensing controls					
PROPOSED STABILITY DATE: 2028					
NOTE FROM TC/SC OFFICERS:					
Copyright © 2025 International Electrotechnical Commission, IEC . All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.					

IEC CDV 60730-2-25 © IEC 2025

CONTENTS

2	FOREWORD		2 -
3	1	Scope	4 -
4	2	Normative references	5 -
5	3	Terms and definitions	5 -
6	4	General	7 -
7	5	Information	7 -
8	6	Protection against electric shock	9 -
9	7	Provision for protective earthing	9 -
10	8	Terminals and terminations	9 -
11	9	Constructional requirements	9 -
12	10	Threaded parts and connections	10 -
13	11	Creepage distances, clearances and distances through solid insulation	10 -
14	12	Components	10 -
15	13	Fault assessment on electronic circuits	10 -
16	14	Moisture and dust resistance	10 -
17	15	Electric strength and insulation resistance	11 -
18	16	HeatingHeating	11 -
19	17	Manufacturing deviation and drift	11 -
20	18	Environmental stress	11 -
21	19	Endurance	11 -
22	20	Mechanical strength	13 -
23	21	Resistance to heat, fire and tracking	13 -
24 nd	22	Resistance to corrosion	n.iec-(137-30-2-25-
25	23	Electromagnetic compatibility (EMC) requirements – Emission	13 -
26	24	Normal operation	13 -
27	25	Electromagnetic compatibility (EMC) requirements – Immunity	14 -
28	26	Abnormal operation tests	14 -
29	Ann	nex H	15 -
30	H.1	7 Manufacturing deviation and drift	15 -
31	Ann	nex Q	16 -
32 Annex AA		18 -	
33	Ann	nex BB	20 -
34	Ann	nex CC	23 -

36

35

1