



SLOVENSKI STANDARD
oSIST prEN IEC 60947-1:2026
01-marec-2026

Nizkonapetostne stikalne in krmilne naprave - 1. del: Splošna pravila

Low-voltage switchgear and controlgear - Part 1: General rules

Niederspannungsschaltgeräte - Teil 1: Allgemeine Festlegungen

Appareillage à basse tension - Partie 1: Règles générales

Ta slovenski standard je istoveten z: prEN IEC 60947-1:2026

ICS:

29.130.20 Nizkonapetostne stikalne in krmilne naprave Low voltage switchgear and controlgear

oSIST prEN IEC 60947-1:2026

en



| | |
|-----------------------------------------------------------|-----------------------------------------------|
| PROJECT NUMBER: IEC 60947-1 ED7 | |
| DATE OF CIRCULATION: 2026-01-23 | CLOSING DATE FOR VOTING: 2026-04-17 |
| SUPERSEDES DOCUMENTS: 121A/638/CD, 121A/672A/CC | |

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| IEC SC 121A : LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR | |
| SECRETARIAT: France | SECRETARY: Mr Alban NOTIN |
| OF INTEREST TO THE FOLLOWING COMMITTEES: TC 18,SC 23E,SC 121B | HORIZONTAL FUNCTION(S): |
| ASPECTS CONCERNED: Electromagnetic Compatibility,Environment,Safety | |
| <input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system. | <input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING |

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

| |
|---------------------------------------------------------------------------------|
| TITLE: Low-voltage switchgear and controlgear – Part 1: General rules |
|---------------------------------------------------------------------------------|

| |
|-------------------------------|
| PROPOSED STABILITY DATE: 2030 |
|-------------------------------|

| |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NOTE FROM TC/SC OFFICERS: SC 121A officers are supporting the circulation of the CDV of IEC 60947-1 ED7. Experts are kindly reminded that line numbers, figures, tables and the comment category (ed, te) shall be mentioned when filling the comments form. |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

IEC CDV 60947-1 © IEC 2026

CONTENTS

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| FOREWORD..... | 13 |
| INTRODUCTION..... | 16 |
| 1 Scope..... | 17 |
| 2 Normative references | 17 |
| 3 Terms, definitions, symbols and reference clauses | 22 |
| 3.1 General..... | 22 |
| 3.2 Alphabetical index of definitions | 22 |
| 3.3 General terms and definitions | 27 |
| 3.4 Switching devices | 31 |
| 3.5 Parts of switching devices..... | 35 |
| 3.6 Operation of switching devices..... | 41 |
| 3.7 Characteristic quantities | 46 |
| 3.8 Tests | 57 |
| 3.9 Ports..... | 57 |
| 3.10 Terms and definitions concerning safety aspects | 57 |
| 3.11 Terms and definitions related to additional requirements for LV switchgear and controlgear intended for connection of aluminium conductors | 60 |
| 3.12 Terms and definitions related to degrees of protection | 60 |
| 3.13 Terms and definitions related to procedure to determine reliability data for electromechanical devices used in functional safety applications | 60 |
| 3.14 Terms and definitions related to requirements and tests for equipment with protective separation | 61 |
| 3.15 Terms and definitions related to digital inputs and outputs | 63 |
| 3.16 Terms and definitions related to extended functions within electronic overload relays | 63 |
| 3.17 Terms and definitions related to external control device | 64 |
| 3.18 Symbols and references clauses for characteristics described in this document..... | 64 |
| 4 Classification..... | 65 |
| 5 Characteristics | 65 |
| 5.1 Summary of the characteristics | 65 |
| 5.2 Type of equipment | 66 |
| 5.3 Rated and limiting values for the main circuit | 66 |
| 5.3.1 Rated voltages | 66 |
| 5.3.2 Currents | 67 |
| 5.3.3 Rated frequency | 68 |
| 5.3.4 Rated duties | 69 |
| 5.3.5 Characteristics under normal load and overload conditions (see 8.2.4) | 70 |
| 5.3.6 Short-circuit characteristics | 71 |
| 5.3.7 Pole impedance of the switching device (Z) | 72 |
| 5.3.8 Power consumption of the control circuit..... | 72 |
| 5.4 Utilization category | 72 |
| 5.5 Control circuits..... | 72 |
| 5.5.1 Electrically or electronically controlled circuits | 72 |
| 5.5.2 Air-supply control circuits (pneumatic or electro-pneumatic) | 73 |
| 5.6 Auxiliary circuits..... | 73 |
| 5.7 Relays and releases | 73 |

IEC CDV 60947-1 © IEC 2026

| | | |
|--------|----------------------------------------------------------------------------------------------|-----|
| 5.8 | Co-ordination with short-circuit protective devices (SCPD) | 73 |
| 5.9 | Security | 74 |
| 6 | Product information | 74 |
| 6.1 | Nature of information | 74 |
| 6.2 | Marking | 76 |
| 6.3 | Instructions for installation, operation and maintenance, decommissioning and dismantling | 77 |
| 6.4 | Environmental information | 78 |
| 6.5 | Instructions for products intended to be reused, repaired or upgraded | 78 |
| 6.6 | Information provided in electronic format | 78 |
| 7 | Normal service, mounting and transport conditions | 79 |
| 7.1 | Normal service conditions | 79 |
| 7.1.1 | Ambient air temperature | 79 |
| 7.1.2 | Altitude | 80 |
| 7.1.3 | Atmospheric conditions | 80 |
| 7.1.4 | Shock and vibration | 81 |
| 7.1.5 | Other environmental categories | 81 |
| 7.2 | Conditions during transport and storage | 81 |
| 7.3 | Mounting | 81 |
| 8 | Constructional and performance requirements | 81 |
| 8.1 | Constructional requirements | 81 |
| 8.1.1 | General | 81 |
| 8.1.2 | Materials | 82 |
| 8.1.3 | Current-carrying parts and their connections | 84 |
| 8.1.4 | Clearances and creepage distances | 84 |
| 8.1.5 | Actuator | 85 |
| 8.1.6 | Indication of the contact position | 86 |
| 8.1.7 | Additional requirements for equipment suitable for isolation | 86 |
| 8.1.8 | Terminals | 88 |
| 8.1.9 | Additional requirements for equipment provided with a neutral or mid-point pole | 89 |
| 8.1.10 | Provisions for protective earthing | 90 |
| 8.1.11 | Dedicated enclosures for equipment | 91 |
| 8.1.12 | Degrees of protection of enclosed equipment | 92 |
| 8.1.13 | Conduit pull-out, torque and bending with metallic conduits | 92 |
| 8.1.14 | Limited energy source | 92 |
| 8.1.15 | Stored charge energy circuit | 93 |
| 8.1.16 | Fault and abnormal conditions | 93 |
| 8.1.17 | Short-circuit and overload protection of ports | 94 |
| 8.1.18 | Use of voltage transient limiting device | 94 |
| 8.1.19 | Requirements for equipment with artificial optical radiation | 94 |
| 8.1.20 | Energy efficiency | 95 |
| 8.1.21 | Environmental aspects | 95 |
| 8.2 | Performance requirements | 95 |
| 8.2.1 | Operating conditions | 95 |
| 8.2.2 | Temperature-rise | 96 |
| 8.2.3 | Dielectric properties | 98 |
| 8.2.4 | Ability to make, carry and break currents under no-load, normal load and overload conditions | 101 |

IEC CDV 60947-1 © IEC 2026

| | | |
|-----------------------|------------------------------------------------------------------------------------------------------------------------|-----|
| 8.2.5 | Ability to make, carry and break short-circuit currents | 102 |
| 8.2.6 | Pole impedance | 103 |
| 8.2.7 | Control circuit power consumption | 103 |
| 8.2.8 | Leakage currents of equipment suitable for isolation | 103 |
| 8.2.9 | Other environmental categories | 103 |
| 8.3 | Electromagnetic compatibility (EMC) | 104 |
| 8.3.1 | General | 104 |
| 8.3.2 | Immunity | 104 |
| 8.3.3 | Emission | 104 |
| 8.4 | Embedded software | 105 |
| 8.5 | Security | 105 |
| 9 | Tests | 105 |
| 9.1 | Kinds of test | 105 |
| 9.1.1 | General | 105 |
| 9.1.2 | Type tests | 106 |
| 9.1.3 | Routine tests | 106 |
| 9.1.4 | Sampling tests | 106 |
| 9.1.5 | Special tests | 107 |
| 9.1.6 | Verification of product able to be reused, repaired and upgraded | 107 |
| 9.2 | Compliance with constructional requirements | 107 |
| 9.2.1 | General | 107 |
| 9.2.2 | Test of materials to abnormal heat and fire | 107 |
| 9.2.3 | Equipment marking | 107 |
| 9.2.4 | Enclosures for equipment | 108 |
| 9.2.5 | Mechanical and electrical properties of terminals | 108 |
| 9.2.6 | Verification of the effectiveness of indication of the main contact position of equipment suitable for isolation | 111 |
| 9.2.7 | Limited energy source test | 113 |
| 9.2.8 | Stored charge energy test | 113 |
| 9.2.9 | Conduit pull-out test, torque test and bending test with metallic conduits | 114 |
| 9.2.10 | Test of earth continuity for protective earth | 114 |
| 9.2.11 | Fault and abnormal conditions tests | 115 |
| 9.2.12 | Wire flexing test | 116 |
| 9.2.13 | Artificial optical radiation test | 117 |
| 9.2.14 | Cemented joints test (type test) | 117 |
| 9.3 | Performance | 117 |
| 9.3.1 | Test sequences | 117 |
| 9.3.2 | General test conditions | 117 |
| 9.3.3 | Performance under no-load, normal load and overload conditions | 120 |
| 9.3.4 | Performance under short-circuit conditions | 133 |
| 9.4 | Tests for EMC | 139 |
| 9.4.1 | General | 139 |
| 9.4.2 | Immunity | 139 |
| 9.4.3 | Emission | 140 |
| 9.5 | Embedded software | 140 |
| 9.6 | Security | 140 |
| Annex A (informative) | Harmonisation of utilization categories for low-voltage switchgear and controlgear | 175 |

IEC CDV 60947-1 © IEC 2026

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Annex B (normative) Additional requirements for LV switchgear and controlgear intended for connection of aluminium conductors | 179 |
| B.1 General | 179 |
| B.2 Classification | 179 |
| B.3 Characteristics | 179 |
| B.4 Product information | 179 |
| B.4.1 Nature of information | 179 |
| B.4.2 Marking | 180 |
| B.4.3 Instructions for installation, operation and maintenance, decommissioning and dismantling | 180 |
| B.5 Normal service, mounting and transport conditions | 180 |
| B.6 Constructional and performance requirements | 180 |
| B.7 Type tests | 181 |
| B.7.1 General | 181 |
| B.7.2 Current cycling test | 181 |
| B.7.3 Climatic test | 186 |
| B.7.4 Mechanical properties of terminals | 187 |
| B.7.5 Test for insertability of unprepared round aluminium conductors having the maximum cross-section | 187 |
| Annex C (normative) Degrees of protection | 190 |
| C.1 General | 190 |
| C.2 Object | 190 |
| C.3 Definitions | 190 |
| C.4 Designation | 190 |
| C.5 Degrees of protection against access to hazardous parts and against ingress of solid foreign objects indicated by the first characteristic numeral | 190 |
| C.6 Degrees of protection against ingress of water indicated by the second characteristic numeral | 190 |
| C.7 Degrees of protection against access to hazardous parts indicated by the additional letter | 191 |
| C.8 Supplementary letters | 191 |
| C.9 Examples of designations with IP Code | 191 |
| C.10 Marking | 191 |
| C.11 General requirements for tests | 191 |
| C.12 Tests for protection against access to hazardous parts indicated by the first characteristic numeral | 192 |
| C.13 Tests for protection against ingress of solid foreign objects indicated by the first characteristic numeral | 192 |
| C.13.1 Dust test for first characteristic numerals 5 and 6 | 192 |
| C.13.5.2 Acceptance conditions for first characteristic numeral 5 | 192 |
| C.14 Tests for protection against water indicated by second characteristic numeral | 193 |
| C.14.1 Test means | 193 |
| C.14.2 Test conditions | 193 |
| C.14.3 Acceptance conditions | 193 |
| C.15 Tests for protection against access to hazardous parts indicated by additional letter | 193 |
| C.16 Summary of responsibilities of relevant technical committees | 193 |
| Annex D (informative) Examples of clamping units and relationship between clamping unit and connecting device | 197 |
| D.1 Clamping unit in a connecting device | 197 |