

## **Nizkonapetostne stikalne in krmilne naprave - 7-4. del: Pomožna oprema - Priključni bloki na tiskanih vezjih za bakrene vodnike**

Low-voltage switchgear and controlgear - Part 7-4: Ancillary equipment - PCB terminal blocks for copper conductors

Niederspannungsschaltgeräte - Teil 7-4: Hilfseinrichtungen - Leiterplatten-Anschlussklemmen für Kupferleiter **sch Standard**

Appareillage à basse tension - Partie 7-4: Matériels accessoires - Blocs de jonction pour cartes de circuits imprimés pour conducteurs en cuivre

Ta slovenski standard je istoveten z: prEN IEC 60947-7-4:2025

oSIST prEN IEC 60947-7-4:2026

ICS:

29.120.99	Druga električna dodatna oprema	Other electrical accessories
29.130.20	Nizkonapetostne stikalne in krmilne naprave	Low voltage switchgear and controlgear

oSIST prEN IEC 60947-7-4:2026

en





121A/705/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 60947-7-4 ED3

DATE OF CIRCULATION:

2025-12-26

CLOSING DATE FOR VOTING:

2026-03-20

SUPERSEDES DOCUMENTS:

121A/688/CD, 121A/702A/CC

## IEC SC 121A : LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR

SECRETARIAT:

France

SECRETARY:

Mr Alban NOTIN

OF INTEREST TO THE FOLLOWING COMMITTEES:

TC 121, SC 121B

HORIZONTAL FUNCTION(S):

ASPECTS CONCERNED:

 SUBMITTED FOR CENELEC PARALLEL VOTING NOT SUBMITTED FOR CENELEC PARALLEL VOTING

## Attention IEC-CENELEC parallel voting

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting.

The CENELEC members are invited to vote through the CENELEC online voting system.

oSIST prEN IEC 60947-7-4:2026

<https://standards.iteh.ai/catalog/standards/sist/c493d294-49f4-45f2-9115-6721c5dbfd9f/osist-pren-iec-60947-7-4-2026>

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

**Low-voltage switchgear and controlgear – Part 7-4: Ancillary equipment – PCB terminal blocks for copper conductors**

PROPOSED STABILITY DATE: 2031

NOTE FROM TC/SC OFFICERS:

SC121A Officers are supporting the circulation of the CDV of IEC 60947-7-4 ED3

**Copyright © 2025 International Electrotechnical Commission, IEC.** All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

## Link to Committee Draft for Vote (CDV) online document:

[Click here](#)

## How to access

This link leads you to the Online Standards Development (OSD) platform for National Mirror Committee's (NMC) comments. The project draft may be found further down this document.

## Resource materials

We recommend NCs to review the available materials to better understand the member commenting on the OSD platform.

This includes the:

- [OSD NC roles overview](#)
- [How to add and submit comments to the IEC](#)

## Contact

Should you require any assistance, please contact the [IEC IT Helpdesk](#).

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[oSIST prEN IEC 60947-7-4:2026](#)

<https://standards.iteh.ai/catalog/standards/sist/c493d294-49f4-45f2-9115-6721c5dbfd9f/osist-pren-iec-60947-7-4-2026>

## CONTENTS

FOREWORD .....	3
INTRODUCTION .....	5
1 Scope .....	6
2 Normative references .....	6
3 Terms and definitions .....	8
4 Classification .....	9
5 Characteristics .....	9
5.1 Summary of characteristics .....	9
5.2 Type of PCB terminal block .....	9
5.3 Rated and limiting values .....	9
5.3.1 Rated voltages .....	9
5.3.2 Rated current .....	9
5.3.3 Standard cross-sections .....	10
5.3.4 Maximum cross-section .....	12
5.3.5 Connecting capacity .....	12
6 Product information .....	12
6.1 Marking .....	12
6.2 Additional information .....	12
7 Normal service, mounting and transport conditions .....	13
8 Constructional and performance requirements .....	13
8.1 Constructional requirements .....	13
8.1.1 Clamping units .....	13
8.1.2 Mounting and installation .....	13
8.1.3 Clearances and creepage distances .....	14
8.1.4 Terminal identification and marking .....	14
8.1.5 Resistance to abnormal heat and fire .....	14
8.1.6 Maximum cross-section and connecting capacity .....	14
8.2 Performance requirements .....	15
8.2.1 Temperature-rise (current-temperature derating) .....	15
8.2.2 Dielectric properties .....	15
8.2.3 Short-time withstand current .....	15
8.2.4 Contact resistance .....	15
8.2.5 Ageing tests .....	15
8.3 Electromagnetic compatibility (EMC) .....	16
9 Tests .....	16
9.1 Kinds of test .....	16
9.2 General .....	16
9.3 Verification of mechanical characteristics .....	17
9.3.1 General .....	17
9.3.2 Attachment of the PCB terminal block on its support .....	17
9.3.3 Vacant .....	18
9.3.4 Verification of the maximum cross-section and connecting capacity .....	18
9.3.5 Verification of maximum cross-section (special test with gauges) .....	18
9.4 Verification of electrical characteristics .....	18
9.4.1 General .....	18
9.4.2 Verification of clearances and creepage distances .....	18