

---

**Odklopniki na preostali (residualni) tok brez vgrajene nadtokovne zaščite za gospodinjsko in podobno rabo (RCCB's) - 1. del: Splošna pravila**

Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) - Part 1: General rules

Fehlerstrom-/Differenzstrom-Schutzschalter ohne eingebauten Überstromschutz (RCCBs) für Hausinstallationen und für ähnliche Anwendungen - Teil 1: Allgemeine Anforderungen

Interrupteurs automatiques à courant différentiel résiduel sans dispositif de protection contre les surintensités incorporé pour usages domestiques et analogues (ID) - Partie 1: Règles générales

Ta slovenski standard je istoveten z: **prEN IEC 61008-1:2026/prAA:2026**

---

**ICS:**

29.120.50

Varovalke in druga  
nadtokovna zaščitaFuses and other overcurrent  
protection devices**oSIST prEN IEC 61008-  
1:2026/oprAA:2026****en**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**DRAFT**  
**prEN IEC 61008-1:2026**  
**prAA**

January 2026

ICS 29.120.50

English Version

## Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses (RCCBs) - Part 1: General rules

Interrupteurs automatiques à courant différentiel résiduel  
sans dispositif de protection contre les surintensités  
incorporé pour usages domestiques et analogues (ID) -  
Partie 1: Règles générales

Fehlerstrom-/Differenzstrom-Schutzschalter ohne  
eingebauten Überstromschutz (RCCBs) für  
Hausinstallationen und für ähnliche Anwendungen - Teil 1:  
Allgemeine Anforderungen

This draft amendment prAA, if approved, will modify the European Standard prEN IEC 61008-1:2026; it is submitted to CENELEC members for enquiry.

Deadline for CENELEC: 2026-04-24.

It has been drawn up by CLC/TC 23E.

If this draft becomes an amendment, CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

This draft amendment was established by CENELEC in three official versions (English, French, German).

A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

| 14 | <b>Contents</b>                                                                                                                                                                            | Page      |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 15 | <b>European foreword</b> .....                                                                                                                                                             | <b>5</b>  |
| 16 | <b>1 Modification to the Introduction</b> .....                                                                                                                                            | <b>6</b>  |
| 17 | <b>2 Modifications to Clause 1, “Scope”</b> .....                                                                                                                                          | <b>6</b>  |
| 18 | <b>3 Modification to Clause 2, “Normative references”</b> .....                                                                                                                            | <b>6</b>  |
| 19 | <b>4 Modification to Clause 3, “Terms and definitions”</b> .....                                                                                                                           | <b>6</b>  |
| 20 | <b>5 Modification to 4.1.2, “RCCB with 2 or 4 current paths operating correctly on the occurrence of residual current within the voltage range of 1,1 <math>U_e</math> and 85 V”</b> ..... | <b>6</b>  |
| 21 |                                                                                                                                                                                            |           |
| 22 | <b>6 Modification to 4.2, “According to the possibility of adjusting the residual operating current”</b> .....                                                                             | <b>6</b>  |
| 23 |                                                                                                                                                                                            |           |
| 24 | <b>7 Deletion of 4.8.4, “RCCB with screw-type terminals for aluminium conductors”</b> .....                                                                                                | <b>7</b>  |
| 25 | <b>8 Modifications to 4.9, “According to the number of poles and current paths”</b> .....                                                                                                  | <b>7</b>  |
| 26 | <b>9 Addition of 4.Z1, “According to the range of ambient air temperature”</b> .....                                                                                                       | <b>7</b>  |
| 27 | <b>10 Modification to 5.1, “Summary of characteristics”</b> .....                                                                                                                          | <b>7</b>  |
| 28 | <b>11 Modification to 5.2.1.3, “Rated impulse withstand voltage (<math>U_{imp}</math>)”</b> .....                                                                                          | <b>7</b>  |
| 29 | <b>12 Modification to 5.2.5, “Rated residual operating current (<math>I_{\Delta n}</math>)”</b> .....                                                                                      | <b>7</b>  |
| 30 | <b>13 Modifications to 5.3.3, “Standard values of rated residual operating current (<math>I_{\Delta n}</math>)”</b> .....                                                                  | <b>7</b>  |
| 31 | <b>14 Modification to 5.3.6, “Standard values of rated impulse withstand voltage (<math>U_{imp}</math>)”</b> .....                                                                         | <b>7</b>  |
| 32 | <b>15 Modifications to 5.3.7.1, “Standard limit values of break time and non-actuating time for alternating residual currents (RMS values) of type AC and A”</b> .....                     | <b>7</b>  |
| 33 |                                                                                                                                                                                            |           |
| 34 | <b>16 Modification to 5.3.12, “Standard and preferred values of the rated conditional short-circuit current (<math>I_{nc}</math>)”</b> .....                                               | <b>7</b>  |
| 35 |                                                                                                                                                                                            |           |
| 36 | <b>17 Addition of 5.3.Z1, “Standard ranges of ambient air temperature”</b> .....                                                                                                           | <b>8</b>  |
| 37 | <b>18 Modifications to Clause 6, “Marking and other product information”</b> .....                                                                                                         | <b>8</b>  |
| 38 | <b>19 Modifications to 8.1.1, “General”</b> .....                                                                                                                                          | <b>8</b>  |
| 39 | <b>20 Modification to 8.1.2, “Mechanism”</b> .....                                                                                                                                         | <b>8</b>  |
| 40 | <b>21 Modifications to 8.1.5, “Terminals for external conductors”</b> .....                                                                                                                | <b>9</b>  |
| 41 | <b>22 Addition of 8.1.Z1, “Mechanical mounting of plug-in RCCBs”</b> .....                                                                                                                 | <b>9</b>  |
| 42 | <b>23 Modifications to 8.11, “Test device”</b> .....                                                                                                                                       | <b>9</b>  |
| 43 | <b>24 Addition of 8.Z1, “Behaviour of RCCBs at low ambient air temperatures”</b> .....                                                                                                     | <b>9</b>  |
| 44 | <b>25 Modification to 9.1, “General”</b> .....                                                                                                                                             | <b>9</b>  |
| 45 | <b>26 Modification to 9.2, “Test conditions”</b> .....                                                                                                                                     | <b>9</b>  |
| 46 | <b>27 Modification to 9.4, “Test of reliability of screws, current-carrying parts and connections”</b> .....                                                                               | <b>10</b> |
| 47 | <b>28 Modification to 9.5, “Test of reliability of screw-type terminals for external copper conductors”</b> .....                                                                          | <b>10</b> |
| 48 |                                                                                                                                                                                            |           |
| 49 | <b>29 Modification to 9.7.7.2, “Verification of clearances with the impulse withstand voltage”</b> .....                                                                                   | <b>10</b> |
| 50 | <b>30 Modification to 9.7.7.3, “Verification of resistance of the insulation of open contacts against an impulse voltage (suitability for isolation)”</b> .....                            | <b>10</b> |
| 51 |                                                                                                                                                                                            |           |