







# 46F/706/CDV

## COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER: <b>IEC 61169-1-3 ED1</b>	
DATE OF CIRCULATION: <b>2025-05-09</b>	CLOSING DATE FOR VOTING: <b>2025-08-01</b>
SUPERSEDES DOCUMENTS: <b>46F/688/CD, 46F/700/CC</b>	

IEC SC 46F : RF AND MICROWAVE PASSIVE COMPONENTS	
SECRETARIAT: United States of America	SECRETARY: Mr John Morelli
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL FUNCTION(S):
ASPECTS CONCERNED:	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING <b>Attention IEC-CENELEC parallel voting</b> The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE AC/22/2007 OR NEW GUIDANCE DOC).

TITLE: <b>Radio-frequency connectors – Part 1-3: Electrical test methods - Surge withstand – Surge protective devices built-in coaxial connector – Performance requirements and testing methods</b>
--

PROPOSED STABILITY DATE: 2028
-------------------------------

NOTE FROM TC/SC OFFICERS: The latest version from Japanese NC
--

**Copyright © 2025 International Electrotechnical Commission, IEC.** All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references .....	6
3 Terms and definitions .....	7
4 Service and test conditions.....	8
4.1 Service conditions.....	8
4.1.1 Normal service conditions.....	8
4.1.2 Abnormal service conditions .....	9
4.2 Test temperature and humidity.....	9
5 Electrical requirements .....	9
5.1 General.....	9
5.2 Initial values .....	9
5.2.1 Sparkover voltages .....	9
5.2.2 Return loss (V.S.W.R.) .....	9
5.2.3 Insertion loss .....	9
5.2.4 Insulation resistance.....	9
5.3 Test measurements and requirements .....	10
5.3.1 Impulse durability .....	10
5.4 Requirements after application of load .....	10
5.4.1 General .....	10
5.4.2 Sparkover voltages .....	10
5.4.3 Return loss (V.S.W.R.) .....	10
5.4.4 Insertion loss .....	10
5.4.5 Insulation resistance.....	10
6 Test and measurement procedures and circuits .....	10
6.1 DC sparkover voltage .....	10
6.2 Impulse sparkover voltage .....	10
6.3 Impulse durability.....	11
6.4 Return loss (V.S.W.R.).....	11
6.5 Insertion loss .....	11
6.6 Insulation resistance .....	11
7 Test and measurement procedures and circuits .....	11
Annex A (informative) Measurement equipment examples of DC sparkover voltage test.....	12
A.1 DC sparkover voltage test overview, procedure and method .....	12
Annex B (informative) Measurement equipment examples of impulse sparkover voltage test.....	16
B.1 Impulse sparkover voltage test overview, procedure and method .....	16
Annex C (informative) Measurement equipment examples of impulse durability test .....	19
C.1 Impulse durability (applicable to signal and communication SPDs).....	19
Bibliography.....	22
Figure 1 – Coaxial adapter for surge protection device with gas discharge tube .....	7
Figure 2 – Coaxial adapter for surge protection device with 1/4 wavelength short stub .....	8