



SLOVENSKI STANDARD oSIST prEN IEC 61284:2026

01-februar-2026

Nadzemni vodi - Zahteve in preskusi za obesno opremo

Overhead lines - Requirements and tests for fittings

Freileitungen - Anforderungen und Prüfungen für Armaturen

Lignes aériennes - Exigences et essais pour le matériel d'équipement

Ta slovenski standard je istoveten z: prEN IEC 61284:2025

ICS:

29.240.20 Daljnovodi Power transmission and distribution lines

oSIST prEN IEC 61284:2026

en,fr,de



11/321/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER: IEC 61284 ED3	
DATE OF CIRCULATION: 2025-11-21	CLOSING DATE FOR VOTING: 2026-02-13
SUPERSEDES DOCUMENTS: 11/315/CD, 11/318A/CC	

IEC TC 11 : OVERHEAD LINES	
SECRETARIAT: South Africa	SECRETARY: Mr John Dlamini
OF INTEREST TO THE FOLLOWING COMMITTEES: TC 7, TC 36, TC 42, TC 78, TC 99, TC 115, TC 122	HORIZONTAL FUNCTION(S):
ASPECTS CONCERNED: Safety	
☒ SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING

oSIST prEN IEC 61284:2026

<https://standards.iteh.ai/catalog/standards/sist/53bad530-2ab4-4827-b80b-143c8469314d/osist-pren-iec-61284-2026>

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Overhead lines - Requirements and tests for fittings

PROPOSED STABILITY DATE: 2026

NOTE FROM TC/SC OFFICERS:

Copyright © 2025 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

	Page
1	
2	
3 FOREWORD	7
4 1 Scope	7
5 2 Normative references	7
6 3 Definitions	8
7 4 Requirements	11
8 4.1 General requirements	11
9 4.1.1 <i>Design</i>	11
10 4.1.2 <i>Materials</i>	12
11 4.1.2.1 <i>Metallic materials</i>	12
12 4.1.2.2 <i>Non-metallic materials</i>	12
13 4.1.3 <i>Dimensions and tolerances</i>	12
14 4.1.4 <i>Protection against corrosion</i>	13
15 4.1.5 <i>Marking</i>	13
16 4.1.6 <i>Instructions for assembly</i>	14
17 4.2 Requirements for specific fittings	14
18 4.2.1 <i>Insulator set fittings and earth wire fittings</i>	14
19 4.2.2 <i>Suspension clamps</i>	14
20 4.2.3 <i>Fittings for jointing, terminating and repairing conductor and earth wire</i>	16
21 4.2.4 <i>Insulator protective fittings</i>	17
22 5 Quality assurance	17
23 6 Classification of tests – type tests, sample tests, routine tests	17
24 6.1 Type tests	17
25 6.1.1 <i>General</i>	17
26 6.1.2 <i>Application</i>	17
27 6.2 Sample tests	17
28 6.2.1 <i>General</i>	17
29 6.2.2 <i>Application</i>	18
30 6.2.3 <i>Sampling and acceptance criteria</i>	18
31 6.3 Routine tests	18
32 6.3.1 <i>General</i>	18
33 6.3.2 <i>Application and acceptance criteria</i>	18
34 6.4 Table of tests to be applied	18
35 7 Visual examination	22
36 8 Dimensional and material verification	22
37 9 Corrosion protection tests	22
38 9.1 Hot dip galvanized components	22
39 9.2 Ferrous components protected from corrosion by methods other than hot dip galvanizing	23
40 9.3 Corrosion caused by non-metallic components	23
41 10 Non-destructive testing	23
42 11 Mechanical tests	23
43 11.1 Fittings' thermal preconditioning for HT conductors	23
44 11.2 Test specimen and attachments for mechanical damage and failure load tests, conductors 45 used in the mechanical tests	24
46 11.3 Insulator set fittings and earth wire fittings	25

IEC CDV 61284 © IEC 2025

47	11.3.1	Mechanical damage and failure load test	25
48	11.3.2	Mechanical damage and failure load test of the attachment point used during	
49		erection.....	25
50	11.4	Suspension clamps	27
51	11.4.1	Vertical damage load and failure load test	27
52	11.4.2	Slip test on standard clamps with a specified minimum and maximum slip load	27
53	11.4.2.1	Slip test after thermal cycles preconditioning	29
54	11.4.3	Slip test on standard clamps with only specified minimum slip load	29
55	11.4.3.1	Slip test after thermal cycles preconditioning	30
56	11.4.4	Slip test on controlled slippage clamps	30
57	11.4.4.1	Slip test after thermal cycles preconditioning	31
58	11.4.5	Clamp bolt tightening test	31
59	11.4.5.1	Clamp bolt tightening test after thermal cycles preconditioning	32
60	11.4.6	Turning angle test	32
61	11.5	Tension clamps, dead-end tension joints and mid-span tension joints	33
62	11.5.1	Tensile test.....	33
63	11.5.1.1	Tensile test after thermal cycles preconditioning	35
64	11.5.2	Mechanical damage and failure load test (except compressed clamps).....	35
65	11.5.3	Mechanical damage and failure load test of the attachment point used during	
66		erection.....	36
67	11.5.4	Clamp bolt tightening test	36
68	11.5.4.1	Clamp bolt tightening test after thermal cycles preconditioning	36
69	11.6	Partial tension fittings	36
70	11.6.1	Partial tension fittings other than T joints.....	36
71	11.6.1.1	Tensile test	36
72	11.6.1.1.1	Tensile test after thermal cycles preconditioning	36
73	11.6.2	T joints	37
74	11.6.2.1	Tensile test with mechanical tension between main conductor and branch	
75		conductor	37
76	11.6.2.1.1	Tensile test after thermal cycles preconditioning	37
77	11.6.2.2	Tensile test with mechanical tension on the main conductor	37
78	11.6.2.2.1	Tensile test after thermal cycles preconditioning	37
79	11.6.3	Clamp bolt tightening test	37
80	11.6.3.1	Clamp bolt tightening test after thermal cycles preconditioning	37
81	11.7	Repair sleeves	37
82	11.7.1	Tensile test.....	37
83	11.7.1.1	Tensile test after thermal cycles preconditioning	38
84	11.8	Mechanical damage and failure load test for insulator protective fittings	38
85	12	Magnetic losses test.....	38
86	12.1	General.....	38
87	12.2	Test procedure	38
88	13	Heat cycle tests	40
89	13.1	Purpose.....	40
90	13.2	Joints.....	40
91	13.2.1	General	40
92	13.2.2	Classification for test purposes.....	40
93	13.3	Test specimens	40
94	13.3.1	General	40
95	13.3.2	Multi-conductor joints.....	40
96	13.3.3	Preparation	41
97	13.3.4	Data on test specimens	41
98	13.4	Test arrangements	41

IEC CDV 61284 © IEC 2025

99	13.4.1 Test conditions.....	41
100	13.4.2 Reference conductor	41
101	13.4.3 Potential points	41
102	13.4.4 Installation of test loop	41
103	13.4.5 Measurements	42
104	13.4.5.1 Resistance measurement.....	42
105	13.4.5.2 Temperature measurements.....	42
106	13.4.5.3 Measurement of short-time overcurrent (class B joints)	43
107	13.5 Procedure for type 0 conductors	43
108	13.5.1 General	43
109	13.5.2 Joints of class A	43
110	13.5.2.1 Test procedure	43
111	13.5.2.2 Acceptance criteria (class A joints)	44
112	13.5.3 Joints of class B	44
113	13.5.3.1 Test procedure	44
114	13.5.3.2 Acceptance criteria (class B).....	45
115	13.6 Procedure for HT conductors	45
116	13.6.1 Method 1	45
117	13.6.1.1 Joints of class A	45
118	13.6.1.1.1 Test procedure.....	45
119	13.6.1.1.2 Acceptance criteria (Method 1 - class A joints)	45
120	13.6.1.2 Joints of class B	45
121	13.6.1.2.1 Test procedure.....	45
122	13.6.1.2.2 Acceptance criteria (Method 1 - class B joints)	46
123	13.6.2 Method 2 (only joints of class A).....	46
124	13.6.2.1 Test procedure	46
125	13.6.2.2 Acceptance criteria (Method 2 - class A joints).....	46
126	13.6.3 Method 3 (only joints of class A).....	46
127	13.6.3.1 Test procedure	46
128	13.6.3.2 Acceptance criteria (Method 3 - class A joints).....	47
129	13.7 Test report.....	47
130	14 Corona and radio interference voltage (RIV) tests.....	48
131	14.1 Purpose	48
132	14.2 Description of test methods	48
133	14.3 General.....	48
134	14.4 Test circuit and instruments	49
135	14.5 Corona and RIV test procedures	50
136	14.6 Acceptance criteria.....	50
137	14.7 Test report.....	50
138	14.8 Voltage method	51
139	14.8.1 Adjacent conductors in a three-phase system.....	51
140	14.8.1.1 Test set-up and dimensions (see from Figure 22 to Figure 27)	51
141	14.8.1.2 Critical variant.....	54
142	14.8.1.3 Distance from wall (reflection plane) <i>W</i>	54
143	14.8.1.4 Minimum clearance from adjacent live components	55
144	14.8.1.5 Metallic wall	55
145	14.9 Voltage gradient method	55
146	14.9.1 Conductor voltage on three-phase system.....	55
147	14.9.2 Test set-up and dimensions.....	55
148	14.9.3 Test method	56
149	15 Fittings' thermal profile	57
150	16 Characterization of elastomers.....	57
151	Annexes	

IEC CDV 61284 © IEC 2025

152	Annex A (normative) Minimum technical details to be agreed between purchaser and supplier	59
153	Annex B (informative) Alternative fittings' thermal preconditioning	61
154	Annex C (normative) Typical joint types	62
155	Annex D (informative) Temperature sensing devices	64
156	Annex E (informative) Potential points	65
157	Annex F (normative) Typical test circuit – Class A joints	66
158	Annex G (normative) Typical test circuit – Class B joints	67
159	Annex H (normative) Diagrammatic representation of heat cycle test sequence	68
160	Annex I (normative) Mathematical acceptance criterion	69
161	Annex J (normative) Heat cycles test for HT conductors - Method 3	71
162	Annex K (informative) Aeolian vibration test	76
163	Annex L (informative) Examples of international standards and recommendations for fitting materials	79
164	Annex M (informative) Test voltage calibration device	81
166	Annex N (informative) Example of sampling with inspection by attributes	84
167	Annex O (informative) Example of sampling with inspection by variables	85
168	Annex P (informative) Practical inspection method by attributes	86
169		
170	Figures	
171	Figure 1 – Tolerance on holes subjected to mechanical stress	15
172	Figure 2 – Different articulation of suspension clamps	15
173	Figure 3 – Different types of metal-to-metal suspension clamps	16
174	Figure 4 – Different types of rubber/elastomer-lined (ES) clamps	16
175	Figure 5 – Different types of HAES clamps	17
176	Figure 6 – Thermal cycles preconditioning	25
177	Figure 7 – Insulator set fittings and earth wire fittings – damage load and failure load test: diagrams showing the typical application of load	27
178	Figure 8 – Insulator set fittings and earth wire fittings – mechanical damage and failure load test: rate of increase of load	27
179	Figure 9 – Suspension clamp – vertical damage load and failure load test: diagram showing the typical application of load	28
180	Figure 10 – Suspension clamp – slip test: Check points for slippage of the different types of suspension clamps	30
181	Figure 11 – Suspension clamp (standard type) – slip test: diagram showing the typical application of load	31
182	Figure 12 – Suspension clamp (controlled slippage type) – slip test: diagram showing the typical application of load	32
183	Figure 13 – Suspension clamp – Turning angle test: diagram showing the typical application of load	33
184	Figure 14 – Tension clamps, dead-end tension joints and tension joints – tensile test: diagram showing the typical application of load	35
185	Figure 15 – Tension clamps, dead-end tension joints and tension joints – tensile test: Recommended Check points for slippage of the different types of tension clamps	35
186	Figure 16 – Tension clamps, dead-end tension joints and tension joints – tensile test: rate of increase of load	36
187	Figure 17 – Tension clamps and tension joints – mechanical damage and failure load test: diagram showing the typical application of load	36
188	Figure 18 – Tension clamp and tension joints – mechanical damage and failure load test of the attachment point used during erection: diagram showing the typical application of load	37
189	Figure 19 – Magnetic losses test	40
190	Figure 20 – Heat cycles test for HT conductors - Method 3 - Typical test circuit	48
191	Figure 21 – Typical relationship between observed corona and RIV	49
192	Figure 22 – Suspension test arrangement, critical variant b)	52
193	Figure 23 – Tension test arrangement, critical variant b)	53
194	Figure 24 – Tension test arrangement, critical variant b), hanging vertically from the ceiling	53
195	Figure 25 – Tension test arrangement, critical variant c)	54
196	Figure 26 – Tension test arrangement, critical variant c), hanging vertically from the ceiling	54
197	Figure 27 – Test arrangement for in-span fittings, critical variant b) or c)	55
198	Figure 28 – Typical test arrangement – suspension assembly	57
199	Figure 29 – Typical test arrangement – tension assembly	57
200		
201		
202		
203		
204		
205		
206		
207		
208		
209		
210		
211		