

**SLOVENSKI STANDARD**  
**oSIST prEN IEC 61788-28:2025**  
**01-oktober-2025**

---

**Merjenje mehanskih lastnosti - Natezni preskus praktičnih kompozitnih superprevodnikov REBCO in BSCCO pri kriogenih temperaturah**

Mechanical properties measurement - Tensile test of practical REBCO and BSCCO composite superconductors at cryogenic temperatures

iTeh Standards  
(<https://standards.iteh.ai>)

Ta slovenski standard je istoveten z: [Document ID: 10000000000000000000000000000000](#)

---

[oSIST prEN IEC 61788-28:2025](#)

<https://standards.iteh.ai/catalog/standards/sist/45dc110b-da46-4925-914a-c609fa6704f5/osist-pren-iec-61788-28-2025>

**ICS:**

29.050	Superprevodnost in prevodni materiali	Superconductivity and conducting materials
--------	---------------------------------------	--

**oSIST prEN IEC 61788-28:2025**

**en**



## COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER: <b>IEC 61788-28 ED1</b>	
DATE OF CIRCULATION: <b>2025-08-08</b>	CLOSING DATE FOR VOTING: <b>2025-10-31</b>
SUPERSEDES DOCUMENTS: <b>90/527/CD, 90/541A/CC</b>	

IEC TC 90 : SUPERCONDUCTIVITY	
SECRETARIAT: Japan	SECRETARY: Mr Hideki II
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL FUNCTION(S):
ASPECTS CONCERNED:	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING <input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING	
<b>Attention IEC-CENELEC parallel voting</b> The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007 OR NEW GUIDANCE DOC](#)).

## TITLE:

**Mechanical properties measurement - Tensile test of practical REBCO and BSCCO composite superconductors at cryogenic temperatures**

PROPOSED STABILITY DATE: 2037

NOTE FROM TC/SC OFFICERS:

## CONTENTS

5	FOREWORD.....	4
6	INTRODUCTION.....	6
7	1 Scope .....	7
8	2 Normative references .....	7
9	3 Terms and definitions .....	8
10	4 Principle .....	10
11	5 Apparatus.....	10
12	5.1 General.....	10
13	5.2 Testing machine .....	10
14	5.3 Extensometer.....	11
15	6 Specimen preparation.....	11
16	6.1 General.....	11
17	6.2 Length of specimen.....	11
18	6.3 Determination of cross-sectional area ( $S_0$ ).....	11
19	7 Testing conditions .....	12
20	7.1 Specimen gripping .....	12
21	7.2 Setting of extensometers .....	12
22	7.3 Cooling procedure.....	12
23	7.4 Testing speed .....	12
24	7.5 Test .....	12
25	8 Calculation of results .....	12
26	8.1 Modulus of elasticity ( $E_0$ and $E_U$ ).....	12
27	8.2 0,2% proof strength ( $R_{p0,2_0}$ and $R_{p0,2_U}$ ) .....	13
28	9 Uncertainty of measurand .....	13
29	10 Test report.....	14
30	10.1 Specimen.....	14
31	10.2 Results .....	14
32	Annex A (informative) Additional information relating to measurement, apparatus, and calculation .....	15
33	A.1 Scope .....	15
34	A.2 Extensometer.....	15
35	A.2.1 Double extensometer.....	15
36	A.2.2 Single extensometer .....	16
37	A.3 Gripping force .....	16
38	A.4 Percentage elongation after fracture ( $A_f$ ).....	16
39	A.5 Condition of straining to fracture .....	17
40	A.6 Additional information for test report .....	17
41	A.6.1 General .....	17
42	A.6.2 Test result .....	17
43	A.6.3 Test conditions .....	17
44	A.7 Evaluation of cross-sectional area of the specimen .....	17
45	Annex B (informative) Evaluation of combined standard uncertainty for HTS $E_0$ and $R_{p0,2_0}$ measurements .....	20
46	B.1 Relative standard uncertainty (RSU) .....	20