
Varnost močnostnih pretvornikov, ki se uporabljajo v fotonapetostnih sistemih - 1.
del: Splošne zahteve

Safety of power converters for use in photovoltaic power systems - Part 1: General requirements

Sicherheit von Wechselrichtern zur Anwendung in photovoltaischen Energiesystemen - Teil 1: Allgemeine Anforderungen

Sécurité des convertisseurs de puissance utilisés dans les systèmes photovoltaïques - Partie 1: Exigences générales

Ta slovenski standard je istoveten z: prEN IEC 62109-1:2025

[oSIST prEN IEC 62109-1:2025](https://standards.slo.si/catalog/standards/sist/22517805-6287-466f-8dd6-9b9f256286c0/osist-pr-en-iec-62109-1-2025)

<https://standards.slo.si/catalog/standards/sist/22517805-6287-466f-8dd6-9b9f256286c0/osist-pr-en-iec-62109-1-2025>

ICS:

27.160	Sončna energija	Solar energy engineering
29.200	Usmerniki. Pretvorniki. Stabilizirano električno napajanje	Rectifiers. Convertors. Stabilized power supply

oSIST prEN IEC 62109-1:2025

en,fr,de



82/2459/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 62109-1 ED2

DATE OF CIRCULATION:

2025-08-22

CLOSING DATE FOR VOTING:

2025-11-14

SUPERSEDES DOCUMENTS:

82/2213/CD, 82/2250A/CC

IEC TC 82 : SOLAR PHOTOVOLTAIC ENERGY SYSTEMS	
SECRETARIAT: United States of America	SECRETARY: Mr George Kelly
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL FUNCTION(S):
ASPECTS CONCERNED: Safety	
☒ SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING

oSIST prEN IEC 62109-1:2025

<https://standards.iteh.ai/catalog/standards/sist/225f7805-6287-4ebf-8dd6-9b9f2562e6e0/osist-pren-iec-62109-1-2025>

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Safety of power converters for use in photovoltaic power systems - Part 1: General requirements

PROPOSED STABILITY DATE: 2031

NOTE FROM TC/SC OFFICERS:

This project was discussed and supported by WG6 during their meeting in 2025-05.

CONTENTS

1	FOREWORD	7
2	INTRODUCTION	10
3	1 Scope	11
4	2 Normative references	12
5	3 Terms, definitions, symbols, and abbreviated terms	15
6	4 General requirements and testing	34
7	4.1 General	34
8	4.2 General conditions for testing	35
9	4.3 Temperature testing	39
10	4.4 Testing in single fault condition	43
11	4.5 Humidity preconditioning	57
12	4.6 Backfeed voltage requirements and tests	58
13	4.7 Electrical ratings tests	59
14	4.8 Fault Indication	60
15	4.9 Maximum DC output voltage and DC current limitation functions	61
16	5 Marking and documentation	68
17	5.1 Marking	68
18	5.2 Warning markings	72
19	5.3 Documentation	74
20	6 Environmental requirements and conditions	84
21	6.1 Environmental categories and minimum environmental conditions	84
22	6.2 Pollution degree (PD)	85
23	6.3 Ingress protection (IP) ratings	87
24	6.4 UV exposure	87
25	6.5 Temperature and humidity	88
26	6.6 Condensation	88
27	6.7 Gaskets	88
28	7 Protection against electric shock and energy hazards	88
29	7.1 General	88
30	7.2 Fault conditions	89
31	7.3 Protection against electric shock	89
32	7.4 Protection against energy hazards	131
33	7.5 Electrical tests related to shock hazard	132
34	8 Protection against mechanical hazards	143
35	8.1 General	143
36	8.2 Moving parts	144
37	8.3 Stability	144
38	8.4 Provisions for lifting and carrying	145
39	8.5 Wall mounting	146
40	8.6 Expelled parts	146
41	9 Protection against fire hazards	146
42	9.1 Resistance to fire	146
43	9.2 Limited power sources	154
44	9.3 Short-circuit and overcurrent protection	156

IEC CDV 62109-1 Ed 2 © IEC 2025

45	10	Protection against sonic pressure hazards.....	157
46	10.1	General.....	157
47	10.2	Sonic pressure level.....	157
48	11	Protection against liquid hazards	157
49	11.1	General.....	157
50	11.2	Design requirements	158
51	11.3	Risks of liquid leakage, spills, and coolant loss	160
52	11.4	Oil and grease	160
53	12	Chemical hazards	161
54	12.1	General.....	161
55	13	Physical requirements	161
56	13.1	Handles and manual controls	161
57	13.2	Securing of parts.....	162
58	13.3	Provisions for field wiring connections.....	162
59	13.4	Internal wiring and connections.....	177
60	13.5	Openings in enclosures.....	178
61	13.6	Polymeric materials.....	180
62	13.7	Mechanical resistance to deflection, impact, or drop	183
63	13.8	Thickness requirements for metal enclosures.....	184
64	14	Components	187
65	14.1	General.....	187
66	14.2	Components bridging simple or protective separation	188
67	14.3	Motor overtemperature protection	190
68	14.4	Overtemperature protection devices or systems.....	190
69	14.5	Fuses.....	190
70	14.6	Fuse holders	190
71	14.7	Switches, switch-disconnectors, and disconnectors.....	190
72	14.8	Circuit Breakers:	193
73	14.9	Printed circuit boards	197
74	14.10	Circuits or components used as transient overvoltage limiting devices	197
75	14.11	Batteries	197
76	14.12	PV Earth Fault Protection Equipment (PV EFPE) and Functions	199
77	14.13	PV Arc Fault Protection.....	200
78	15	Software and electronics performing safety functions	201
79	15.1	General.....	201
80	15.2	Defined state requirements	201
81	Annex A (normative)	Measurement of clearances and creepage distances.....	202
82	Annex B (normative)	Requirements related to functional safety	208
83	B.1	Scope	208
84	B.2	Terms, definitions, symbols and abbreviated terms	208
85	B.3	General.....	208
86	B.4	Evaluation and testing.....	209
87	B.5	Electromagnetic compatibility (EMC) requirements – Immunity.....	211
88	B.6	Safety related circuits using software	215
89	B.7	Verification of safety function performance related to conditioning tests	215
90	Annex C (normative)	Symbols to be used in equipment markings.....	217
91	C.1	General.....	217

IEC CDV 62109-1 Ed 2 © IEC 2025

92	Annex D (informative) Test probe for determining access	220
93	Annex E (informative) Altitude correction for clearances	221
94	Annex F (informative) Clearance and creepage distance determination for frequencies	
95	greater than 30 kHz	223
96	F.1 Clearances	223
97	F.2 Creepage distances	224
98	Annex G (informative) Measuring instrument for touch current measurements	226
99	G.1 Measuring instrument for limits of 2mA and less	226
100	G.2 Measuring instrument for limits exceeding 2mA.....	226
101	Annex H (informative) Examples of application of insulation coordination requirements	
102	for PCE.....	228
103	H.1 Example 1 - Separated PCE.....	228
104	H.2 Example 2 - PCE without separation	229
105	H.3 Examples 3 and 4: Transient voltage reduction means	230
106	Annex I (normative) Ultraviolet light conditioning tests	232
107	I.1 General.....	232
108	I.2 Xenon-arc light-exposure according to ISO 4892-2	232
109	I.3 Xenon-arc light-exposure according to ASTM G155	232
110	Annex J (normative) Short Circuit Current Contribution Reporting	233
111	J.1 General.....	233
112	J.2 SC current contribution reporting examples.....	234
113	Annex K (informative) Backfeed Current and PV Reverse Current.....	240
114	K.1 General.....	240
115	K.2 Illustrated Examples.....	240
116	Annex L (informative) List of tests and clause numbers.....	244
117	L.1 Introduction.....	244
118	L.2 Tests and associated clause numbers.....	244
119	Annex M (informative) Example of the application of 14.1.2 - transition zone for	
120	components	247
121	M.1 Introduction.....	247
122	M.2 Application of the requirements	247
123	M.3 Detailed example	247
124	Annex N (informative) Risks associated with outgassing from metallized film	
125	capacitors.....	249
126	N.1 Introduction	249
127	N.2 Technical background	250
128	N.3 Factors useful in conducting risk analysis	250
129	N.4 Explosion testing.....	254
130	N.5 Further Information	258
131	Bibliography	260

IEC CDV 62109-1 Ed 2 © IEC 2025

Figures

132	Figure 1 – Limited voltage outputs: Voltage-time limits under single fault conditions	63
133	Figure 2 – Functional summary of protective measures against electric shock	90
134	Figure 3 – Short term AC voltage limits for 7.3.2.3	92
135	Figure 4 – Short term DC voltage limits for 7.3.2.3	92
136	Figure 5 – Typical waveform for AC working voltage	96
137	Figure 6 – Typical waveform for DC working voltage	97
138	Figure 7 – Typical waveform for pulsating working voltage	97
139	Figure 8 – Examples for protection against direct contact for DVC C circuits	101
140	Figure 9 – Example of protection by DVC A with protective separation	102
141	Figure 10 – Example of protection by means of protective impedance	103
142	Figure 11 – Example of protection by limitation of discharge energy through protective	
143	impedance	104
144	Figure 12 – Example of protective voltage limitation	105
145	Figure 13 – Examples of protective bonding and earthing	107
146	Figure 14 – Fire enclosure bottom openings below an unenclosed or partially enclosed	
147	component	152
148	Figure 15 – Fire enclosure baffle construction	153
149	Figure 16 – Examples of cross-sections of designs of openings preventing vertical	
150	access	179
151	Figure 17 – Examples of louver design	179
152	Figure 18 – Top and side enclosure openings	180
153	Figure A.1 – Narrow groove	202
154	Figure A.2 – Wide groove	203
155	Figure A.3 V-shaped groove	203
156	Figure A.4 – Rib	203
157	Figure A.5 – Uncemented joint with grooves less than X	204
158	Figure A.6 – Uncemented joint with grooves equal to or more than X	204
159	Figure A.7 – Uncemented joint with narrow and wide grooves	204
160	Figure A.8 – Creepage distance and clearance through an uncemented joint	205
161	Figure A.9 – Creepage distance and clearance in the case of a cemented joint and	
162	wide grooves	205
163	Figure A.10 – Head of screw in a wide recess	205
164	Figure A.11 – Head of screw in a narrow recess	206
165	Figure A.12 – Intervening, unconnected conductive part	206
166	Figure A.13 – Distances for multilayer PWBs	206
167	Figure A.14 – Transition zone for components per 14.1.2	207
168	Figure D.1 – Test finger	220
169	Figure F.1 – Clearance distance determination for frequencies greater than 30 kHz	223
170	Figure F.2 – Creepage distance determination for frequencies greater than 30 kHz	224
171	Figure G.1 – Measuring instrument for limits $\leq 2\text{mA RMS}$ or 2.8mA peak	226
172	Figure G.2 – Alternative measuring instrument	227