
Sekundarni členi in baterije z alkalnimi ali drugimi nekislinskimi elektroliti - Nikelj-kadmij prizmatični ponovno polnljivi členi z delno rekombinacijo plinov in baterije za industrijsko uporabo

Secondary cells and batteries containing alkaline or other non-acid electrolytes - Nickel-cadmium prismatic rechargeable cells with partial gas recombination and batteries for use in industrial applications.

Sekundärzellen und -batterien mit alkalischem oder anderen nichtsäurehaltigen Elektrolyten - Wiederaufladbare prismatische Nickel-Cadmium-Einzelzellen mit teilweiser Gasrekombination

Accumulateurs alcalins et autres accumulateurs à électrolyte non-acide - Batteries et éléments parallélépipédiques rechargeables au nickel-cadmium à recombinaison partielle des gaz pour application industrielle

<https://standards.iteh.ai/catalog/standards/sist/c1308875-c198-4f80-bcbd-9aa057bd0d0b/osist-pren-iec-62259-2025>

Ta slovenski standard je istoveten z: prEN IEC 62259:2025

ICS:

29.220.99 Drugi členi in baterije Other cells and batteries

oSIST prEN IEC 62259:2025

en



21A/936/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 62259 ED2

DATE OF CIRCULATION:

2025-07-25

CLOSING DATE FOR VOTING:

2025-10-17

SUPERSEDES DOCUMENTS:

21A/905/CD, 21A/911A/CC

IEC SC 21A : SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES

SECRETARIAT:

France

SECRETARY:

Mr Jean-Marie Bodet

OF INTEREST TO THE FOLLOWING COMMITTEES:

HORIZONTAL FUNCTION(S):

ASPECTS CONCERNED:

☒ SUBMITTED FOR CENELEC PARALLEL VOTING

☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING

Attention IEC-CENELEC parallel voting

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting.

The CENELEC members are invited to vote through the CENELEC online voting system.

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Secondary cells and batteries containing alkaline or other non-acid electrolytes - Nickel-cadmium prismatic rechargeable cells with partial gas recombination and batteries for use in industrial applications.

PROPOSED STABILITY DATE: 2026

NOTE FROM TC/SC OFFICERS:

The compilation of comments has been analyzed and solved by the project team. The resolved comments have been presented during IEC SC21A WG1 Virtual Meeting on 2025-04-07 and approved by the members of the WG1.

The revised draft (clean document) proposed for CDV will be onboarded on Online Standard Development (OSD). The writing team will manage the comments from National Committees on CDV via OSD.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN IEC 62259:2025](https://standards.iteh.ai/catalog/standards/sist/c1308875-c198-4f80-bcbd-9aa057bd0d0b/osist-pren-iec-62259-2025)

<https://standards.iteh.ai/catalog/standards/sist/c1308875-c198-4f80-bcbd-9aa057bd0d0b/osist-pren-iec-62259-2025>

Link to Committee Draft for Vote (CDV) online document:

<https://osd.iec.ch/#/editor/archive/36cf98d5-2ead-0a1f-e063-3012000a2137/en/CCDV/1>

How to access

This link leads you to the Online Standards Development (OSD) platform for National Mirror Committee's (NMC) comments. The project draft may be found further down this document.

Resource materials

We recommend NCs to review the available materials to better understand the member commenting on the OSD platform. This includes the:

- OSD NC roles overview: [here](#)
- How to add and submit comments to the IEC: [here](#)

Contact

Should you require any assistance, please contact the IEC IT Helpdesk at helpdesk@iec.ch.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[oSIST prEN IEC 62259:2025](https://standards.iteh.ai/catalog/standards/sist/c1308875-c198-4f80-bcbd-9aa057bd0d0b/osist-pren-iec-62259-2025)

<https://standards.iteh.ai/catalog/standards/sist/c1308875-c198-4f80-bcbd-9aa057bd0d0b/osist-pren-iec-62259-2025>

CONTENTS

CONTENTS	1
FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
3.1 Terms and definitions	7
3.2 Abbreviated terms	10
4 Parameter measurement tolerances	10
5 Designation and marking	11
5.1 Cell designation (mandatory)	11
5.2 Cell designation (optional)	11
5.3 Cell termination	12
5.4 Battery designation	12
5.4.1 Battery structure formulation	12
5.4.2 Definitions of components of a battery system	12
5.4.3 Classes of usage of battery system	15
5.5 Marking	16
5.6 Safety recommendations	16
6 Dimensions	16
7 Electrical tests for cells	16
7.1 General	16
7.2 Charging procedure for test purposes	16
7.2.1 General	16
7.2.2 Charge procedure based on constant current	17
7.2.3 Charge procedure based on constant voltage at a given current	17
7.2.4 Rapid charge current	17
7.3 Discharge performance	17
7.3.1 General	17
7.3.2 Discharge performance at 20 °C	18
7.3.3 Discharge performance at +5 °C	18
7.3.4 Discharge performance at -18 °C	19
7.3.5 Discharge performance at low temperature	19
7.3.6 Discharge performance at high temperature	20
7.3.7 High-rate current test	21
7.3.8 Measurement of the internal DC resistance	21
7.3.9 Pulse power calculation	23
7.3.10 Constant power measurement test	24
7.4 Charge retention	25
7.4.1 Test method	25
7.4.2 Acceptance criterion	25
7.5 Endurance for cells	25
7.5.1 Test conditions	25
7.5.2 Endurance in cycles	25
7.5.3 Final test after completion of endurance in cycles test	26
7.5.4 Determination of durability parameters	27

7.5.5	Permanent charge endurance (optional)	28
7.6	Charge acceptance at constant voltage	29
7.6.1	Test method	29
7.6.2	Acceptance criterion	29
7.7	Vent operation	29
7.7.1	Test method	29
7.7.2	Acceptance criteria	30
7.8	Electrolyte retention	30
7.8.1	General	30
7.8.2	Test method	30
7.8.3	Acceptance criterion	30
7.9	Storage	30
7.9.1	Test method	30
7.9.2	Acceptance criteria	30
7.10	Overcharge	30
7.11	Determination of gas recombination efficiency	31
7.11.1	Test method	31
7.11.2	Acceptance criterion	32
8	Mechanical tests	32
9	Physical appearance	32
10	Requirements at battery level	32
10.1	General	32
10.2	Environmental conditions	32
10.3	Operating voltage range of the battery system	33
10.4	Optional additional components to battery systems	33
10.4.1	General	33
10.4.2	Battery information system	34
10.4.3	Battery heater	34
10.4.4	Thermostat or cut-off switch	34
10.4.5	Mounting racks	34
10.4.6	Deported components	34
11	Performance requirement for the battery system	34
11.1	Design energy and power calculation methodology	34
11.1.1	General	34
11.1.2	Requirements for battery capacity sizing	35
11.1.3	Expected lifetime in years for the battery system	36
11.1.4	Deep discharge of batteries	36
11.1.5	Exceptional use case of the battery system	36
11.1.6	Documentation	37
11.2	End of life performance	37
12	Conditions for approval and acceptance	37
12.1	Type approval	37
12.2	Batch acceptance	38
Annex A (normative)	CCCV charge methodology	40
Annex B (normative)	Nickel-cadmium load profile verification documentation	42
B.1	General	42
B.2	General methodology	42
B.3	Battery sizing documentation	43