
**Zrak na delovnem mestu - 1. del: Detektorji plina - Zahteve za delovanje
detektorjev strupenih plinov**

Workplace atmospheres - Part 1: Gas detection equipment - Performance requirements
of detectors for toxic gases

Arbeitsplatzatmosphäre - Teil 1: Gasmessgeräte - Anforderungen an das
Betriebsverhalten von Geräten für die Messung toxischer Gase

Atmosphères des lieux de travail – Partie 1: Equipement de détection de gaz –
Exigences d'aptitude à la fonction des détecteurs de gaz toxiques

Ta slovenski standard je istoveten z: **prEN IEC 62990-1:2026**

ICS:

- | | | |
|-----------|----------------------------------|---------------------------|
| 13.040.30 | Kakovost zraka na delovnem mestu | Workplace atmospheres |
| 13.320 | Alarmni in opozorilni sistemi | Alarm and warning systems |

oSIST prEN IEC 62990-1:2026**en**

Sample Document

get full document from standards.iteh.ai



31/1981/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 62990-1 ED2

DATE OF CIRCULATION:

2026-08-14

CLOSING DATE FOR VOTING:

2026-11-06

SUPERSEDES DOCUMENTS:

31/1948/CD, 31/1965/CC

IEC TC 31 : EQUIPMENT FOR EXPLOSIVE ATMOSPHERES

SECRETARIAT:

United Kingdom

SECRETARY:

Mr Tom Stack

OF INTEREST TO THE FOLLOWING COMMITTEES:

HORIZONTAL FUNCTION(S):

ASPECTS CONCERNED:

☒ SUBMITTED FOR CENELEC PARALLEL VOTING☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING**Attention IEC-CENELEC parallel voting**

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting.

The CENELEC members are invited to vote through the CENELEC online voting system.

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Workplace atmospheres – Part 1: Gas detection equipment – Performance requirements of detectors for toxic gases

PROPOSED STABILITY DATE: 2030

NOTE FROM TC/SC OFFICERS:

Copyright © 2026 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

Link to Committee Draft for Vote (CDV) online document:

[Click here](#)

How to access

This link leads you to the Online Standards Development (OSD) platform for National Mirror Committee's (NMC) comments. The project draft may be found further down this document.

Resource materials

We recommend NCs to review the available materials to better understand the member commenting on the OSD platform.

This includes the:

- [OSD NC roles overview](#)
- [How to add and submit comments to the IEC](#)

Contact

Should you require any assistance, please contact the [IEC IT Helpdesk](#).

Sample Document

get full document from standards.iteh.ai

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 General requirements	9
4.1 Overview	9
4.2 Design	9
4.2.1 General	9
4.2.2 Indicators and means of indication	9
4.2.3 Alarm signal(s)	10
4.2.4 Fault signals	10
4.2.5 Special state indication	10
4.2.6 Adjustments	10
4.2.7 Battery-powered equipment	10
4.2.8 Software-controlled equipment	10
4.3 Marking	10
4.4 Instructions	10
5 Test methods	11
5.1 General	11
5.2 General requirements for tests	11
5.2.1 Samples and sequence of tests	11
5.2.2 Preparation of equipment before testing	11
5.3 Normal conditions for test	11
5.3.1 General	11
5.3.2 Test gas(es)	11
5.3.3 Flow rate for test gases	12
5.3.4 Power supply	12
5.3.5 Temperature	12
5.3.6 Pressure	12
5.3.7 Humidity	12
5.3.8 Acclimation time	12
5.3.9 Orientation	12
5.3.10 Communications options	12
5.4 Tests	12
5.4.1 General	12
5.4.2 Unpowered storage	12
5.4.3 Vibration	12
5.4.4 Drop test	13
5.4.5 Calibration kit	13
5.4.6 Linearity	13
5.4.7 Alarm set-point(s)	13
5.4.8 Stability	13
5.4.9 Gas concentrations above the upper limit of indication	13
5.4.10 Poisons and other gases	13
5.4.11 Temperature	13

IEC CDV 62990-1 © IEC 2026

5.4.12	Pressure (equipment with sensors only)	13
5.4.13	Humidity of test gas	14
5.4.14	Air velocity (diffusion equipment only).....	14
5.4.15	Flow rate (aspirated equipment only)	14
5.4.16	Warm-up time	14
5.4.17	Time of response	14
5.4.18	Time of recovery	14
5.4.19	Sampling probe	14
5.4.20	Operation at or below the lower limit of measurement (Type O2-DE only)	14
5.4.21	Extended operation in test gas (Type TX only).....	14
5.4.22	Orientation.....	15
5.4.23	Battery capacity for battery-powered equipment	15
5.4.24	Power supply variations for externally powered equipment	15
5.4.25	Electromagnetic immunity	15
5.4.26	Fault signal tests	15
5.4.27	Software controlled equipment.....	16
5.4.28	Environmental protection	16
5.4.29	Time-weighted average (TWA) function	17
6	Uncertainty of measurement and lower limit of measurement	17
6.1	General.....	17
6.2	Method of calculation of uncertainty of measurement	17
6.2.1	Basic concept	17
6.2.2	Sources of uncertainty	19
6.3	Method of calculation of lower limit of measurement	24
6.4	Acceptance criteria	24
6.4.1	Uncertainty of measurement	24
6.4.2	Lower limit of measurement	25
6.5	Relation between uncertainty and accuracy	25
Annex A (normative)	Gas specific performance requirements	26
Annex B (normative)	Acceptance criteria for Type TX-HM.....	28
B.1	Type TX-HM equipment	28
Bibliography		31
Table 1	– Factors to be considered in the expanded uncertainty estimate	18
Table A.1	– Gas specific performance requirements	26
Table B.1	– Acceptance criteria for Type TX-HM equipment	28

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**Workplace atmospheres –
Part 1: Gas detection equipment –
Performance requirements of detectors for toxic gases**

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.

2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.

3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.

6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.

8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC [had/had not] received notice of (a) patent(s), which may be required to implement this

IEC CDV 62990-1 © IEC 2026

document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62990-1 has been prepared by Joint Working Group (JWG) 45 of IEC technical committee 31: Equipment for explosive atmospheres in cooperation with ISO technical committee 146: Air quality, sub-committee 2: Workplace atmospheres. It is an International Standard.

It is published as a dual logo standard.

This second edition cancels and replaces the first edition published in 2019. This edition constitutes a technical revision. Users of this document are advised that interpretation sheets clarifying the interpretation of this document can be published. Interpretation sheets are available from the IEC webstore and can be found in the “history” tab of the page for each document.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Transferred all requirements for Type TX-SM (Safety Monitoring) from the document to IEC 60079-29-0;
- b) Aligned major technical requirements for Type TX-HM (Health Monitoring) with IEC 60079-29-0.

The text of this International Standard is based on the following documents:

Draft	Report on voting
XX/XX/FDIS	XX/XX/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62990 series, published under the general title *Workplace atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This part of IEC 62990 specifies general requirements for construction, testing and performance of equipment intended to measure the concentration of toxic gas and vapour in workplace atmospheres and other industrial and commercial applications. The performance requirements are intended to apply under environmental conditions present at the site of operation.

Although a wide range of environmental conditions are encountered in practice, this document specifies requirements that have to be fulfilled by gas detection equipment when tested under prescribed laboratory conditions.

This document applies to the type of equipment: Health Monitoring (Type TX-HM). Requirements for type of equipment Safety Monitoring (SM) are moved to the [IEC 60079-29-0 \[1\]](#). For a given measurement task of Type TX-HM equipment the range over which the requirements must be met depends on the occupational exposure limit value. However, for most toxic gases and vapours the occupational exposure limit values have not been harmonized at the international level. Therefore, it was decided to use a reference value instead of the occupational exposure limit value for the performance tests. The list of reference values is given in [Annex A](#). The reference values chosen are equal to or close to the occupational exposure limit values used in different countries but are intended to be used only for type testing equipment without any legal implications.

Electrical equipment used for the direct detection and direct concentration measurement of toxic gases and vapours generate readings in clean air (nominally zero), which vary with environmental conditions and time. This document therefore includes test methods and requirements for acceptable variations in measured values at application of zero gas and of defined test gases.

General and performance requirements for gas detection equipment including additional function for detecting flammable gas and/or oxygen and/or toxic gases in areas for safety monitoring, are set out in [IEC 60079-29-0 \[1\]](#). The IEC 60079-29-0 standard includes a bibliography of relevant standards that can provide assistance when applying IEC 62990-1.

Consideration needs to also be given to the following relevant international standards:

IEC 60079-29-2, *Explosive atmospheres - Part 29-2, Gas detectors - Selection, installation, use and maintenance of detectors for flammable gases and oxygen* [IEC 60079-29-2 \[2\]](#)

IEC 62990-2, *Workplace atmospheres - Part 2: Gas detectors - Selection, installation, use and maintenance of detectors for toxic gases and vapours* IEC 62990-2

IEC 60079-29-3, *Explosive atmospheres - Part 29-3, Gas detectors - Guidance on functional safety of fixed gas detection systems* [IEC 60079-29-3 \[3\]](#).