



SLOVENSKI STANDARD

oSIST prEN IEC 63138-4:2025

01-julij-2025

Večkanalni radiofrekvenčni konektorji - 4. del: Področna specifikacija za okrogle konektorje vrste I32-4 in I32-5

Multi-channel radio frequency connectors - Part 4: Sectional specification for type I32-4 and I32-5 circular connectors

Connecteurs pour fréquences radioélectriques multicanaux - Partie 4: Spécification intermédiaire pour les connecteurs circulaires de type I32-4 et I32-5

Ta slovenski standard je istoveten z: prEN IEC 63138-4:2025

<https://standards.iteh.ai/catalog/standards/sist/ba374e2b-1eb5-4ff8-b4fe-8f213f6d767a/osist-pren-iec-63138-4-2025>

ICS:

33.120.30	Radiofrekvenčni konektorji (RF)	RF connectors
-----------	---------------------------------	---------------

oSIST prEN IEC 63138-4:2025

en



46F/704/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER: IEC 63138-4 ED1	
DATE OF CIRCULATION: 2025-05-09	CLOSING DATE FOR VOTING: 2025-08-01
SUPERSEDES DOCUMENTS: 46F/663/CD, 46F/689/CC	

IEC SC 46F : RF AND MICROWAVE PASSIVE COMPONENTS	
SECRETARIAT: United States of America	SECRETARY: Mr John Morelli
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL FUNCTION(S):
ASPECTS CONCERNED:	
☒ SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Multi-channel radio frequency connectors - Part 4: Sectional specification for type L32-4 and L32-5 circular connectors

PROPOSED STABILITY DATE: 2028

NOTE FROM TC/SC OFFICERS:

Copyright © 2025 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Mating face and gauge information	7
4.1 Mating face dimensions	7
4.1.1 Connector with pin contact	7
4.1.2 Connector with socket contact	9
4.1.3 Mating face of RF channel	11
4.2 Gauges	12
4.2.1 Gauge for socket centre contact	12
4.2.2 Gauge for L32-5 connector with 5 pin contacts.....	13
4.2.3 Gauge for L32-4 connector with 4 pin contacts.....	13
4.2.4 Gauge for L32-5 connector with 5 socket contacts	14
4.2.5 Gauge for L32-4 connector with 4 socket contacts	15
5 Quality assessment procedure	16
5.1 General.....	16
5.2 Rating and characteristics.....	17
5.3 Quality assessment.....	18
5.3.1 General.....	18
5.3.2 Inspection procedure	18
5.3.3 Lot-by-lot inspection.....	20
5.3.4 Periodic inspections.....	20
6 Instructions for preparation of detail specifications	21
6.1 General.....	21
6.2 Identification of the component	21
6.3 Performance	22
6.4 Marking, ordering information and related matters	22
6.5 Selection of tests, test conditions and severities	22
6.6 Blank detail specification pro-forma for L32 series circular connector	23
7 Marking	26
7.1 Marking of component.....	26
7.2 Marking and contents of package.....	26
Figure 1 – L32-5 connector with 5 pin contacts	7
Figure 2– L32-4 connector with 4 pin contacts	8
Figure 3 – L32-5 connector with 5 socket contacts	9
Figure 4 – L32-4 Connector with 4 socket contacts	10
Figure 5 – Mating face of RF channel	11
Figure 6 – Gauge for socket contact of RF channel.....	12
Figure 7 –Gauge for L32-5 connector with 5 pin contacts.....	13
Figure 8 –Gauge for L32-4 connector with 4 pin contacts.....	14
Figure 9 –Gauge for L32-5 connector with 5 socket contacts	15
Figure 10 –Gauge for L32-4 connector with 4 socket contacts	16