
**Informacijska struktura upravljanja sredstev za industrijske aplikacije - 4. del:
Primeri uporabe informacijske strukture upravljanja sredstev**

Asset administration shell for industrial applications - Part 4: Applications of Asset Administration Shell

Enveloppe de gestion d'actif pour applications industrielles - Partie 4: Applications d'Enveloppe de Gestion d'Actif

Ta slovenski standard je istoveten z: prEN IEC 63278-4:2025

<https://standards.iteh.ai/catalog/standards/sist/0696755b-0db4-4b80-8e71-844019013590/osist-pren-iec-63278-4-2025>

<https://standards.iteh.ai/catalog/standards/sist/0696755b-0db4-4b80-8e71-844019013590/osist-pren-iec-63278-4-2025>

ICS:

25.040.01	Sistemi za avtomatizacijo v industriji na splošno	Industrial automation systems in general
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

oSIST prEN IEC 63278-4:2025**en,fr,de**



65/1131/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 63278-4 ED1

DATE OF CIRCULATION:

2025-06-27

CLOSING DATE FOR VOTING:

2025-09-19

SUPERSEDES DOCUMENTS:

65/1024/CD, 65/1117/CC

IEC TC 65 : INDUSTRIAL-PROCESS MEASUREMENT, CONTROL AND AUTOMATION	
SECRETARIAT: France	SECRETARY: Mr Didier GIARRATANO
OF INTEREST TO THE FOLLOWING COMMITTEES: TC 121	HORIZONTAL FUNCTION(S):
ASPECTS CONCERNED: Digital content	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE AC/22/2007 OR NEW GUIDANCE DOC).

TITLE:

Asset administration shell for industrial applications - Part 4: Applications of Asset Administration Shell

PROPOSED STABILITY DATE: 2028

NOTE FROM TC/SC OFFICERS:

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
0.1 General.....	9
0.2 Context of this document	9
0.3 Structure of this document	10
0.4 Intended audience and purpose of the document	10
1 Scope.....	11
2 Normative references	11
3 Terms, definitions, abbreviated terms, and conventions.....	11
3.1 Terms and definitions.....	11
3.2 Abbreviated terms.....	13
3.3 Conventions.....	13
4 Usage of the Asset Administration Shell	14
4.1 General.....	14
4.2 Governance principles	14
4.3 Usage of assets and Asset Administration Shells.....	15
4.3.1 Basic assumptions.....	15
4.3.2 Modification of an asset.....	16
4.3.3 Modification of an Asset Administration Shell.....	16
4.3.4 Providing information to other Asset Administration Shells.....	18
4.3.5 Transfer of ownership of an asset.....	23
4.3.6 Example: filter unit.....	24
4.3.7 Example: physical components and physical components in mind	26
4.4 Usage of AAS user applications.....	28
4.4.1 General	28
4.4.2 Providing and executing a software application as AAS user application.....	28
4.5 Usage of asset integration, asset services, and asset related services.....	28
4.5.1 General	28
4.5.2 Providing and executing a software application as asset related service.....	28
4.5.3 Asset integration and asset services.....	29
4.6 Usage of concept repositories, Submodel templates and Submodels	31
4.6.1 Overview	31
4.6.2 Usage of concept repositories.....	32
4.6.3 Usage of Submodel templates	33
4.6.4 Usage of Submodels.....	36
4.7 Data exposure and accountability	39
4.7.1 General	39
4.7.2 Expressing data exposure and accountability.....	40
4.7.3 Enforcement by AAS interface	40
4.7.4 Examples: browsing of Submodels	41
4.7.5 Example: visibility of AASs and Submodels	42
5 Further Examples for Asset Administration Shells.....	43
5.1 Examples for product types and product instances.....	43

IEC CDV 63278-4 © IEC 2025

5.1.1	Data and assets of a company.....	43
5.1.2	Product type and product instance of a component.....	43
5.1.3	Product type and product instance of a machine as composite asset	47
5.2	Example conceptual networks.....	50
5.3	Example virtual commissioning of a conveyor	50
5.4	Example information exchange within a boiler system	54
5.5	Example PCF calculation	59
5.5.1	General	59
5.5.2	Examples for threats from a business perspective	61
5.5.3	Restricting data exposure	62
5.5.4	Ensuring accountability	63
5.5.5	Establish accountable bindings.....	66
5.5.6	Evaluation and certification of business processes	66
5.6	Example services.....	68
5.7	Example addressing type-instance aspects.....	71
Annex A (informative)	Legend to the figures	75
Annex B (informative)	Classification of assets.....	77
Annex C (informative)	Relationships between an asset and its Asset Administration Shell.....	78
C.1	General.....	78
C.2	Example: relationships between a drive and its AAS	78
Annex D (informative)	Information exchange based on hard wiring using the AAS	81
Bibliography.....		84
Figure 1 – Relationships between the documents		9
Figure 2 – Asset Administration Shell and related entities.....		14
Figure 3 – Illustration of governance scopes and subjects		15
Figure 4 – Illustration of life cycle of assets and AASs		16
Figure 5 – Illustration of a constraint restricting structural changes		17
Figure 6 – Example: modification of a SubmodelElement		18
Figure 7 – Illustration of providing information to other AASs		19
Figure 8 – Illustration of result of copying provided information		20
Figure 9 – Illustration of copying “SMblue”		21
Figure 10 – Illustration of result of referencing to provided information		22
Figure 11 – Illustration of referencing to “SMblue”.....		23
Figure 12 – Example: provision of data-based services.....		23
Figure 13 – Illustration of transfer of ownership of an asset		24
Figure 14 – Selected assets and AASs during engineering of the filter unit		25
Figure 15 – Selected assets and AASs during operation of the filter unit.....		26
Figure 16 – Physical component and physical component in mind.....		26
Figure 17 – Strict distinction between physical and non-physical component		27
Figure 18 – Physical component is not considered as an asset.....		27
Figure 19 – Change of reference point over time.....		28
Figure 20 – Providing and executing a software application as asset related service.....		29

Figure 21 – Illustration of sequence of calls	29
Figure 22 – Internal structure of asset integration	30
Figure 23 – Example governance of asset services	31
Figure 24 – Value chain of using concept repositories, Submodel templates and Submodels	31
Figure 25 – Modifying a concept repository entry	32
Figure 26 – Example structuring concept repositories	32
Figure 27 – Modifying a Submodel template because of a modification of the concept repository	34
Figure 28 – Submodel template replicating the structure of the concept repository	34
Figure 29 – Submodel template with independent structure	34
Figure 30 – Submodel template with structure formation by concept repository	35
Figure 31 – Extension of concept repository	35
Figure 32 – Additional element integrated in Submodel template	35
Figure 33 – Inconsistent modelling	36
Figure 34 – Creation of a Submodel guided by a Submodel template	36
Figure 35 – Creation of a Submodel not guided by a Submodel template	37
Figure 36 – Detaching a Submodel from the guidance of a Submodel template	37
Figure 37 – Modifying a Submodel under the guidance of a Submodel template	38
Figure 38 – Modifying a Submodel based on the modification of a Submodel template	38
Figure 39 – Detaching a Submodel because of a modification of a Submodel template	39
Figure 40 – Illustration of browsing between two AASs	41
Figure 41 – Illustration of indirect browsing	42
Figure 42 – Illustration of refusing exploration and access	42
Figure 43 – Illustration of visibility of AASs and Submodels	43
Figure 44 – Examples for data, assets and relationships between data and assets	43
Figure 45 – Illustration of considered assets	44
Figure 46 – Illustration of life cycle of asset “valve type”	44
Figure 47 – Illustration of life cycle of asset “valve xxx”	44
Figure 48 – Illustration of considered assets in the context of RAMI4.0	45
Figure 49 – Illustration of life cycle of considered assets in the course of time	45
Figure 50 – Illustration of life cycle of an AAS associated to asset “valve type”	46
Figure 51 – Illustration of life cycle of an AAS associated to asset “valve xxx”	46
Figure 52 – Illustration of two AASs associated to the asset “valve type”	47
Figure 53 – Illustration of two AASs associated to the asset “valve xxx”	47
Figure 55 – Illustration of the AASs of the considered product types	48
Figure 56 – Illustration of life cycle of considered product instances	49
Figure 57 – Illustration of AASs of the considered product instances	49
Figure 58 – Example networks	50
Figure 59 – Business view on virtual commissioning	51
Figure 60 – Technical roles interacting in virtual commissioning	51

IEC CDV 63278-4 © IEC 2025

Figure 61 – Modeling virtual commissioning based on AAS (option 1)	52
Figure 62 – Modeling virtual commissioning based on AAS (option 2)	53
Figure 63 – Modeling virtual commissioning based on AAS (option 3)	54
Figure 64 – Modeling virtual commissioning based on AAS (option 4)	54
Figure 65 – Business view on information exchange within a boiler system	55
Figure 66 – Technical roles interacting in information exchange within a boiler system	55
Figure 67 – Modeling setup for information exchange within a boiler system based on AAS	56
Figure 68 – Using AAS for modeling information exchange based on hard wiring	57
Figure 69 – Example for a mapping of the AAS modeling to an implementation	58
Figure 70 – Using AAS for modeling information exchange based on logical communication	59
Figure 71 – Considered assets and their relationships	60
Figure 72 – Overall supply chain of control cabinet	60
Figure 73 – Considered AASs including AAS responsables and selected Submodels	61
Figure 74 – Selected relationships between the AASs of the control cabinet supplier	61
Figure 75 – Example for restricting data exposure	63
Figure 76 – Business view of ensuring accountability considerations	64
Figure 77 – Implementation based on specific concept repository entries	65
Figure 78 – Implementation based on a specific attribute	66
Figure 79 – Business view of evaluation and certification of business processes	67
Figure 80 – Example for evaluation and certification of business processes	68
Figure 81 – Technical perspective of “Manufacturing of Individualized Products” (extract)	68
Figure 82 – Modeling a production resource	69
Figure 83 – Option 1a: service as AAS user application, access to production resources via AAS interface	69
Figure 84 – Option 1b: service as AAS user application, access to production resources via Submodel ps_structure of the production system	70
Figure 85 – Option 2: service as asset related service of production order	70
Figure 86 – Option 3: service as asset related service of production system	71
Figure 87 – Option 4: service as asset service of production system	71
Figure 88 – Business view: offering of function blocks	72
Figure 89 – Asset view	72
Figure 90 – Asset Administration Shell view	73
Figure 91 – Example for an asset seen as instance asset and type asset	73
Figure 92 – Guidance by Submodel templates	74
Figure A.1 – Graphical elements illustrating AASs, related entities and their relationships	75
Figure C.1 – Relationships between digital object and physical object according to [4]	78
Figure C.2 – Relationships between a drive and its AAS according to [4]	79