

**SLOVENSKI STANDARD**  
**oSIST prEN IEC 63552:2025**  
**01-julij-2025**

---

**Stikalna naprava za otočenje (SDFI)**

Switching device for islanding (SDFI)

Appareil de connexion pour le passage en réseau séparé (SDFI)

**Ta slovenski standard je istoveten z: prEN IEC 63552:2025**

---

**ICS:**

27.015	Energijska učinkovitost. Ohranjanje energije na splošno	Energy efficiency. Energy conservation in general
29.130.20	Nizkonapetostne stikalne in krmilne naprave	Low voltage switchgear and controlgear

**oSIST prEN IEC 63552:2025**

**en,fr,de**





# 23K/121/CDV

## COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

**IEC 63552 ED1**

DATE OF CIRCULATION:

**2025-05-23**

CLOSING DATE FOR VOTING:

**2025-08-15**

SUPERSEDES DOCUMENTS:

**23K/99/CD, 23K/116A/CC**

IEC SC 23K : ELECTRICAL ENERGY EFFICIENCY PRODUCTS

SECRETARIAT:

France

SECRETARY:

Mr Philippe Vollet

OF INTEREST TO THE FOLLOWING COMMITTEES:

TC 8, SC 23B, SC 23E, TC 64, SC 121A

HORIZONTAL FUNCTION(S):

ASPECTS CONCERNED:

Energy Efficiency

☒ SUBMITTED FOR CENELEC PARALLEL VOTING

☐ NOT SUBMITTED FOR CENELEC PARALLEL VOTING

**Attention IEC-CENELEC parallel voting**

The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting.

The CENELEC members are invited to vote through the CENELEC online voting system.

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

oSIST prEN IEC 63552:2025

<https://standards.iteh.ai/standards/sist/4e24d127-58a0-4158-96da-234de1beb54e/osist-pren-iec-63552-2025>

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

**Switching device for islanding (SDFI)**

PROPOSED STABILITY DATE: 2027

NOTE FROM TC/SC OFFICERS:

After resolution of 23K/99/CD comments, officers support the circulation of this CDV.

**Copyright © 2025 International Electrotechnical Commission, IEC.** All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

# CONTENTS

1		
2		
3	FOREWORD.....	4
4	INTRODUCTION.....	6
5	1 Scope.....	8
6	2 Normative references .....	9
7	3 Terms and definitions .....	10
8	4 Classification.....	14
9	4.1 General.....	14
10	4.2 According to the construction .....	15
11	4.3 According to the method of integration .....	15
12	4.4 According to the method of operation .....	15
13	4.5 According to the kind of current .....	16
14	4.6 According to the number of switched poles .....	16
15	4.7 According to SRCSD interlocking means .....	16
16	4.8 According to the reclosing mode .....	16
17	4.9 According to islanding means .....	16
18	4.10 According to the type of isolation .....	16
19	4.11 According to the type of local sources .....	16
20	5 Characteristics .....	16
21	6 Markings and product information .....	17
22	7 Standard conditions for operation in service .....	18
23	8 Requirements for construction and operation.....	19
24	8.1 General requirements .....	19
25	8.2 Construction requirements .....	19
26	8.2.1 Mechanism .....	19
27	8.2.2 SDFI operation and interlocking .....	20
28	8.2.3 Manual reclosing of the SDFI.....	21
29	8.2.4 Voltage and frequency deviations .....	22
30	8.2.5 Voltage withstand between open contacts .....	22
31	8.3 Reclosing operations (reconnection to grid connected mode) .....	22
32	8.4 Operational endurance.....	24
33	8.5 EMC .....	24
34	9 Type tests .....	24
35	9.1 General.....	24
36	9.2 SDFI operation and interlocking .....	24
37	9.3 Tests for manual reclosing .....	24
38	9.4 Verification of operations upon deviations .....	25
39	9.5 Test for reclosing operations.....	26
40	9.5.1 General .....	26
41	9.5.2 SDFI provided for closing without synchronization .....	26
42	9.5.3 SDFI provided for reclosing with synchronization .....	27
43	9.6 EMC tests .....	28
44	9.6.1 General .....	28
45	9.6.2 Electromagnetic emission .....	28
46	9.6.3 Electromagnetic immunity .....	28
47	Bibliography.....	30

48		
49	Figure 1 – Example of islandable PEI architecture .....	6
50	Figure 2 –Example of SDFI .....	15
51	Figure 3 – SDFI operation principle.....	20
52	Figure 4 – Example of architecture of a PEI operating in TT in connected mode and	
53	becoming TN in island mode .....	21
54	Figure 5 – Example of sequence diagram for operation upon source deviation and grid	
55	loss for transition to island mode .....	22
56	Figure 6 – Grid reconnection – without synchronization (open transition) .....	23
57	Figure 7 – Grid reconnection – with synchronization (closed transition) .....	23
58	Figure 8 – Example of typical undervoltage ride through capability profile .....	26
59		
60	Table 1 – Requirements and position for markings and other product information .....	17
61	Table 2 – Values of influencing quantities .....	18
62	Table 3 – Immunity tests and performance criteria.....	28
63	Table 4 – Performance criteria .....	29
64		
65		

**iTeh Standards**  
**(<https://standards.iteh.ai>)**  
**Document Preview**

[oSIST prEN IEC 63552:2025](https://standards.iteh.ai/catalog/standards/sist/4e24d127-58a0-4158-96da-234de1beb54e/osist-pren-iec-63552-2025)

<https://standards.iteh.ai/catalog/standards/sist/4e24d127-58a0-4158-96da-234de1beb54e/osist-pren-iec-63552-2025>